



2007
HEALTH STATUS AND HEALTH RISK
BEHAVIORS
OF ARIZONANS



August 2008



Janet Napolitano, Governor
State of Arizona

January Contreras, Acting Director
Arizona Department of Health Services

Author:
Brian A. Bender, MBA, Manager
Arizona BRFSS Coordinator
Website: <http://www.azdhs.gov/plan/brfs/>

ACKNOWLEDGMENTS

This report could not have been completed without the input and assistance of the following:

Christopher K. Mrela, Ph.D.
Arizona Vital Statistician

Richard S. Porter, Chief
Bureau of Public Health Statistics

Opinion Research Corporation, Macro International
BRFSS Contractor

Centers for Disease Control and Prevention
Gloria Colclough
Bill Garvin

A special thank you to Arizona residents for participating in the survey and cooperating with the interviewers.

Notice

The Arizona Department of Health Services does not discriminate on the basis of disability in the administration of its programs and services as prescribed by Title II of the Americans with Disabilities Act of 1990 and Section 504 of the Rehabilitation Act of 1973.

If you need this publication in an alternative format, please contact the ADHS Bureau of Public Health Statistics at (602) 542-7333 or E-mail: benderb@azdhs.gov or <http://www.azdhs.gov>.

Funded by the Centers for Disease Control Cooperative Agreement No. U58/CCU922904

Permission to quote from or reproduce this publication is granted when due acknowledgment is made

TABLE OF CONTENTS

EXECUTIVE SUMMARY	1
METHODS	3
RISK FACTORS/CHRONIC DISEASE TERM GLOSSARY	5
SELF-REPORTED HEALTH STATUS AND LIFE SATISFACTION	7
SELF-REPORTED HEALTH STATUS	9
LIFE SATISFACTION	17
HEALTH CONDITIONS AND LIMITATIONS	24
LIMITATION OF ACTIVITIES	24
SPECIAL EQUIPMENT REQUIRED	29
ASTHMA.....	35
CARDIOVASCULAR DISEASE – HEART ATTACK.....	41
CARDIOVASCULAR DISEASE – ANGINA	47
CARDIOVASCULAR DISEASE – STROKE	53
DIABETES	59
OBESITY (BMI).....	65
HEALTH RISKS, BEHAVIORS AND AWARENESS.....	70
ALCOHOL ABUSE - BINGE DRINKING	71
ALCOHOL ABUSE - HEAVY DRINKING	77
CIGARETTE SMOKING	83
FRUIT AND VEGETABLE CONSUMPTION.....	89
FOLIC ACID AWARENESS	95
NO INFLUENZA VACCINATION	97
PHYSICAL ACTIVITY - CATEGORIES	103
SCREENINGS	108
COLORECTAL CANCER SCREENING (SIGMOIDOSCOPY & COLONOSCOPY)	109
COLORECTAL CANCER SCREENING (FECAL OCCULT BLOOD TEST).....	115
HEALTH CARE COVERAGE AND HEALTH CARE UTILIZATION	120
HEALTH CARE COVERAGE.....	121
USUAL SOURCE OF HEALTH CARE	127
TIME SINCE LAST ROUTINE CHECKUP	133
COULD NOT AFFORD NEEDED HEALTH CARE	139
APPENDICES.....	144
2007 ARIZONA RESPONDENT PROFILE	145
2002 – 2007 ARIZONA RESPONDENT PROFILE BY YEAR*	146
2007 RESPONDENT PROFILE BY REGION	147
2007 ADDITIONAL SELECTED INDICATORS	148
2007 ARIZONA BRFSS QUESTIONS LISTING	225
2007 ARIZONA QUESTIONNAIRE	226
2007 BRFSS WEIGHTING FORMULA.....	237

EXECUTIVE SUMMARY

This report is an annual information update about the prevalence of selected risk behaviors, health conditions and chronic diseases in adults in the State of Arizona in 2007. The document also provides data on self-reported health status and life satisfaction of Arizonans, health screenings and health care coverage. Core questions provide information on high-risk behaviors and chronic diseases that are surveyed each year. The optional modules provide information on high-risk behaviors and chronic diseases that may or may not be surveyed each year. State-added questions supply information on high-risk behaviors added by request. The Behavioral Risk Factor Surveillance System (BRFSS) program is a rich source of state-level public health data; these data have become integral to health promotion, disease prevention, and intervention planning throughout Arizona.

Highlights Of The 2007 Behavioral Risk Factors Survey		
Risk Factors	Arizona (Percent)	National (Median Percent)
Self-Reported Health Status (Fair Or Poor)	17.3	15.2
Life Satisfaction (Dissatisfied or Very Dissatisfied)	4.5	N/A
Activities Limited	18.4	N/A
Special Equipment Required	6.5	N/A
Asthma	14.0	13.1
Cardiovascular Disease (Heart Attack)	4.6	4.2
Cardiovascular Disease (Angina)	4.9	4.1
Cardiovascular Disease (Stroke)	2.9	2.6
Diabetes	8.4	8.1
Obesity (BMI)	25.8	26.3
Alcohol Abuse - Binge Drinking	14.9	15.7
Alcohol Abuse - Heavy Drinking	5.8	5.2
Cigarette Smoking	19.8	19.7
Fruit And Vegetable Consumption (<5 per day)	71.7	75.7
Folic Acid Awareness	40.8	N/A
No Influenza Vaccination	31.0	28.1
Physical Activity – Category	47.6	N/A
Colorectal Cancer Screening (Sigmoidoscopy & Colonoscopy)	37.8	N/A
Health Care Coverage	18.1	14.5
Usual Source Of Health Care	25.6	N/A
Time Since Last Routine Checkup	34.8	N/A
Could Not Afford Needed Health Care	13.6	N/A

EXECUTIVE SUMMARY (Cont)

- The percentage of Arizonans who reported fair or poor health increased for the 3rd straight year, from 14.9 percent in 2004 to 17.3 percent in 2007.
- The prevalence of obesity has increased for the 2nd straight year, from 21.1 percent in 2004 to 25.8 percent in 2007.
- The proportion of Arizonans not consuming five or more servings of fruits and vegetable has decreased from 77.3 percent in 2002 to 71.7 percent in 2007.
- The percentage of Arizonans who have not had a sigmoidoscopy or colonoscopy has decreased from 51.8 percent in 2002 to 37.8 percent in 2007.
- The proportion of Arizonans who do not have health insurance has decreased from 20.9 percent in 2005 to 18.1 percent in 2007.
- The percentage of Arizonans without usual source of health care increased from 22.3 percent in 2002 to 34.8 percent in 2007.

Risk Indicator Trends for Arizona 2002-2007 (Percent)						
Risk Factors	2002	2003	2004	2005	2006	2007
Self-Reported Health Status (Fair Or Poor)	15.1	15.6	14.9	15.5	16.3	17.3
Life Satisfaction (Dissatisfied or Very Dissatisfied)	N/A	N/A	N/A	5.3	4.2	4.5
Activities Limited	N/A	19.6	17.1	19.4	19.6	18.4
Special Equipment Required	4.8	6.0	5.3	6.2	5.7	6.5
Asthma	13.9	12.5	12.4	12.2	14.7	14.0
Cardiovascular Disease (Heart Attack)	N/A	N/A	N/A	4.6	4.7	4.6
Cardiovascular Disease (Angina)	N/A	N/A	N/A	5.0	4.7	4.9
Cardiovascular Disease (Stroke)	N/A	N/A	N/A	2.1	2.9	2.9
Diabetes	6.4	6.3	6.6	7.5	8.5	8.4
Obesity (BMI)	19.6	20.1	21.2	21.1	22.9	25.8
Seat Belt Use	11.2	N/A	N/A	N/A	18.1	N/A
Alcohol Abuse - Binge Drinking	16.9	16.6	15.5	14.5	15.2	14.9
Alcohol Abuse - Heavy Drinking	8.7	5.4	4.8	6.3	5.5	5.8
Cigarette Smoking	23.4	20.8	18.5	20.2	18.2	19.8
Fruit And Vegetable Consumption (<5 per day)	77.3	76.9	77.9	76.3	74.0	71.7
Folic Acid Awareness	N/A	43.8	37.2	36.7	45.6	40.8
No Influenza Vaccination	30.3	31.1	33.9	37.5	34.6	31.0
Physical Activity - Category	N/A	50.1	51.8	47.0	48.1	47.6
Colorectal Cancer Screening (Sigmoidoscopy & Colonoscopy)	51.8	N/A	47.9	44.0	43.4	37.8
Routine Mammography	9.8	N/A	9.8	N/A	9.5	N/A
Prostate Cancer Screening	36.7	N/A	34.5	N/A	36.7	N/A
Health Care Coverage	16.1	16.7	17.9	20.9	19.6	18.1
Usual Source Of Health Care	22.3	26.4	25.7	28.0	28.3	25.6
Could Not Afford Needed Health Care	N/A	11.8	12.7	15.4	13.0	13.6

METHODS

A. BACKGROUND

The Arizona Department of Health Services (ADHS) participated in the Behavioral Risk Factor Surveillance System (BRFSS) since 1982, through a cooperative agreement with the Centers for Disease Control and Prevention (CDC). The BRFSS is an on-going data collection system for gathering information on adult health-related behaviors of non-institutionalized residents 18 years of age and older. The purpose of the BRFSS is to provide data that can be used to plan, implement, and monitor health promotion and disease prevention efforts in Arizona.

B. SAMPLING DESIGN

The Arizona BRFSS is a random sample telephone survey, using disproportionate stratified sampling, random digit dialing, and a Computer Assisted Telephone Interviewing (CATI) system. The survey has the potential to represent 96.3 percent of all households in Arizona (i.e., those who have land-line telephones rather than cell phones according to Arizona Department of Economic Security data for the year 2000, the latest year available). A sample size of 4,700 interviews over a 12-month period was selected to achieve an acceptable 95 percent confidence interval of ± 3 percent on risk factor prevalence estimates of the adult population. This means that the estimated prevalence of a given risk factor can be reliably projected across the total population of Arizona residents. Prevalence estimates of individual demographic variables, especially those that yield smaller sample sizes, do not achieve the same level of accuracy as the total sample.

A demographic profile of the Arizona population is reported in Appendix I: 2006 Arizona Respondent Profile.

C. QUESTIONNAIRE

The questionnaire, designed through cooperative agreements with the CDC, was divided into three sections, Core, Optional Modules, and State Added questions. The Core section contained questions on health risk behaviors and demographic information; the next section contained optional modules: Childhood Asthma Prevalence, Diabetes, Colorectal Cancer Screening, and Adult Asthma History. The last section contained State-added questions consisting of: Second Hand Smoke Policy, Indoor Air Quality, Oral Health, Cardiovascular Health, Heart Attack and Stroke, Folic Acid, Osteoporosis, Pre-diabetes, and Violence.

D. BRFSS PROTOCOL

The ADHS has contracted with a private survey research firm since August 2000 to contact randomly selected Arizona residences from 9 A.M. until 9 P.M. weekdays, from 11 A.M. until 7 P.M. Saturdays, and from 11 A.M. until 7 P.M. Sundays. All telephone numbers released in each month's sample received at least 15 attempts over a minimum 14 day period, including at least three attempts during weekends, three attempts during weekday evenings; and three attempts during the daytime weekday. Furthermore, selected respondents who were not able to

METHODS (Cont)

complete the interview at the time of selection received a minimum of 10 callbacks during the interviewing period. After a residence had been contacted, one adult (18 years of age or older) was randomly selected from all adults residing in the household to be interviewed.

E. DATA ANALYSIS

The collected data were compiled and weighted by the CDC. Weighted counts were based on the Arizona population to accurately reflect the population demographics. The weighting factor considered the number of adults and telephone lines in the household, cluster size, stratum size, and age/race-sex distribution of the general population. The weighting formula is described in the 2007 BRFSS Weighting Formula.

All analyses presented are based on cell size counts of at least eight cases. The demographic information that was collected and presented in these results includes sex, age, education, household income, race, and ethnicity. Comparisons between responses within demographic categories were analyzed for statistical significance at the alpha = .05 level. Throughout the report, statistical difference is noted when analysis provides 95 percent confidence that the categories described are different.

RISK FACTORS/CHRONIC DISEASE TERM GLOSSARY

Asthma	Respondents who reported a doctor told them they had asthma.
Binge Drinking	Respondents who reported having five or more drinks on an occasion, one or more times in the past month.
Cardiovascular Disease	Respondents who reported a doctor told them they had a heart attack, angina, or stroke.
COPD	Respondents who reported a doctor told them they had emphysema or chronic bronchitis.
Current Smoking	Respondents who reported smoking 100 cigarettes during their lifetime and who smoke now (regularly or irregularly).
Dental Visit	Respondents who reported they had not had a dental visit in the past year.
Diabetes	Respondents who reported a doctor told them they had diabetes.
Influenza Vaccination	Respondents 65 years or older who reported not receiving a flu shot in the past 12 months.
Folic Acid Awareness	Respondents 18-44 years of age who reported a reason other than preventing birth defects as the reason experts recommend that women take folic acid.
Fruits/Vegetables	Respondents who reported that they consumed fewer than five servings of fruits and vegetables daily.
Health Care Coverage	Respondents who reported that they did not have health care coverage.
Heavy Drinking	Adult men having more than two drinks per day and adult women having more than one drink per day.
HIV/AIDS Testing	Respondents 18-64 years of age who reported that they have not been tested for HIV.
Limited Activities	Respondents who reported they were limited in any activities due to any impairment or health problems.
Mammography	Female respondents 40 years of age and older who reported that they had never had a mammogram.

RISK FACTORS/CHRONIC DISEASE TERM GLOSSARY (CONT)

No Leisure-Time Activity	Respondents who reported that they did not participate in physical activity in the past month outside of normal work-related activities.
Obese	Respondents with a Body Mass Index (BMI) of 30.0 to 99.8. BMI is weight in kilograms divided by height in meters squared (W/H^2).
Overweight	Respondents with a Body Mass Index (BMI) of 25.0 to 29.9.
Pap Smear	Female respondents who reported that they never had a Pap smear test.
Pneumonia Vaccination	Respondents 65 years or older who reported never receiving a pneumonia vaccination.
PSA Blood Test	Male respondents aged 50 years and older who reported that they had not had a Prostate Specific Antigen (PSA) blood test.
Respondent	Arizona residents 18 years of age or older. In some cases various subset(s) of this group may be used.
Seatbelt Use	Respondents who reported that they "sometimes", "seldom", or "never" wear seat belts when driving or riding in a car.

SELF-REPORTED HEALTH STATUS AND LIFE SATISFACTION

SELF-REPORTED HEALTH STATUS

Health-related quality of life (HRQOL) related questions about perceived physical and mental health and function have developed into an important part of health surveillance and are generally considered valid indicators of service needs and intervention outcomes. Self-assessed health status has proved a more dominant predictor of mortality and morbidity than many objective measures of health.¹ HRQOL measures make it feasible to scientifically demonstrate the effect quality of life has on health, going well beyond the old paradigm that was restricted to what can be viewed under a microscope.²

Survey Question:

Would you say that in general your health is:




Figure 1a. 2007 Arizona and national BRFSS respondents' self-reported physical health status.

- The prevalence of self-reported Excellent, Good, Fair, and Poor health status was higher in Arizona than nationally. In contrast, the prevalence rate of Very Good health status was higher nationally (33.7 percent) than in Arizona (29.8 percent).




Figure 1b. 2007 Arizona BRFSS respondents' self-reported physical health status by gender.

- The prevalence of self-reported Excellent, Very Good, and Poor health status was lower among males than females. In contrast, the prevalence of self-reported Good and Fair health status was lower among females than males.




Figure 1c. 2000-2007 Arizona and national BRFSS respondents' self-reported physical health status.

- In each year from 2000 to 2007, the percentage of respondents who reported their health status as excellent was higher in Arizona compared to the nation;
- In 2007, the percentage of respondents who assessed their health status as poor was higher in Arizona compared to the nation;
- The percentage of Arizonans who assessed their health status as poor decreased from 4.9 percent in 2000 to 4.6 percent in 2007.

According to the 2007 BRFSS (Table 1a, below), 17.3 percent of respondents reported their health was fair or poor. The following respondent groups were most likely to report their health as fair or poor:

Gender: Males, 17.5 percent.

Age: 55-64 years old, 25.1 percent.

Marital Status: Separated, 32.7 percent.

Education: Less than high school, 36.1 percent.

Employment Status: Unable to work, 62.1 percent.

Income: <\$25,000, 36.1 percent.

Race/Ethnicity: Black, Non-Hispanic, 25.9 percent.

Veteran Status: Veterans, 19.1 percent.

2007 Arizona BRFSS: Self-Reported Fair Or Poor General Physical Health Status					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	17.3	968			
SEX			EMPLOYMENT		
Male	17.5	340	Employed for wages	11.7	193
Female	17.2	628	Self-employed	5.9	50
AGE			Out of work	30.4	64
18-24	17.7	18	Homemaker	15.6	97
25-34	10.9	47	Student	6.4	8
35-44	15.8	106	Retired	24.4	358
45-54	13.8	184	Unable to work	62.1	194
55-64	25.1	240			
65+	24.7	373	INCOME		
MARITAL STATUS			<\$25,000	36.1	468
Married	14.2	419	\$25,000-\$34,999	22.7	95
Divorced	26.5	202	\$35,000-\$49,999	10.9	101
Widowed	29.7	189	\$50,000-\$74,999	11.1	62
Separated	32.7	45	\$75,000 or more	6.5	56
Never married	15.0	87			
Unmarried couple	24.7	23	RACE/ ETHNICITY		
EDUCATION			White, Non-Hispanic	14.6	595
Less than High School	36.1	254	Black, Non-Hispanic	25.9	11
High School Graduate/GED	18.6	294	Other race, Non-Hispanic	16.2	60
Some College/Tech School	16.2	246	Hispanic	24.4	291
College Grad	11.0	170			
			VETERAN STATUS		
			Yes	19.1	158
			No	17.1	809

Table 1a. BRFSS results: Respondents self-reported fair or poor physical health status. *N is unweighted.

According to the 2007 BRFSS (Table 1b, below), 51.9 percent of respondents reported their health was excellent or very good. The following respondent groups were most likely to report that their health was excellent or very good:

Gender: Females, 53.3 percent.

Age: 45 - 54 years old, 60.0 percent.

Marital Status: Never married, 57.1 percent.

Education: College, 66.3 percent.

Employment Status: Student, 64.8 percent.

Income: \$75,000 or more, 72.6 percent.

Race/Ethnicity: White, Non-Hispanic, 58.9 percent.

Veteran Status: Non-veterans, 52.4 percent.

2007 Arizona BRFSS: Self-Reported Very Good or Excellent General Physical Health Status					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	51.9	2,284	EMPLOYMENT		
SEX			Employed for wages	58.0	982
Male	50.4	812	Self-employed	61.5	271
Female	53.3	1,472	Out of work	41.3	58
AGE			Homemaker	48.1	217
18-24	48.4	87	Student	64.8	43
25-34	52.6	298	Retired	45.6	675
35-44	56.0	317	Unable to work	58.0	32
45-54	60.0	475	INCOME		
55-64	46.6	463	<\$25,000	29.0	365
65+	44.0	644	\$25,000-\$34,999	42.4	250
MARITAL STATUS			\$35,000-\$49,999	50.6	359
Married	54.7	1,417	\$50,000-\$74,999	58.6	395
Divorced	42.1	297	\$75,000 or more	72.6	613
Widowed	39.4	243	RACE/ ETHNICITY		
Separated	20.1	34	White, Non-Hispanic	58.9	1,732
Never married	57.1	224	Black, Non-Hispanic	39.6	37
Unmarried couple	45.9	58	Other race, Non-Hispanic	48.9	123
EDUCATION			Hispanic	32.3	374
Less than High School	19.7	110	VETERAN STATUS		
High School Graduate/GED	42.0	544	Yes	48.0	351
Some College/Tech School	56.2	724	No	52.4	1,931
College Grad	66.3	897			

Table 1b. BRFSS results: Respondents self-reported very good or excellent physical health status. *N is unweighted.

References

1. Idler EL, Benyamin Y. Self-rated health and mortality: A review of twenty-seven community studies. *J Health Soc Behav* 1997; 38:21-37.
2. Centers for Disease Control and Prevention. Measuring Healthy Days. Atlanta, Georgia: CDC, November 2000.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 1: HEALTH STATUS

WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED N	Excellent		Very good		Good		Fair		Poor							
			%	C.I. (95%)														
TOTAL	4699	4,530,390	888	22.1	19.7-24.5	13966	29.8	27.3-32.3	1447	30.8	28.1-33.5	653	12.8	10.6-15.0	315	4.6	3.6-05.6	
Male	1707	2,243,992	319	21.6	17.7-25.5	493	28.8	24.7-32.9	555	32.1	27.8-36.4	244	13.8	10.1-17.5	96	3.7	2.5-04.9	
Female	2992	2,286,397	569	22.6	19.7-25.5	903	30.7	27.8-33.6	892	29.5	26.4-32.6	409	11.7	09.5-13.9	219	5.4	04.0-06.8	
White/Non-Hisp	3224	3,040,660	655	23.5	20.6-26.4	1077	35.5	32.4-38.6	897	26.4	23.7-29.1	380	9.3	07.7-10.9	215	5.3	03.9-06.7	
Black or Afr. Am./Non-Hisp	77	145,033	897,420	132	23.8	18.5-29.1	185	32.2	26.3-38.1	209	28.3	22.6-34.0	85	13.0	07.5-18.5	21	2.8	01.0-04.6
Oth. Race/Non-Hisp.	256	324,382	38	23.3	13.7-32.9	65	22.8	14.8-30.8	204	14.7	10.6-18.8	397	43.2	35.8-50.6	40	14.5	06.1-22.9	
Hispanic	1062	949,646	170	17.7	12.6-22.8	273	28.8	23.7-33.9	285	25.8	20.7-30.9	131	10.3	07.4-13.2	51	3.6	02.0-05.2	
18-24	162	401,208	130	25.1	18.6-31.6	168	27.6	21.1-34.1	182	36.5	28.9-44.1	41	10.6	05.3-15.9	2	3.5	00.0-08.4	
25-34	527	1,024,465	132	23.8	18.5-29.1	185	32.2	26.3-38.1	209	28.3	22.6-34.0	85	13.0	07.5-18.5	21	2.8	01.0-04.6	
35-44	632	768,896	180	25.0	19.9-30.1	285	35.2	29.7-40.7	257	25.8	20.7-30.9	131	10.3	07.4-13.2	51	3.6	02.0-05.2	
45-54	904	607,565	172	17.6	13.5-21.7	428	28.5	24.8-32.2	454	31.3	27.4-35.2	241	15.7	12.4-19.0	98	10.2	06.5-13.9	
55-64	953	798,780	216	15.4	12.5-18.3	334	23.9	19.6-28.2	481	39.4	34.1-44.7	175	26.2	16.6-35.8	79	10.0	05.3-14.7	
65+	1471	1,133,765	210	18.1	13.6-22.6	450	33.1	28.2-38.0	422	27.7	23.4-32.0	159	11.6	07.7-15.5	87	4.5	02.7-06.3	
Less Than H.S. H.S. or G.E.D.	557	540,881	40	6.6	0.2-10.7	70	13.1	0.5-20.4	337	30.5	33.0-42.0	348	22.7	18.8-26.6	117	7.8	05.1-10.5	
Some Post-H.S.	1,303,714	274	23.1	19.0-27.2	537	37.5	33.0-42.0	537	37.5	33.0-42.0	348	22.7	18.8-26.6	117	7.8	05.1-10.5		
College Graduate	1,532,331	360	28.8	24.3-33.3	360	37.5	33.0-42.0	365	43.3	37.4-49.2	201	20.8	16.1-25.5	365	3.2	01.6-04.8		
Less than \$15,000	476	302,867	48	17.2	0.7-26.6	59	7.3	0.4-10.6	137	26.1	17.7-34.5	82	14.4	09.1-19.7				
\$15,000-24,999	756	597,519	86	12.8	0.7-18.5	172	18.5	13.0-24.0	262	39.4	30.4-48.4	159	21.4	13.8-29.0	77	7.8	04.3-11.3	
\$25,000-34,999	536	451,433	95	18.5	11.6-25.4	155	24.0	16.4-31.6	191	34.9	26.1-43.7	68	18.7	09.3-28.1	27	4.0	01.1-06.9	
\$35,000-49,999	716	647,093	127	19.7	13.6-25.8	232	30.9	24.4-37.4	256	38.5	31.6-45.4	75	8.2	05.5-10.9	26	2.7	01.1-04.3	
\$50,000-74,999	638	729,360	161	25.7	19.8-31.6	234	32.9	26.8-39.0	181	30.4	24.1-36.7	44	7.7	03.8-11.6	18	3.3	00.8-05.8	
\$75,000+	870	1,240,966	248	29.3	24.0-34.6	365	43.3	37.4-49.2	201	20.8	16.1-25.5	37	4.8	02.3-07.3	19	1.7	00.3-03.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 1: HEALTH STATUS

WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	N	Excellent		Very good		Good		Fair		Poor						
			%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%					
Male	1707	2,243,992	319	21.6	17.7-25.5	493	28.8	24.7-32.9	555	32.1	27.6-36.6	244	13.8	10.1-17.5	96	3.7	02.5-04.9
White/Non-Hisp.	1206	1,459,839	228	22.3	17.6-27.0	385	35.3	30.0-40.6	353	28.7	24.0-33.4	162	8.9	6.4-11.4	78	4.8	03.0-06.6
Oth. Race/Non-Hisp.	102	179,401													4	1.8	00.0-04.0
Hispanic	333	473,678	70	18.7	10.3-27.1	62	12.3	0.6-18.2							10	1.7	00.0-03.7
25-34	183	505,005	53	23.9	14.1-33.7				15	13.1	03.9-22.3		1	0.1	00.0-00.3		
35-44	217	462,721	49	22.0	13.8-30.2	60	30.4	21.2-39.6	73	29.5	20.5-38.5	29	15.5	05.7-25.3	6	2.6	00.1-05.1
45-54	318	388,764	51	23.4	15.2-31.6	104	34.9	26.3-43.5	103	29.7	21.1-38.3	49	10.0	05.3-14.7	11	2.0	00.4-03.6
55-64	389	292,466	73	19.2	12.5-25.9	104	27.2	19.8-34.6	128	31.9	23.9-39.9	54	14.2	08.3-20.1	30	7.4	02.3-12.5
65+	519	355,045	75	12.0	07.9-16.1	150	27.5	21.4-33.6	161	33.4	26.7-40.1	87	15.6	09.9-21.3	46	11.5	06.4-16.6
Less Than H.S.	185	276,557	15	4.8	0.0-39.3										26	9.0	02.5-15.5
H.S. or G.E.D.	464	556,449	68	17.5	09.7-25.3	123	24.6	17.7-31.5	172	40.4	31.8-49.0	75	15.0	08.9-21.1	26	2.6	01.0-04.2
Some Post-H.S.	466	604,722	95	23.5	16.4-30.6	139	31.6	23.0-40.2	150	27.4	20.1-34.7	57	13.9	06.3-21.5	25	3.5	01.3-05.7
College Graduate	585	789,564	139	27.3	20.6-34.0	206	35.2	28.3-42.1	169	27.8	21.1-34.5	53	6.9	03.2-10.6	18	2.9	00.9-04.9
Less than \$15,000	122	108,441	12	7.2	01.7-12.7	11	5.2	00.3-10.1									
\$15,000-24,999	252	299,761				46	14.7	06.5-22.9							26	7.7	02.0-13.4
\$25,000-34,999	179	223,986													6	2.0	00.0-04.0
\$35,000-49,999	297	339,899													12	3.0	00.5-05.5
\$50,000-74,999	258	338,933	58	23.1	13.9-32.3	76	27.4	18.4-36.4	94	37.3	27.3-47.3	23	9.4	02.7-16.1	7	2.8	00.1-05.5
\$75,000+	391	711,195	105	28.9	21.1-36.7	159	41.4	32.8-50.0	96	23.1	15.8-30.4	25	6.1	02.2-10.0	6	0.5	00.0-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 1: HEALTH STATUS

WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	TOTAL WEIGHTED	Excellent			Very good			Good			Fair			Poor		
			%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2982	2,286;397	569	22.6	19.7-25.5	903	30.7	27.8-33.6	892	29.5	26.4-32.6	409	11.7	9.5-13.9	219	5.4	0.4-0.06.8
White/Non-Hisp.	2018	1,580;820	427	24.5	21.0-28.0	692	35.6	31.9-39.3	544	24.3	21.2-27.4	218	9.7	7.7-11.7	137	5.8	0.3-0.7.8
Oth. Race/Non-Hisp.	154	144;981	100	16.6	10.7-22.5	142	17.0	11.3-22.7	266	44.6	36.0-53.2	157	17.2	10.5-23.9	64	4.6	0.0-0.6.2
Hispanic	729	475;969															
18-24	95	169;318															
25-34	344	519;459	79	23.4	15.8-31.0	115	31.2	23.0-39.4	119	36.8	28.0-45.6	26	8.2	0.2-9.13.5	2	8.4	0.0-0.19.4
35-44	415	434;700	83	25.7	19.0-32.4	125	34.1	26.8-41.4	136	26.9	20.2-33.6	56	10.2	0.5-14.7	15	3.1	0.0-0.6.6
45-54	586	380;133	129	26.7	20.6-32.8	181	35.5	29.0-42.0	154	21.8	16.7-26.9	82	10.6	0.6-14.3	40	5.3	0.2-8.0.8
55-64	564	315;098	99	16.1	11.0-21.2	169	30.3	23.4-37.2	149	25.3	19.0-31.6	79	15.5	10.6-20.4	68	12.8	0.7-18.3
65+	952	443;735	141	18.2	13.9-22.5	278	29.4	24.7-34.1	293	29.6	24.9-34.3	154	15.7	11.6-19.8	86	7.1	0.4-0.9.8
Less Than H.S.	372	264;325	25	8.6	0.1-15.5	46	11.5	0.5-17.2	309	38.6	31.9-45.3	118	20.3	11.3-29.3	53	11.0	0.4-17.5
H.S. or G.E.D.	855	577;316	142	18.8	13.9-23.7	211	23.1	17.6-28.6	125	14.3	10.4-18.2	68	5.2	0.3-20.7.2			
Some PostH.S.	926	698;992	179	22.7	17.8-27.6	311	34.3	29.0-39.6	272	27.9	23.0-32.8	102	9.7	0.7-12.4	62	5.5	0.3-0.8.0
College Graduate	830	742;768	221	30.3	24.6-36.0	331	40.0	34.1-45.9	179	17.4	13.5-21.3	64	8.7	0.4-12.8	35	3.6	0.1-1.06.1
Less than \$15,000	354	194;426															
\$15,000-24,999	504	297;758	53	12.8	0.7-18.1	126	22.3	15.6-29.0	171	36.4	28.4-44.4	103	20.6	14.7-26.5	51	7.9	0.4-0.11.8
\$25,000-34,999	357	227;447	68	21.7	13.1-30.3	98	19.9	13.6-26.2	137	33.9	25.7-42.1	42	13.7	0.4-3.23.1	21	5.9	0.0-2.11.6
\$35,000-49,999	419	307;193	81	18.1	12.2-24.0	144	35.0	26.8-43.2	43	10.5	0.5-15.2	14	2.4	0.0-6.04.2			
\$50,000-74,999	380	390;428	103	27.9	20.3-35.5	158	37.6	29.4-45.8	87	24.4	16.8-32.0	21	6.3	0.2-0.10.6	11	3.8	0.0-0.07.7
\$75,000+	479	529;772	143	29.9	23.4-36.4	206	45.9	38.8-53.0	105	17.8	12.7-22.9	12	3.1	0.0-9.05.3	13	3.3	0.0-0.06.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

LIFE SATISFACTION

"Extensive research has been conducted in psychology and the social sciences to understand the factors influencing well-being. Nevertheless, it is only relatively recently that subjective measures of well-being have begun to be taken seriously outside academia. People with positive self-perceptions also tend to live longer than those who regard themselves more negatively. As well as being valid, self-reports of life satisfaction seem to be reliable. In other words, people tend to give the same patterns of response over time, and when slightly different question wordings are used. Whilst on the individual level, day-to-day changes in happiness are of interest, at a policy level it is overall satisfaction that gives the best indication of how groups of people are faring."¹

Survey Question:
In general, how satisfied are you with your life?




Figure 2. 2005-2007 Arizona BRFSS respondents' self-reported life satisfaction.

References

1. Life Satisfaction. Retrieved from the Internet June 7, 2007. <http://www.happyplanetindex.org/life-satisfaction.htm>.

According to the 2007 BRFSS (Table 2a, below), 95.5 percent of respondents reported they were satisfied or very satisfied with their life. The following respondent groups were most likely to report that they were satisfied or very satisfied with their life:

Gender: Females, 95.6 percent.

Age: 25 - 34 years old, 98.7 percent.

Marital Status: Unmarried couple, 99.3 percent.

Education: College graduate, 97.4 percent.

Employment Status: Homemaker, 99.1 percent.

Income: \$75,000 or more, 98.8 percent.

Race/Ethnicity: White, Non-Hispanic, 96.1 percent.

Veteran Status: Non-Veterans, 95.5 percent.

2007 Arizona BRFSS: Life Satisfaction (Satisfied And Very Satisfied)					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	95.5	4,227	EMPLOYMENT		
SEX			Employed for wages	98.0	1,598
Male	95.4	1,522	Self-employed	97.6	403
Female	95.6	2,705	Out of work	77.9	128
AGE			Homemaker	99.1	450
18-24	90.3	140	Student	96.3	69
25-34	98.7	487	Retired	95.6	1,368
35-44	95.9	569	Unable to work	79.7	195
45-54	95.6	801	INCOME		
55-64	93.2	890	<\$25,000	89.4	1,044
65+	95.4	1,340	\$25,000-\$34,999	96.6	496
MARITAL STATUS			\$35,000-\$49,999	97.3	661
Married	97.9	2,471	\$50,000-\$74,999	97.5	598
Divorced	89.5	609	\$75,000 or more	98.8	824
Widowed	92.1	537	RACE/ETHNICITY		
Separated	92.2	94	White, Non-Hispanic	96.1	2,934
Never married	89.5	399	Black, Non-Hispanic	84.4	66
Unmarried couple	99.3	103	Other race, Non-Hispanic	93.4	259
EDUCATION			Hispanic	95.9	933
Less than High School	90.0	465	VETERAN STATUS		
High School Graduate/GED	96.1	1,189	Yes	95.4	650
Some College/Tech School	95.0	1,248	No	95.5	3,574
College Grad	97.4	1,316			

Table 2a. BRFSS results: Respondents' life satisfaction. *N is unweighted.

According to the 2007 BRFSS (Table 2b, below), 4.5 percent of respondents reported they were dissatisfied or very dissatisfied with their life. The following respondent groups were most likely to report that they were dissatisfied or very dissatisfied with their life:

Gender: Males, 4.6 percent.

Age: 18 - 24 years old, 9.7 percent.

Marital Status: Divorced and Never married (Tie), 10.5 percent.

Education: Less than high school, 10.0 percent.

Employment Status: Self-Employed, 22.1 percent.

Income: <\$25,000, 10.6 percent.

Race/Ethnicity: Black, Non-Hispanic, 15.6 percent.

Veteran Status: Veterans, 4.6 percent.

2007 Arizona BRFSS: Life Satisfaction (Dissatisfied And Very Dissatisfied)						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	4.5	247		EMPLOYMENT		
SEX				Employed for wages	2.4	54
Male	4.6	89		Self-employed	22.1	14
Female	4.4	158		Out of work	0.9	30
AGE				Homemaker	3.7	15
18-24	9.7	9		Student	4.4	4
25-34	1.3	14		Retired	20.3	66
35-44	4.1	31		Unable to work	2.4	61
45-54	4.4	59		INCOME		
55-64	6.8	64		<\$25,000	10.6	119
65+	4.6	70		\$25,000-\$34,999	3.4	20
MARITAL STATUS				\$35,000-\$49,999	2.7	30
Married	2.1	73		\$50,000-\$74,999	2.5	23
Divorced	10.5	69		\$75,000 or more	1.2	13
Widowed	7.9	45		RACE/ ETHNICITY		
Separated	7.8	14		White, Non-Hispanic	3.9	173
Never married	10.5	41		Black, Non-Hispanic	15.6	3
Unmarried couple	0.7	3		Other race, Non-Hispanic	6.6	16
EDUCATION				Hispanic	4.1	54
Less than High School	10.0	46		VETERAN STATUS		
High School Graduate/GED	3.9	66		Yes	4.6	42
Some College/Tech School	5.0	85		No	4.5	205
College Grad	2.6	50				

Table 2b. BRFSS results: Respondents' life satisfaction. *N is unweighted.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION

IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied		Satisfied		Dissatisfied		Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4474	4,263,077	2130	48.8	45.9-51.7	2097	46.7	43.8-49.6	195	3.3	02.3-04.3
Male	1611	2,073,253	770	47.5	42.6-52.4	752	47.9	43.0-52.8	68	2.7	01.3-04.1
Female	2863	2,189,324	1360	50.1	46.6-53.6	1345	45.5	42.2-48.8	127	3.8	02.6-05.0
White/Non-Hisp	3107	2,895,703	1564	52.8	49.5-56.1	1370	43.3	40.0-46.6	136	3.0	02.2-03.8
Black or Afr. Am./Non-Hisp	69	124,808					2		1.8		00.0-04.3
Oth. Race/Non-Hisp.	240	304,954					11		6.4		00.0-13.8
Hispanic	987	880,429	403	38.2	30.9-45.5	530	57.7	50.3-65.1	45	3.5	01.3-05.7
18-24	149	382,262	221	42.6	34.8-50.4	266	56.1	48.3-63.9	6	5.0	00.0-11.1
25-34	501	964,836	275	49.6	42.9-56.3	294	46.3	39.6-53.0	30	3.7	00.4-01.6
35-44	600	836,504	388	50.6	44.7-56.5	400	44.9	39.2-50.6	42	3.0	01.3-06.1
45-54	847	685,099	450	47.1	41.4-52.8	411	46.3	40.6-52.0	46	5.4	01.8-04.2
55-64	922	591,345	713	56.6	52.3-60.9	627	38.7	34.6-42.8	57	3.5	02.5-08.3
65+	1410	762,598	531	44.6	39.1-50.1	658	51.5	46.0-57.0	56	3.3	01.9-04.7
Less Than H.S.	511	511,624	173	30.2	20.6-39.8				39	6.1	01.2-11.0
H.S. or G.E.D.	1255	1,033,606	637	50.4	45.1-55.7	611	44.7	39.4-50.0	65	4.3	02.5-06.1
Some Post H.S.	1333	1,242,196	787	57.5	52.6-62.4	529	39.9	35.2-44.6	35	1.5	00.7-02.3
College Graduate	1366	1,457,427							15	1.2	00.2-02.2
Less than \$15,000	443	273,934	273	34.8	26.6-43.0	394	59.2	50.6-67.8	43	5.1	02.4-07.8
\$15,000-24,999	720	573,950	239	47.3	37.5-57.1	257	49.3	39.5-59.1	15	2.7	00.0-05.8
\$25,000-34,999	516	395,159	349	51.3	44.2-58.4	312	46.0	38.9-53.1	21	1.3	00.5-02.1
\$35,000-49,999	691	620,933	708,694	53.4	46.5-60.3	265	44.1	37.2-51.0	21	1.8	00.8-02.8
\$50,000-74,999	621					522	58.3	52.2-64.4	302	40.5	34.4-46.6
\$75,000+	837	1,173,416							10	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 4. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied			
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
Male	1611	2,073,253	770	47.5	42.6-52.4	752	47.9	43.0-52.8	68	2.7	01.3-04.1	21	1.9	00.1-03.7
White/Non-Hisp	1152	1,373,472	571	51.2	45.7-56.7	513	45.3	39.8-50.8	51	2.2	01.4-03.0	17	1.3	00.3-02.3
Oth. Race/Non-Hisp.	95	171,916										1	0.1	00.0-00.3
Hispanic	309	424,166										2	0.8	00.0-02.2
18-24	58	216,078										5	8.0	00.0-18.6
25-34	174	462,928										6	0.8	00.0-01.6
35-44	200	428,659										7	1.2	00.0-02.6
45-54	293	339,535	126	48.7	39.1-58.3	152	47.8	38.2-57.4	12	2.4	00.6-04.2	3	1.2	00.0-02.4
55-64	374	279,850	192	52.3	43.5-61.1	160	42.4	33.8-51.0	18	4.2	01.1-07.3	4	1.1	00.0-02.7
65+	498	338,727	264	57.7	50.6-64.8	205	36.9	30.0-43.8	18	2.8	01.0-04.6	11	2.5	00.3-04.7
Less Than H.S.	171	263,661										14	7.2	00.0-15.8
H.S. or G.E.D.	434	479,036	182	48.2	39.2-57.2	232	48.8	39.8-57.8	16	2.4	00.8-04.0	4	7.1	00.0-19.3
Some Post-H.S.	443	568,879	211	46.8	37.6-56.0	202	49.4	40.0-58.8	23	3.2	01.2-05.2	7	6.6	00.0-01.2
College Graduate	560	745,539	317	54.6	47.2-62.0	222	42.4	35.0-49.8	15	1.1	00.3-01.9	6	1.9	00.3-03.5
Less than \$15,000	108	89,434										11	11.5	01.5-21.5
\$15,000-24,999	237	287,773										17	2.4	00.8-04.0
\$25,000-34,999	169	175,146										6	1.7	00.0-03.9
\$35,000-49,999	287	331,404										7	0.9	00.1-01.7
\$50,000-74,999	253	335,563										9	1.6	00.0-03.2
\$75,000+	371	658,300	232	52.7	43.7-61.7	135	46.8	37.6-56.0	4	0.5	00.0-01.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION

TABLE 4. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Dominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2863	2,189,824	1360	50.1	46.6-53.6	1345	45.5	42.2-48.8	127	3.8	0.2-0.5-0	31	0.5	00-3-00.7	
White/Non-Hisp.	1955	1,522,232	993	54.2	50.3-58.1	857	41.5	37.6-45.4	85	3.8	0.2-0.5-2	20	0.5	00-3-00.7	
Oth. Race/Non-Hisp.	145	133,038	262	36.2	27.8-44.6	375	58.7	50.1-67.3	34	4.8	01.3-08.3	2	1.5	00-0-03.9	
Hispanic	678	456,264										7	0.4	00-0-00.8	
18-24	91	166,184										1	1.2	00-0-03.6	
25-34	327	501,908	147	47.6	38.2-57.0	173	51.1	41.7-60.5	6	1.1	00-1-02.1	1	0.1	00-0-00.3	
35-44	400	407,845	188	51.3	43.5-59.1	189	42.3	34.7-49.9	23	6.4	019-10.9				
45-54	554	355,564	262	52.4	45.7-59.1	248	42.2	35.5-48.9	30	3.7	019-05.5	14	1.7	00-5-02.9	
55-64	548	311,496	258	42.3	35.0-49.6	251	49.8	42.4-57.2	28	6.6	019-11.3	11	1.3	00-3-02.3	
65+	912	423,870	449	55.7	50.4-61.0	422	40.2	35.1-45.3	39	4.0	018-06.2	2	0.1	00-1-00.1	
Less Than H.S.	340	247,963										25	5.0	00-7-09.3	
H.S. or G.E.D.	821	554,570	349	41.5	35.0-48.0	426	53.8	47.1-60.5	40	4.2	018-06.6	6	0.5	00-0-01.1	
Some Post-H.S.	890	673,317	426	53.4	47.9-58.9	409	40.6	35.3-45.9	42	5.2	023-08.1	13	0.7	00-3-01.1	
College Graduate	806	711,889	470	60.6	54.7-66.5	307	37.1	31.2-43.0	20	1.9	00-7-03.1	9	0.4	00-0-00.8	
Less than \$15,000	335	184,500										39	11.8	04.9-18.7	
\$15,000-24,999	483	286,177	181	32.7	25.1-40.3	270	58.9	50.9-66.9	26	7.7	028-12.6	6	0.7	00-1-01.3	
\$25,000-34,999	347	220,013										9	3.5	00-0-09.0	
\$35,000-49,999	404	289,529	210	50.6	42.0-59.2	174	46.8	38.2-55.4	14	1.7	00-5-02.9	3	0.2	00-0-00.6	
\$50,000-74,999	368	373,131	212	58.8	50.0-67.6	144	39.1	30.3-47.9	12	2.0	00-6-03.4	6	0.9	00-0-01.9	
\$75,000+	466	515,117	290	65.4	58.7-72.1	167	32.5	25.8-39.2	6	1.9	00-0-04.1	3	0.1	00-0-00.3	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HEALTH CONDITIONS AND LIMITATIONS

LIMITATION OF ACTIVITIES

Survey Question:

Are you limited in any way in any activities because of physical, mental, or emotional problems?




Figure 3. Arizona BRFSS respondents who reported their activities are limited by gender.

According to the 2007 BRFSS, 18.4 percent* of respondents reported their activities were limited. In 2007, the prevalence of some type of activity limitation was greater for females (20.7 percent) than males (16.1 percent). The 2007 female prevalence rate of limitation in activities was the second highest of the 5 years (**Figure 3**). In contrast, the 2007 male prevalence rate was the second lowest of the 5 year period.

* 95% Confidence Interval: 16.4%-20.4%.

The following respondent groups were most likely to have their activities limited:

- Gender:** Females, 20.7 percent.
Age: 65+ years old, 33.0 percent.
Marital Status: Widowed, 40.9 percent.
Education: Less than high school, 19.9 percent.
Employment Status: Unable to work, 68.8 percent.
Income: <\$25,000, 28.0 percent.
Race/Ethnicity: White, Non-Hispanic, 22.0 percent.
Veteran Status: Veterans, 26.5 percent.

2007 Arizona BRFSS: Limited Activities					
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT
TOTAL	18.4	1,122			
SEX				EMPLOYMENT	
Male	16.1	390		Employed for wages	10.7
Female	20.7	732		Self-employed	12.1
AGE				Out of work	20.1
18-24	10.6	16		Homemaker	10.7
25-34	7.9	45		Student	8.0
35-44	13.7	101		Retired	33.6
45-54	18.2	194		Unable to work	68.8
55-64	29.3	301			
65+	33.0	465		INCOME	
MARITAL STATUS				<\$25,000	28.0
Married	16.0	521		\$25,000-\$34,999	14.7
Divorced	29.4	223		\$35,000-\$49,999	15.9
Widowed	40.9	223		\$50,000-\$74,999	12.7
Separated	27.9	40		\$75,000 or more	14.0
Never married	14.0	98		RACE/ ETHNICITY	
Unmarried couple	10.7	15		White, Non-Hispanic	22.0
EDUCATION				Black, Non-Hispanic	10.4
Less than High School	19.9	141		Other race, Non-Hispanic	16.0
High School Graduate/GED	19.6	313		Hispanic	8.9
Some College/Tech School	18.4	362		VETERAN STATUS	
College Grad	17.3	303		Yes	26.5
				No	17.3

Table 3. BRFSS results: Respondents who reported their activities were limited. *N is unweighted.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	TOTAL WEIGHTED	N	Yes		N	%	C.I. (95%)
				%	C.I. (95%)			
TOTAL	4640	4,474,447	1122	18.4	16.4-20.4	3518	81.6	79.6-83.6
Male	1683	2,212,734	390	16.1	13.2-19.0	1293	83.9	81.0-86.8
Female	2957	2,261,713	732	20.7	18.2-23.2	2225	79.3	76.8-81.8
White/Non-Hisp	3184	3,007,972	899	22.0	19.6-24.4	2285	78.0	75.6-80.4
Black or Afr. Am./Non-Hisp	73	139,268	13	10.4	0.8-19.0	60	89.6	81.0-98.2
Oth. Race/Non-Hisp.	256	324,046	45	15.9	0.6-25.3	211	84.1	74.7-93.5
Hispanic	1048	934,805	141	8.9	0.5-12.0	907	91.1	88.0-94.2
18-24	155	394,847	16	10.6	0.2-19.2	139	89.4	80.8-98.0
25-34	522	1,020,728	45	7.9	0.4-11.6	477	92.1	88.4-95.8
35-44	629	883,680	101	13.7	0.9-17.8	528	86.3	82.2-90.4
45-54	888	748,140	192	18.4	14.5-22.3	696	81.6	77.7-85.5
55-64	950	607,749	292	29.3	24.2-34.4	658	70.7	65.6-75.8
65+	1450	789,235	465	33.0	28.9-37.1	985	67.0	62.9-71.1
Less Than H.S.	550	536,886	141	19.9	13.0-26.8	409	80.1	73.2-87.0
H.S. or G.E.D.	1300	1,111,631	313	19.6	15.7-23.5	987	80.4	76.5-84.3
Some Post-H.S.	1373	1,283,716	362	18.4	15.1-21.7	1011	81.6	78.3-84.9
College Graduate	1403	1,520,920	303	17.3	14.0-20.6	1100	82.7	79.4-86.0
Less than \$15,000	473	296,849	196	37.2	27.8-46.6	277	62.8	53.4-72.2
\$15,000-24,999	746	592,235	217	23.4	17.5-29.3	529	76.6	70.7-82.5
\$25,000-34,999	532	441,847	119	14.7	0.9-19.6	413	85.3	80.4-90.2
\$35,000-49,999	711	634,771	144	15.9	11.6-20.2	567	84.1	79.8-88.4
\$50,000-74,999	634	726,880	113	12.7	0.8-16.8	521	87.3	83.2-91.4
\$75,000+	866	1,231,773	145	14.0	10.3-17.7	721	86.0	82.3-89.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	Yes		N	%	C.I. (95%)	No
				%	C.I. (95%)				
Male	1683	2,212,734	390	16.1	13.2-19.0	1293	83.9	81.0-86.8	
White/Non-Hisp Hispanic	1193	1,444,438	324	19.7	16.2-23.2	869	80.3	76.8-83.8	
	326	460,793	35	6.3	02.6-10.0	291	93.7	90.0-97.4	
25-34	184	504,262	12	4.8	00.1-09.5	172	95.2	90.5-99.9	
35-44	214	456,994	24	10.4	04.9-15.9	190	89.6	84.1-95.1	
45-54	309	371,355	74	19.8	13.3-26.3	235	80.2	73.7-86.7	
55-64	387	289,920	99	20.5	14.2-26.8	288	79.5	73.2-85.8	
65+	512	354,147	169	34.8	27.7-41.9	343	65.2	58.1-72.3	
H.S. or G.E.D.	464	539,932	99	16.2	10.3-22.1	355	83.8	77.9-89.7	
Some Post-H.S.	461	598,959	117	13.4	09.3-17.5	344	86.6	82.5-90.7	
College Graduate	578	779,911	116	15.8	10.9-20.7	462	84.2	79.3-89.1	
\$15,000- 24,999	248	296,213	69	17.1	09.1-25.1	179	82.9	74.9-90.9	
\$25,000- 34,999	178	216,342	34	10.7	05.2-16.2	144	89.3	83.8-94.8	
\$35,000- 49,999	294	333,563	62	13.2	07.7-18.7	232	86.8	81.3-92.3	
\$50,000- 74,999	256	338,769	48	11.7	06.2-17.2	208	88.3	82.8-93.8	
\$75,000+	389	704,141	65	11.7	06.8-16.6	324	88.3	83.4-93.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007

THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLTM2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No		
			TOTAL	WEIGHTED	N
Female	2957	2,261,713	732	20.7	18.2-23.2
White/Non-Hisp.	1991	1,563,534	575	24.2	21.1-27.3
Oth. Race/Non-Hisp.	155	144,682	28	14.4	6.8-22.0
Hispanic	722	474,012	106	11.4	6.7-16.1
18-24	91	166,184	7	8.5	0.0-17.7
25-34	338	516,466	33	10.8	0.5-16.3
35-44	415	426,686	77	17.3	11.2-23.4
45-54	579	376,785	118	17.0	12.5-21.5
55-64	563	317,829	193	37.3	30.0-44.6
65+	938	435,088	296	31.6	26.5-36.7
Less Than H.S.	367	262,246	84	15.7	0.9-22.2
H.S. or G.E.D.	846	571,698	214	22.9	18.0-27.8
Some Post-H.S.	912	684,757	245	22.8	18.1-27.5
College Graduate	825	741,009	187	18.9	14.2-23.6
\$15,000-24,999	498	296,022	148	29.7	22.4-37.0
\$25,000-34,999	354	225,505	85	18.5	10.9-26.1
\$35,000-49,999	417	301,208	82	18.9	12.2-25.6
\$50,000-74,999	378	388,111	65	13.6	0.7-19.5
\$75,000+	477	527,632	80	17.0	11.3-22.7

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

SPECIAL EQUIPMENT REQUIRED

Survey Question:

Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?




Figure 4. Arizona BRFSS respondents who require the use of special equipment.

According to the 2007 BRFSS, 6.5 percent* of respondents reported they require the use of special equipment. In 2007, 6.9 percent of female, and 6.1 percent of male respondents reported they require the use of special equipment.

* 95% Confidence Interval: 5.5%-7.5%.

The following respondent groups were most likely to require the use of special equipment:

Gender: Females, 6.9 percent.

Age: 65+ years old, 14.9 percent.

Marital Status: Widowed, 19.8 percent.

Education: Less than High School, 10.2 percent.

Employment Status: Unable to work, 33.7 percent.

Income: <\$25,000, 12.8 percent.

Race/Ethnicity: White, Non-Hispanic, 7.6 percent.

Veteran Status: Veterans, 11.8 percent.

2007 Arizona BRFSS: Special Equipment					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	6.5	464	EMPLOYMENT		
SEX			Employed for wages	2.0	42
Male	6.1	173	Self-employed	3.7	19
Female	6.9	291	Out of work	3.9	13
AGE			Homemaker	3.5	34
18-24	0.1	1	Student	1.8	2
25-34	0.5	5	Retired	14.8	241
35-44	4.3	30	Unable to work	33.7	112
45-54	6.1	66	INCOME		
55-64	13.2	110	<\$25,000	12.8	195
65+	14.9	252	\$25,000-\$34,999	5.1	47
MARITAL STATUS			\$35,000-\$49,999	5.6	54
Married	5.2	187	\$50,000-\$74,999	3.3	33
Divorced	11.6	93	\$75,000 or more	4.0	46
Widowed	19.8	132	RACE/ ETHNICITY		
Separated	5.1	11	White, Non-Hispanic	7.6	352
Never married	4.2	35	Black, Non-Hispanic	6.7	7
Unmarried couple	2.9	6	Other race, Non-Hispanic	6.3	32
EDUCATION			Hispanic	2.8	66
Less than High School	10.2	83	VETERAN STATUS		
High School Graduate/GED	6.2	119	Yes	11.8	107
Some College/Tech School	7.0	145	No	5.7	357
College Grad	5.1	116			

Table 4. BRFSS results: Respondents who require special equipment. *N is unweighted.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 14: DISABILITY
DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4660	4,485,264	464	6.5	05-07.5	4196	93.5	92.5-94.5
Male	1691	2,216,286	173	6.1	04-07.7	1518	93.9	92.3-95.5
Female	2969	2,268,978	291	6.9	05-08.3	2678	93.1	91.7-94.5
White/Non-Hisp	3201	3,017,660	352	7.6	06-20.9	2849	92.4	91.0-93.8
Black or Afr. Am./Non-Hisp	73	139,268	7	6.7	00-14.0	66	93.3	86.0-01.00
Oth. Race/Non-Hisp.	257	324,547	26	6.6	02-9.10.3	231	93.4	89.7-97.1
Hispanic	1050	935,432	66	2.8	01-4-04.2	984	97.2	95.8-98.6
18-24	155	387,580	1	0.1	00-00.3	154	99.9	99.7-01.00
25-34	523	1,020,426	5	0.5	00-01.1	518	99.5	98.9-01.00
35-44	629	883,356	30	4.3	01-9-06.7	599	95.7	93.3-98.1
45-54	892	759,316	63	5.8	03-6-08.0	829	94.2	92.0-96.4
55-64	955	609,424	110	13.5	09-6-17.4	845	86.5	82.6-90.4
65+	1459	794,083	252	14.9	12-0-17.8	1207	85.1	82.2-88.0
Less Than H.S.	553	538,332	83	10.2	05-7-14.7	470	89.8	85.3-94.3
H.S. or G.E.D.	1307	1,114,438	119	6.2	04-08.0	1188	93.8	92.0-95.6
Some Post-H.S.	1376	1,287,886	145	7.0	05-2-08.8	1231	93.0	91.2-94.8
College Graduate	1409	1,522,361	116	5.1	03-5-06.7	1293	94.9	93.3-96.5
Less than \$15,000	476	298,858	98	19.2	12-1-26.3	378	80.8	73.7-87.9
\$15,000-24,999	749	592,980	97	9.6	05-9-13.3	652	90.4	86.7-94.1
\$25,000-34,999	533	434,650	47	5.1	02-6-07.6	486	94.9	92.4-97.4
\$35,000-49,999	713	645,111	54	5.6	03-4-07.8	659	94.4	92.2-96.6
\$50,000-74,999	636	728,802	33	3.3	01-5-05.1	603	96.7	94.9-98.5
\$75,000+	885	1,231,342	46	4.0	02-2-05.8	819	96.0	94.2-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 14: DISABILITY
DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	N	Yes		No			
			TOTAL	WEIGHTED	%	C.I. (95%)	N	%
Male	1691	2,216,286	173	6.1	04.5-07.7	1518	93.9	92.3-95.5
White/Non-Hisp.	1198	1,447,573	139	8.0	05.8-10.2	1059	92.0	89.8-94.2
Oth. Race/Non-Hisp.	102	179,401	9	4.2	00.3-08.1	93	95.8	91.9-99.7
Hispanic	328	461,172	18	1.0	00.2-01.8	310	99.0	98.2-99.8
18-24	64	221,396	1	0.1	00.0-00.3	63	99.9	99.7-100
25-34	184	504,262	2	0.3	00.0-00.7	182	99.7	99.3-100
35-44	213	456,563	10	5.6	01.5-09.7	203	94.4	90.3-98.5
45-54	312	381,830	32	7.5	03.6-11.4	280	92.5	88.6-96.4
55-64	389	290,128	39	10.6	04.9-16.3	350	89.4	83.7-95.1
65+	516	354,713	89	13.5	08.8-18.2	427	86.5	81.8-91.2
Less Than H.S.	183	274,640	27	11.0	03.2-18.8	156	89.0	81.2-96.8
H.S. or G.E.D.	457	542,696	43	4.6	02.6-06.6	414	95.4	93.4-97.4
Some Post-H.S.	463	599,554	45	5.4	02.9-07.9	418	94.6	92.1-97.1
College Graduate	581	780,105	58	6.0	03.5-08.5	523	94.0	91.5-96.5
\$15,000-24,999	249	296,286	34	6.6	01.7-11.5	215	93.4	88.5-98.3
\$25,000-34,999	177	208,699	14	3.6	00.7-06.5	163	96.4	93.5-99.3
\$35,000-49,999	297	343,979	31	6.2	03.1-09.3	266	93.8	90.7-96.9
\$50,000-74,999	257	338,997	15	3.3	00.4-06.2	242	96.7	93.8-99.6
\$75,000+	388	703,711	24	4.3	01.8-06.8	364	95.7	93.2-98.2

NOTE :

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007

DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2969	2,288,978	291	6.9	05.5-08.3	2678	93.1	91.7-94.5
White/Non-Hisp.	2003	1,570,087	213	7.2	05.6-08.8	1790	92.8	91.2-94.4
Oth. Race/Non-Hisp.	155	145,146	17	9.6	03.1-16.1	138	90.4	83.9-96.9
Hispanic	722	474,260	48	4.4	01.9-06.9	674	95.6	93.1-98.1
18-24	91	166,184	—	—	—	91	100.0	0100-0100
25-34	339	516,164	3	0.7	00.0-01.7	336	99.3	98.3-100
35-44	416	426,792	20	2.9	01.1-04.7	396	97.1	95.3-98.9
45-54	580	377,486	31	4.1	02.1-06.1	549	95.9	93.9-97.9
55-64	566	319,296	71	16.0	10.5-21.5	495	84.0	78.5-89.5
65+	943	439,370	163	15.9	12.2-19.6	780	84.1	80.4-87.8
Less Than H.S.	370	263,692	56	9.4	04.7-14.1	314	90.6	85.9-95.3
H.S. or G.E.D.	850	571,742	76	7.7	05.0-10.4	774	92.3	89.6-95.0
Some Post-H.S.	913	688,332	100	8.3	05.8-10.8	813	91.7	89.2-94.2
College Graduate	828	742,257	58	4.0	02.4-05.6	770	96.0	94.4-97.6
Less than \$15,000	357	194,719	68	14.2	08.1-20.3	289	85.8	79.7-91.9
\$15,000-24,999	500	296,693	63	12.5	07.4-17.6	437	87.5	82.4-92.6
\$25,000-34,999	356	225,951	33	6.5	02.4-10.6	323	93.5	89.4-97.6
\$35,000-49,999	416	301,132	23	4.9	02.0-07.8	393	95.1	92.2-98.0
\$50,000-74,999	379	389,805	18	3.3	01.3-05.3	361	96.7	94.7-98.7
\$75,000+	477	527,632	22	3.6	01.4-05.8	455	96.4	94.2-98.6

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

ASTHMA

Asthma is a chronic disease of the airways that causes persistent and distressing episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing. Asthma can be difficult to diagnose and to distinguish from other respiratory illnesses.¹

Asthma is a serious and growing health problem. According to estimates, 14.9 million persons in the United States have asthma. Asthma is responsible for around 500,000 hospitalizations, 5,000 deaths, and 134 million restricted activity days annually. Yet, people with asthma can avoid most of the problems caused by asthma if they and their health care providers managed the disease according to accepted guidelines.² The number of asthma-related inpatient hospitalizations in Arizona doubled from 21,300 in 2000 to 42,184 in 2007. During 2007, there were 82,700 emergency room visits related to asthma. In addition, 59 Arizonans died from the disease.

Asthma is a complicated disease that requires a long-term and multifaceted answer. This includes educating, treating, and providing continuing medical care and monitoring for people with asthma, changing behaviors that lead to asthma or exacerbates it, and eliminating or avoiding triggers.¹

Survey Question:

Have you EVER been told by a doctor, nurse, or other health professional that you had asthma?




Figure 5. Percentage of Arizona BRFSS respondents who were told that they had asthma in 2002-2007.

According to the 2007 BRFSS, 14.0 percent* of respondents who were told that they had asthma. The following respondent groups had the highest prevalence of asthma:

Gender: Females, 17.0 percent.

Age: 55-64 years old, 16.4 percent.

Marital Status: Divorced, 21.7 percent.

Education: High School Graduate, 16.3 percent.

Employment Status: Unable to work, 31.1 percent.

Income: <\$25,000, 15.1 percent.

Race/Ethnicity: White, Non-Hispanic, 16.2 percent.

Veteran Status: Non-veterans, 14.3 percent.

2007 Arizona BRFSS: Respondents Who Were Told They Have Asthma					
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT
TOTAL	14.0	664			
SEX				EMPLOYMENT	
Male	10.9	184		Employed for wages	11.7
Female	17.0	480		Self-employed	17.1
AGE				Out of work	17.2
18-24	14.4	22		Homemaker	10.4
25-34	13.9	73		Student	3.4
35-44	12.9	94		Retired	15.6
45-54	12.1	110		Unable to work	31.1
55-64	16.4	163			
65+	15.1	202		INCOME	
MARITAL STATUS				<\$25,000	15.1
Married	13.3	353		\$25,000-\$34,999	12.3
Divorced	21.7	136		\$35,000-\$49,999	13.4
Widowed	15.6	87		\$50,000-\$74,999	12.4
Separated	8.7	12		\$75,000 or more	13.3
Never married	13.1	62		RACE/ ETHNICITY	
Unmarried couple	8.9	12		White, Non-Hispanic	16.2
EDUCATION				Black, Non-Hispanic	12.1
Less than High School	14.2	89		Other race, Non-Hispanic	14.8
High School Graduate/GED	16.3	187		Hispanic	7.1
Some College/Tech School	14.0	205		VETERAN STATUS	
College Grad	12.5	183		Yes	12.0
				No	14.3

Table 5. BRFSS results: Respondents who were told they had asthma. *N is unweighted.

References

1. Asthma: Asthma Speaker's Kit for Health Care Professionals. Retrieved from the Internet May 20, 2004. <http://www.cdc.gov/asthma/speakit/intro.htm>
2. U.S. Department of Health and Human Services. Healthy People 2010: Understanding and Improving Health. 2nd ed. Washington, DC: U.S. Government Printing Office, November 2000.

* 95% Confidence Interval: 12.2%-15.8%.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 9: ASTHMA
TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT WEIGHTED	N	Yes %	C.I. (95%)	N	No %	C.I. (95%)
TOTAL	4721	4,542,274	664	14.0	12.2-15.8	4057	86.0	84.2-87.8
Male	1717	2,249,856	184	10.9	08.4-13.4	1533	89.1	86.6-91.6
Female	3004	2,292,418	480	17.0	14.5-19.5	2524	83.0	80.5-85.5
White/Non-Hisp	3233	3,048,413	497	16.2	13.8-18.6	2736	83.8	81.4-86.2
Black or Afr. Am./Non-Hisp	77	145,033	10	12.1	02.5-21.7	67	87.9	78.3-97.5
Oth. Race/Non-Hisp.	259	325,264	29	14.0	05.8-22.2	230	86.0	77.8-94.2
Hispanic	1070	949,994	109	7.1	04.4-09.8	961	92.9	90.2-95.6
18-24	161	398,107	22	14.4	05.2-23.6	139	85.6	76.4-94.8
25-34	530	1,031,417	73	13.9	09.2-18.6	457	86.1	81.4-90.8
35-44	636	897,473	94	12.9	09.0-16.8	542	87.1	83.2-91.0
45-54	908	770,905	108	12.0	08.3-15.7	800	88.0	84.3-91.7
55-64	959	611,044	159	16.5	12.6-20.4	800	83.5	79.6-87.4
65+	1477	801,197	202	15.1	11.8-18.4	1275	84.9	81.6-88.2
Less Than H.S. H.S. or G.E.D.	565	543,783	89	14.2	08.7-19.7	476	85.8	80.3-91.3
Some Post-H.S.	1326	1,134,670	187	16.3	12.2-20.4	1139	83.7	79.6-87.8
College Graduate	1394	1,303,702	205	14.0	10.9-17.1	1189	86.0	82.9-89.1
	1420	1,537,735	183	12.5	09.4-15.6	1237	87.5	84.4-90.6
Less than \$15,000	480	302,710	94	22.0	14.4-29.6	386	78.0	70.4-85.6
\$15,000-24,999	760	594,012	117	11.7	08.2-15.2	643	88.3	84.8-91.8
\$25,000-34,999	537	450,916	60	12.3	06.2-18.4	477	87.7	81.6-93.8
\$35,000-49,999	721	653,132	98	13.4	09.1-17.7	623	86.6	82.3-90.9
\$50,000-74,999	643	731,152	74	12.4	07.7-17.1	569	87.6	82.9-92.3
\$75,000+	871	1,244,015	112	13.3	09.6-17.0	759	86.7	83.0-90.4

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 9: ASTHMA
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	N	Yes %	C.I. (95%)	N	% No	C.I. (95%)
Male	1717	2,249,856	184	10.9	1533	89.1	86.6-91.6
White/Non-Hisp Hispanic	1211	1,464,250	142	12.7	1069	87.3	84.0-90.6
	336	472,218	21	3.7	315	96.3	93.8-98.8
25-34	185	511,906	20	9.5	165	90.5	84.4-96.6
35-44	216	461,860	26	7.4	190	92.6	88.5-96.7
45-54	320	389,054	29	12.0	291	88.0	81.5-94.5
55-64	394	293,788	33	9.0	361	91.0	86.3-95.7
65+	521	356,206	63	16.1	458	83.9	78.2-89.6
Less Than H.S.	189	277,771	27	11.4	162	88.6	81.5-95.7
H.S. or G.E.D.	465	555,056	53	13.5	412	86.5	80.0-93.0
Some Post-H.S.	468	603,253	48	10.3	420	89.7	85.0-94.4
College Graduate	587	794,314	56	9.7	531	90.3	86.4-94.2
\$15,000- 24,999	255	297,293	30	8.2	225	91.8	86.9-96.7
\$25,000- 34,999	178	223,125	15	9.7	163	90.3	82.9-97.7
\$35,000- 49,999	299	344,440	36	12.6	263	87.4	80.7-94.1
\$50,000- 74,999	261	339,957	23	5.5	238	94.5	90.0-99.0
\$75,000+	392	711,268	34	9.5	358	90.5	85.8-95.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	N	Yes		N	%	C.I. (95%)	No	C.I. (95%)
				%	C.I. (95%)					
Female	3004	2,232,418	480	17.0	14.5-19.5	2524	83.0	80.5-85.5		
White/Non-Hisp	2022	1,564,163	355	19.4	16.1-22.7	1667	80.6	77.3-83.9		
Oth. Race/Non-Hisp.	157	145,853	20	13.9	6.5-21.3	137	86.1	78.7-93.5		
Hispanic	734	477,776	88	10.5	5.8-15.2	646	89.5	84.8-94.2		
25-34	345	519,511	53	18.3	11.4-25.2	292	81.7	74.8-88.6		
35-44	420	435,613	68	18.8	12.3-25.3	352	81.2	74.7-87.7		
45-54	588	381,851	79	12.1	8.4-15.8	509	87.9	84.2-91.6		
55-64	565	317,256	126	23.4	17.3-29.5	439	76.6	70.5-82.7		
65+	956	444,991	139	14.2	10.5-17.9	817	85.8	82.1-89.5		
Less Than H.S.	376	266,011	62	17.0	08.8-25.2	314	83.0	74.8-91.2		
H.S. or G.E.D.	861	579,615	134	18.9	13.4-24.4	727	81.1	75.6-86.6		
Some Post-H.S.	926	700,449	157	17.2	13.1-21.3	769	82.8	78.7-86.9		
College Graduate	833	743,421	127	15.5	10.8-20.2	706	84.5	79.8-89.2		
Less than \$15,000	358	195,493	77	22.9	13.9-31.9	281	77.1	68.1-86.1		
\$15,000-24,999	505	296,720	87	15.1	10.4-19.8	418	84.9	80.2-89.6		
\$25,000-34,999	359	227,791	45	14.9	05.7-24.1	314	85.1	75.9-94.3		
\$35,000-49,999	422	308,693	62	14.3	09.2-19.4	360	85.7	80.6-90.8		
\$50,000-74,999	382	391,195	51	18.4	11.0-25.8	331	81.6	74.2-89.0		
\$75,000+	479	532,747	78	18.3	12.6-24.0	401	81.7	76.0-87.4		

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

CARDIOVASCULAR DISEASE – HEART ATTACK

"Heart disease is the nation's leading cause of death. Much of the burden of heart disease could be eliminated by reducing the prevalence rates of its major risk factors: high blood pressure, high blood cholesterol, tobacco use, diabetes, physical inactivity, and poor nutrition. Modest reductions in the rates of one or more of these risk factors can have a large public health impact. Heart disease can also be prevented or controlled through governmental policies (such as restricting access to tobacco) and through environmental changes (such as providing better access to healthy foods and opportunities for physical activity)."¹

Survey Questions:

Ever told you had a heart attack, also called a myocardial infarction?

Ever told you had angina or coronary heart disease?

Ever told you had a stroke?




Figure 6a. Prevalence of BRFSS respondents who were told that they had a heart attack.

In each year from 2005 to 2007, the prevalence rates of myocardial infarction were higher in Arizona compared to the nation.

References

1. U.S. Department of Health and Human Services. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives, February 2004.

According to the 2007 BRFSS, 4.6 percent* of all respondents who were told that they had a heart attack or myocardial infarction. The following respondent groups were most like to have been told they have had a heart attack:

Gender: Males, 5.6 percent.

Age: 65+ years old, 11.3 percent.

Marital Status: Separated, 10.0 percent.

Education: High school graduate, 5.8 percent.

Employment Status: Unable to work, 13.3 percent.

Income: <\$25,000, 7.1 percent.

Race/Ethnicity: White, Non-Hispanic, 5.7 percent.

Veteran Status: Veterans, 9.7 percent.

2007 Arizona BRFSS: Respondents Who Were Told They Have Had A Heart Attack					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	4.6	294	EMPLOYMENT		
SEX			Employed for wages	2.4	42
Male	5.6	146	Self-employed	2.0	13
Female	3.6	148	Out of work	2.3	13
AGE			Homemaker	3.3	18
18-24	1.4	1	Student	0.0	0
25-34	0.3	2	Retired	11.5	168
35-44	2.1	10	Unable to work	13.3	38
45-54	3.9	32	INCOME		
55-64	9.8	74	<\$25,000	7.1	115
65+	11.3	175	\$25,000-\$34,999	4.0	33
MARITAL STATUS			\$35,000-\$49,999	4.8	43
Married	4.7	150	\$50,000-\$74,999	3.7	22
Divorced	4.6	48	\$75,000 or more	1.6	22
Widowed	9.0	70	RACE/ ETHNICITY		
Separated	10.0	5	White, Non-Hispanic	5.7	238
Never married	2.1	13	Black, Non-Hispanic	2.3	3
Unmarried couple	3.4	7	Other race, Non-Hispanic	2.3	9
EDUCATION			Hispanic	2.5	43
Less than High School	4.9	34	VETERAN STATUS		
High School Graduate/GED	5.8	100	Yes	9.7	73
Some College/Tech School	4.6	87	No	3.9	220
College Grad	3.7	73			

Table 6a. BRFSS results: Respondents who were told they have had a heart attack. *N is unweighted.

* 95% Confidence Interval: 3.6%-5.6%.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CYDINFR4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No					
				TOTAL	WEIGHTED	N	%	C.I. (95%)
TOTAL	4,706	4,542,166	294	4.6	03-6-05.6	4412	95.4	94-4-96.4
Male	1709	2,250,113	146	5.6	03-8-07.4	1563	94.4	92-6-96.2
Female	2897	2,292,053	148	3.6	02-6-04.6	2849	96.4	95-4-97.4
White/Non-Hisp	3226	3,049,339	238	5.7	04-3-07.1	2988	94.3	92-9-95.7
Black or Afr. Am./Non-Hisp	77	145,033	3	2.3	00-0-06.4	74	97.7	93-6-0100
Oth. Race/Non-Hisp.	257	323,987	6	2.0	00-0-04.2	251	98.0	95-8-0100
Hispanic	1066	950,904	43	2.5	00-9-04.1	1023	97.5	95-9-99.1
18-24	162	401,208	1	1.4	00-0-04.1	161	98.6	95-9-0100
25-34	527	1,029,783	2	0.3	00-0-00.7	525	99.7	99-3-0100
35-44	635	898,144	10	2.1	00-3-03.9	625	97.9	96-1-99.7
45-54	904	769,171	32	4.0	00-9-07.1	872	96.0	92-9-99.1
55-64	956	611,743	70	9.8	06-3-13.3	886	90.2	86-7-93.7
65+	1471	799,910	175	11.3	08-6-14.0	1296	88.7	86-0-91.4
Less Than H.S.	560	542,204	34	4.9	01-8-08.0	526	95.1	92-0-98.2
H.S. or G.E.D.	1318	1,133,084	100	5.8	03-4-08.2	1218	94.2	91-8-96.6
Some Post-H.S.	1396	1,308,981	87	4.6	02-8-06.4	1309	95.4	93-6-97.2
College Graduate	1416	1,535,608	73	3.7	02-1-05.3	1343	96.3	94-7-97.9
Less than \$15,000	476	301,824	47	5.9	03-0-08.8	429	94.1	91-2-97.0
\$15,000- 24,999	756	597,527	68	7.7	04-4-11.0	688	92.3	89-0-95.6
\$25,000- 34,999	536	451,106	33	4.0	01-6-06.4	503	96.0	93-6-98.4
\$35,000- 49,999	720	651,533	43	4.8	01-5-08.1	677	95.2	91-9-98.5
\$50,000- 74,999	641	730,675	22	3.7	01-3-06.1	619	96.3	93-9-98.7
\$75,000+	869	1,243,517	22	1.6	00-6-02.6	847	98.4	97-4-99.4

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1709	2,250,113	146	5.6	03.8-07.4	1563	94.4	92.6-96.2
White/Non-Hisp.	1207	1,464,429	128	7.7	05.2-10.2	1079	92.3	89.8-94.8
Oth. Race/Non-Hisp.	101	178,853	2	1.3	00.0-03.3	99	98.7	96.7-0100
Hispanic	334	473,447	16	2.5	00.0-05.4	318	97.5	94.6-0100
18-24	67	231,891	1	2.5	00.0-07.4	66	97.5	92.6-0100
25-34	184	511,304	1	0.2	00.0-00.6	183	99.8	99.4-0100
35-44	217	462,721	5	1.6	00.0-03.6	212	98.4	96.4-0100
45-54	318	387,939	15	6.3	00.4-12.2	303	93.7	87.8-99.6
55-64	391	292,790	43	12.0	05.9-18.1	348	88.0	81.9-94.1
65+	517	355,216	80	15.1	10.0-20.2	437	84.9	79.8-90.0
Less Than H.S.	187	276,961	22	7.4	01.5-13.3	165	92.6	86.7-98.5
H.S. or G.E.D.	460	554,780	45	6.7	02.4-11.0	415	93.3	89.0-97.6
Some Post-H.S.	468	606,091	36	4.9	02.2-07.6	432	95.1	92.4-97.8
College Graduate	587	792,990	43	5.0	02.5-07.5	544	95.0	92.5-97.5
Less than \$15,000	121	107,613	17	5.6	01.3-09.9	104	94.4	90.1-98.7
\$15,000-24,999	251	299,324	33	8.0	02.5-13.5	218	92.0	86.5-97.5
\$25,000-34,999	178	223,267	14	3.9	01.0-06.8	164	96.1	93.2-99.0
\$35,000-49,999	298	342,840	25	6.2	00.3-12.1	273	93.8	87.9-99.7
\$50,000-74,999	261	339,957	16	5.6	01.3-09.9	245	94.4	90.1-98.7
\$75,000+	391	710,946	17	2.1	00.5-03.7	374	97.9	96.3-99.5

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	TOTAL	WEIGHTED	N	Yes %	C.I. (95%)	No		
							N	%	C.I. (95%)
Female	2997	2,292,053	148	3.6	02.6-04.6	2849	96.4	95.4-97.4	
White/Non-Hisp.	2019	1,584,910	110	3.9	02.5-05.3	1909	96.1	94.7-97.5	
Oth. Race/Non-Hisp.	156	145,134	4	2.7	00.0-07.0	152	97.3	93.0-0100	
Hispanic	732	477,457	27	2.4	00.6-04.2	705	97.6	95.8-99.4	
18-24	95	169,318					95	100.0	0100-0100
25-34	343	518,480	1	0.4	00.0-01.2		342	99.6	98.8-0100
35-44	418	435,424	5	2.7	00.0-06.0		413	97.3	94.0-0100
45-54	586	381,231	17	1.7	00.5-02.9		569	98.3	97.1-99.5
55-64	565	318,952	27	7.8	03.7-11.9		538	92.2	88.1-96.3
65+	954	444,694	95	8.2	05.3-11.1		859	91.8	88.9-94.7
Less Than H.S.	373	265,243	12	2.3	00.3-04.3		361	97.7	95.7-99.7
H.S. or G.E.D.	858	578,304	55	4.9	02.5-07.3		803	95.1	92.7-97.5
Some Post-H.S.	928	702,890	51	4.4	02.4-06.4		877	95.6	93.6-97.6
College Graduate	829	742,619	30	2.4	00.4-04.4		799	97.6	95.6-99.6
Less than \$15,000	355	194,211	30	6.1	02.2-10.0		325	93.9	90.0-97.8
\$15,000-24,999	505	298,203	35	7.3	03.6-11.0		470	92.7	89.0-96.4
\$25,000-34,999	358	227,839	19	4.2	00.7-07.7		339	95.8	92.3-99.3
\$35,000-49,999	422	308,693	18	3.2	00.8-05.6		404	96.8	94.4-99.2
\$50,000-74,999	380	390,718	6	2.0	00.0-04.2		374	98.0	95.8-0100
\$75,000+	478	532,571	5	0.9	00.0-02.1		473	99.1	97.9-0100

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

CARDIOVASCULAR DISEASE – ANGINA

Angina is chest pain or discomfort that occurs because the heart muscle is not receiving adequate supply of blood. “It may feel like pressure or a squeezing pain in the chest. The pain may also occur in the shoulders, arms, neck, jaw, or back, and it may feel like indigestion. Angina is a symptom of coronary heart disease. Angina may be stable or unstable. Stable angina is chest pain that occurs on physical exertion or under mental or emotional stress. Unstable angina is chest pain that occurs even while at rest, without apparent reason.” Acute Coronary Syndrome is a term that is sometimes used to describe people who either have an acute myocardial infarction or unstable angina.¹




Figure 6b. Prevalence of BRFSS respondents who were told that they had angina.

In each year from 2005 to 2007, the prevalence rates of angina were higher in Arizona compared to the nation.

References

1. About Heart Disease. Retrieved from the Internet May 21, 2008.
<http://www.cdc.gov/print.do?url=http://www.cdc.gov/heartdisease/about.htm>.

According to the 2007 BRFSS, 4.9 percent* of all respondents who were told that they had angina or coronary heart disease. The following respondent groups had the highest prevalence of angina:

- Gender:** Males, 6.0 percent.
Age: 65+ years old, 11.3 percent.
Marital Status: Widowed, 10.2 percent.
Education: High school graduate, 5.2 percent.
Employment Status: Unable to work, 21.1 percent.
Income: <\$25,000, 7.4 percent.
Race/Ethnicity: White, Non-Hispanic, 5.7 percent.
Veteran Status: Veterans, 8.8 percent.

2007 Arizona BRFSS: Respondents Who Were Told They Have Had Angina Or Coronary Heart Disease					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	4.9	296	EMPLOYMENT		
SEX			Employed for wages	2.0	42
Male	6.0	130	Self-employed	4.3	14
Female	3.8	166	Out of work	1.4	11
AGE			Homemaker	1.5	13
18-24	0.2	2	Student	0.2	1
25-34	0.9	4	Retired	11.5	166
35-44	3.7	11	Unable to work	21.1	47
45-54	2.7	28	INCOME		
55-64	10.5	79	<\$25,000	7.4	105
65+	11.3	172	\$25,000-\$34,999	5.0	39
MARITAL STATUS			\$35,000-\$49,999	4.6	34
Married	5.5	154	\$50,000-\$74,999	2.8	25
Divorced	5.7	52	\$75,000 or more	3.1	33
Widowed	10.2	66	RACE/ ETHNICITY		
Separated	1.4	7	White, Non-Hispanic	5.7	233
Never married	1.1	10	Black, Non-Hispanic	0.2	2
Unmarried couple	0.9	6	Other race, Non-Hispanic	1.3	11
EDUCATION			Hispanic	4.2	49
Less than High School	4.1	41	VETERAN STATUS		
High School Graduate/GED	5.2	90	Yes	8.8	63
Some College/Tech School	4.9	82	No	4.3	233
College Grad	4.9	82			

Table 6b. BRFSS results: Respondents who were told they have had angina or coronary heart disease. *N is unweighted.

* 95% Confidence Interval: 3.7%-6.1%.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": [EVER TOLD] YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	N	Yes %	C.I. (95%)	N	No %	C.I. (95%)
TOTAL	4680	4,528,315	296	4.9	03.7-06.1	4384	95.1	93.9-96.3
Male	1698	2,244,988	130	6.0	03.8-08.2	1568	94.0	91.8-96.2
Female	2982	2,283,326	166	3.8	02.6-05.0	2816	96.2	95.0-97.4
White/Non-Hisp	3198	3,034,702	233	5.8	04.4-07.2	2965	94.2	92.8-95.6
Black or Afr. Am./Non-Hisp	77	145,033	2	0.2	00.0-0.6	75	99.8	99.4-100
Oth. Race/Non-Hisp.	259	325,254	9	1.4	00.2-02.6	250	98.6	97.4-99.8
Hispanic	1066	950,615	49	4.2	00.7-07.7	1017	95.8	92.3-99.3
18-24	161	400,542	2	0.2	00.0-0.4	159	99.8	99.6-100
25-34	529	1,030,570	4	0.9	00.0-02.3	525	99.1	97.7-100
35-44	636	898,227	11	1.7	00.0-07.4	625	96.3	92.6-100
45-54	905	770,038	28	2.8	00.3-05.3	877	97.2	94.7-99.7
55-64	950	607,722	79	10.8	06.9-14.7	871	89.2	85.3-93.1
65+	1450	789,870	172	11.5	08.6-14.4	1278	88.5	85.6-91.4
Less Than H.S.	557	542,107	41	4.2	01.5-06.9	516	95.8	93.1-98.5
H.S. or G.E.D.	1309	1,132,082	90	5.2	02.8-07.6	1219	94.8	92.4-97.2
Some Post-H.S.	1384	1,298,869	82	5.0	02.3-07.7	1302	95.0	92.3-97.7
College Graduate	1413	1,532,797	82	4.9	03.1-06.7	1331	95.1	93.3-96.9
Less than \$15,000	476	302,867	43	6.0	02.9-09.1	433	94.0	90.9-97.1
\$15,000-\$24,999	752	596,171	62	8.1	02.4-13.8	690	91.9	86.2-97.6
\$25,000-\$34,999	536	450,960	39	5.0	01.5-08.5	497	95.0	91.5-98.5
\$35,000-\$49,999	713	650,613	34	4.7	01.4-08.0	679	95.3	92.0-98.6
\$50,000-\$74,999	640	729,934	25	2.8	01.2-04.4	615	97.2	95.6-98.8
\$75,000+	870	1,241,435	33	3.1	01.5-04.7	837	96.9	95.3-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007

HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	N	Yes		N	% C.I. (95%)	No
				%	C.I. (95%)			
Male	1698	2,244,988	130	6.0	03.8-08.2	1568	94.0	91.8-96.2
White/Non-Hisp.	1196	1,458,875	110	7.4	04.9-09.9	1086	92.6	90.1-95.1
Oth. Race/Non-Hisp.	102	179,401	5	1.6	00.0-03.6	97	98.4	96.4-0100
Hispanic	333	472,808	14	4.7	00.0-11.2	319	95.3	88.8-0100
18-24	67	231,891				67	100.0	0100-0100
25-34	184	511,059	1	0.2	00.0-00.6	183	99.8	99.4-0100
35-44	217	462,721	5	5.1	00.0-12.0	212	94.9	88.0-0100
45-54	318	388,216	12	4.4	00.0-09.5	306	95.6	90.5-0100
55-64	346	289,117	41	14.1	07.2-21.0	345	85.9	79.0-92.8
65+	513	354,593	71	14.7	09.4-20.0	442	85.3	80.0-90.6
Less Than H.S.	195	276,941	17	5.7	00.4-11.0	168	94.3	89.0-99.6
H.S. or G.E.D.	457	554,694	34	4.8	01.1-08.5	423	95.2	91.5-98.9
Some Post-H.S.	462	601,603	32	6.6	01.1-12.1	430	93.4	87.9-98.9
College Graduate	586	792,288	47	6.6	03.7-09.5	539	93.4	90.5-96.3
Less than \$15,000	123	108,581	16	6.7	00.6-12.8	107	93.3	87.2-99.4
\$25,000-34,999	178	223,139	12	2.9	00.4-05.4	166	97.1	94.6-99.6
\$35,000-49,999	296	342,606	21	7.1	01.2-13.0	275	92.9	87.0-98.8
\$50,000-74,999	258	338,739	12	4.0	01.1-06.9	246	96.0	93.1-98.9
\$75,000+	390	708,539	24	3.8	01.4-06.2	366	96.2	93.8-98.6

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARIZONA CORE QUESTIONS DATA REPORT, 2007

HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": I EVER TOLD YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	TOTAL	WEIGHTED	N	%	C.I. (95%)	Yes			No		
							C.I. (95%)	N	%	C.I. (95%)	N	%
Female	2982	2,283,326	166	3.8	02.6-05.0	2816	96.2	95.0-97.4				
White/Non-Hisp.	2002	1,575,827	123	4.3	02.9-05.7	1879	95.7	94.3-97.1				
Oth. Race/Non-Hisp.	157	145,853	4	1.2	00.0-02.4	153	98.8	97.6-0100				
Hispanic	733	477,808	35	3.7	00.6-06.8	698	96.3	93.2-99.4				
18-24	94	168,651	2	0.4	00.0-01.0	92	99.6	99.0-0100				
25-34	345	519,511	3	1.7	00.0-04.4	342	98.3	95.6-0100				
35-44	419	435,506	6	2.2	00.0-05.1	413	97.8	94.9-0100				
45-54	587	381,822	16	1.2	00.4-02.0	571	98.8	98.0-99.6				
55-64	564	318,605	38	7.9	04.0-11.8	526	92.1	88.2-96.0				
65+	937	435,277	101	8.9	06.0-11.8	836	91.1	88.2-94.0				
Less Than H.S.	372	265,166	24	2.6	00.8-04.4	348	97.4	95.6-99.2				
H.S. or G.E.D.	852	577,389	56	5.7	02.8-08.6	796	94.3	91.4-97.2				
Some Post-H.S.	922	697,267	50	3.5	01.7-05.3	872	96.5	94.7-98.3				
College Graduate	827	740,508	35	3.2	01.0-05.4	792	96.8	94.6-99.0				
Less than \$15,000	353	194,287	27	5.6	02.1-09.1	326	94.4	90.9-97.9				
\$15,000-24,999	501	296,988	38	5.8	02.9-08.7	463	94.2	91.3-97.1				
\$25,000-34,999	358	227,821	27	7.1	00.8-13.4	331	92.9	86.6-99.2				
\$35,000-49,999	417	308,007	13	1.9	00.5-03.3	404	98.1	96.7-99.5				
\$50,000-74,999	382	391,195	13	1.9	00.1-03.7	369	98.1	96.3-99.9				
\$75,000+	480	532,896	9	2.1	00.1-04.1	471	97.9	95.9-99.9				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

CARDIOVASCULAR DISEASE – STROKE

A stroke or cerebrovascular accident occurs when the brain blood supply is cut off (an ischemic stroke) or when a blood vessel bursts (a hemorrhagic stroke). Most are of the ischemic type. Brain cells begin to die without oxygen. Permanent disability or death may result. High blood pressure, smoking, and having had a previous stroke or heart attack increases a person's possibility of having a stroke.

The following are major signs of stroke according to The National Institute of Neurological Disorders and Stroke:

- "Sudden numbness or weakness of the face, arms or legs
- Sudden confusion or trouble speaking or understanding others
- Sudden trouble seeing in one or both eyes
- Sudden trouble walking, dizziness, or loss of balance or coordination
- Sudden severe headache with no known cause

If you think someone is having a stroke, you should call 911 immediately."¹




Figure 6c. Prevalence of BRFSS respondents who were told that they had a stroke.

References

1. Fact Sheets and At-a-Glance Reports: Know the Signs and Symptoms of a Stroke. Retrieved from the Internet May 21, 2008. http://www.cdc.gov/print.do?url=http://www.cdc.gov/dhdsp/library/fs_strokesigns.htm

According to the 2007 BRFSS, 2.9 percent* of all respondents who were told that they had a stroke. The following respondent groups had the highest prevalence of stroke:

Gender: Females, 3.1 percent.

Age: 65+ years old, 10.8 percent.

Marital Status: Widowed, 11.0 percent.

Education: Some college/technical school, 3.8 percent.

Employment Status: Retired, 10.5 percent.

Income: <\$25,000, 4.7 percent.

Race/Ethnicity: White, Non-Hispanic, 3.8 percent.

Veteran Status: Veterans, 5.5 percent.

2007 Arizona BRFSS: Respondents Who Were Told They Have Had A Stroke					
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT
TOTAL	2.9	187			
SEX				EMPLOYMENT	
Male	2.7	73		Employed for wages	0.5
Female	3.1	114		Self-employed	1.8
AGE				Out of work	1.1
18-24	1.4	1		Homemaker	1.1
25-34	0.2	3		Student	0.0
35-44	0.1	4		Retired	10.5
45-54	0.9	15		Unable to work	7.1
55-64	4.4	41			
65+	10.8	123		INCOME	
MARITAL STATUS				<\$25,000	4.7
Married	2.5	91		\$25,000-\$34,999	4.6
Divorced	3.9	30		\$35,000-\$49,999	1.3
Widowed	11.0	54		\$50,000-\$74,999	2.2
Separated	4.4	4		\$75,000 or more	1.1
Never married	1.1	7		RACE/ ETHNICITY	
Unmarried couple	0.1	1		White, Non-Hispanic	3.8
EDUCATION				Black, Non-Hispanic	0.3
Less than High School	2.1	28		Other race, Non-Hispanic	1.8
High School Graduate/GED	3.3	53		Hispanic	0.7
Some College/Tech School	3.8	64			
College Grad	2.1	42		VETERAN STATUS	
				Yes	5.5
				No	2.5

Table 6c. BRFSS results: Respondents who were told they have had a stroke. *N is unweighted

* 95% Confidence Interval: 2.1%-3.7%.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE

HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": I EVER TOLD YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	TOTAL WEIGHTED	Yes			No		
			%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4721	4,543,245	187	2.9	02-1-03-7	4534	97.1	96-3-97.9
Male	1719	2,249,681	73	2.7	01-7-03-7	1646	97.3	96-3-98.3
Female	3002	2,293,564	114	3.1	02-1-04-1	2888	96.9	95-9-97.9
White/Non-Hisp	3236	3,052,117	152	3.8	02-8-04-8	3084	96.2	95-2-97.2
Black or Afr. Am./Non-Hisp	77	145,033	3	0.3	00-0-00-7	74	99.7	99-3-0100
Oth. Race/Non-Hisp.	257	320,397	5	1.6	00-0-03-6	252	98.4	96-4-0100
Hispanic	1070	952,587	25	0.7	00-3-01-1	1045	99.3	98-9-99.7
18-24	162	401,208	1	1.4	00-0-04-1	161	98.6	95-9-0100
25-34	530	1,031,417	3	0.2	00-0-00-6	527	99.8	99-4-0100
35-44	636	894,025	4	0.1	00-0-00-3	632	99.9	99-7-0100
45-54	907	770,375	15	0.9	00-3-01-5	892	99.1	98-5-99.7
55-64	957	611,590	40	4.5	02-3-06-7	917	95.5	93-3-97.7
65+	1479	802,497	123	10.8	07-9-13-7	1356	89.2	86-3-92.1
Less Than H.S.	563	543,123	28	2.1	00-9-03-3	535	97.9	96-7-99.1
H.S. or G.E.D.	1325	1,135,837	53	3.3	01-9-04-7	1272	96.7	95-3-98.1
Some Post-H.S.	1396	1,308,257	64	3.8	02-2-05-4	1332	96.2	94-6-97.8
College Graduate	1421	1,533,644	42	2.1	00-9-03-3	1379	97.9	96-7-99.1
Less than \$15,000	481	304,074	35	3.6	01-6-05-6	446	96.4	94-4-98.4
\$15,000- 24,999	761	598,705	44	5.3	02-8-07-8	717	94.7	92-2-97.2
\$25,000- 34,999	537	451,654	24	4.6	02-1-07-1	513	95.4	92-9-97.9
\$35,000- 49,999	721	653,008	16	1.3	00-3-02-3	705	98.7	97-7-99.7
\$50,000- 74,999	641	726,068	11	2.2	00-2-04-2	630	97.8	95-8-99.8
\$75,000+	872	1,244,069	17	1.1	00-3-01-9	855	98.9	98-1-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE"] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	Yes		N	%	C.I. (95%)	No
				%	C.I. (95%)				
Male	1719	2,249,681	73	2.7	01.7-03.7	1646	97.3	96.3-98.3	
White/Non-Hisp.	1214	1,465,830	67	4.0	02.4-05.6	1147	96.0	94.4-97.6	
Oth. Race/Non-Hisp.	100	174,545	1	0.3	00.0-0.9	99	99.7	99.1-01.00	
Hispanic	337	475,319	5	0.3	00.0-0.7	332	99.7	99.3-01.00	
18-24	67	231,891	1	2.5	00.0-07.4	66	97.5	92.6-01.00	
25-34	185	511,906	1	0.1	00.0-00.3	184	99.9	99.7-01.00	
35-44	216	458,413				216	100.0	01.00-01.00	
45-54	319	388,658	3	0.6	00.0-01.4	316	99.4	98.6-01.00	
55-64	392	292,463	17	2.5	00.9-04.1	375	97.5	95.9-99.1	
65+	525	358,099	51	12.6	07.5-17.7	474	87.4	82.3-92.5	
Less Than H.S.	189	277,771	12	1.8	00.4-03.2	177	98.2	96.8-99.6	
H.S. or G.E.D.	465	556,334	18	2.3	00.7-03.9	447	97.7	96.1-99.3	
Some Post-H.S.	468	605,578	20	3.1	00.6-05.6	448	96.9	94.4-99.4	
College Graduate	589	790,536	23	3.1	01.1-05.1	566	96.9	94.9-98.9	
Less than \$15,000	123	108,581	9	1.8	00.2-03.4	114	98.2	96.6-99.8	
\$15,000-24,999	255	299,998	17	3.4	00.9-05.9	238	96.6	94.1-99.1	
\$25,000-34,999	179	223,986	10	4.9	01.2-08.6	169	95.1	91.4-98.8	
\$35,000-49,999	300	344,466	8	1.8	00.0-03.6	292	98.2	96.4-01.00	
\$50,000-74,999	259	334,873	7	3.5	00.0-07.4	252	96.5	92.6-01.00	
\$75,000+	392	711,173	8	0.9	00.0-01.9	384	99.1	98.1-01.00	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARIZONA CORE QUESTIONS DATA REPORT, 2007

HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": [1] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	TOTAL	WEIGHTED	N	Yes %	C.I. (95%)	No		
							N	%	C.I. (95%)
Female	3002	2,293,564	114	3.1	02.1-04.1	2888	96.9	95.9-97.9	
White/Non-Hisp.	2022	1,586,287	85	3.7	02.5-04.9	1937	96.3	95.1-97.5	
Oth. Race/Non-Hisp.	157	145,853	4	3.1	00.0-07.4	153	96.9	92.6-0100	
Hispanic	733	477,267	20	1.0	00.4-01.6	713	99.0	98.4-99.6	
18-24	95	169,318	2	0.4	00.0-01.0	95	100.0	0100-0100	
25-34	345	519,511	4	0.3	00.0-00.7	343	99.6	99.0-0100	
35-44	420	435,613	12	1.3	00.3-02.3	576	98.7	99.3-0100	
45-54	588	381,717	23	6.3	02.6-10.0	542	93.7	90.0-97.4	
55-64	565	319,128	72	9.4	05.9-12.9	882	90.6	87.1-94.1	
65+	954	444,398							
Less Than H.S.	374	265,352	16	2.4	00.4-04.4	358	97.6	95.6-99.6	
H.S. or G.E.D.	860	579,503	35	4.3	02.1-06.5	825	95.7	93.5-97.9	
Some Post-H.S.	928	702,679	44	4.4	02.2-06.6	884	95.6	93.4-97.8	
College Graduate	832	743,108	19	1.1	00.3-01.9	813	98.9	98.1-99.7	
Less than \$15,000	358	195,493	26	4.5	01.4-07.6	332	95.5	92.4-98.6	
\$15,000-24,999	506	298,708	27	7.3	03.2-11.4	479	92.7	88.6-96.8	
\$25,000-34,999	358	227,668	14	4.3	00.8-07.8	344	95.7	92.2-99.2	
\$35,000-49,999	421	308,542	8	0.9	00.1-01.7	413	99.1	98.3-99.9	
\$50,000-74,999	382	391,195	4	1.1	00.0-02.7	378	98.9	97.3-0100	
\$75,000+	480	532,896	9	1.3	00.0-02.7	471	98.7	97.3-0100	

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

DIABETES

Currently, 17 million Americans have diabetes, and over 200,000 people die each year of related complications. Diabetes can cause heart disease, stroke, blindness, kidney failure, leg and foot amputations, pregnancy complications, and deaths related to flu and pneumonia. Particularly at risk are the 5.9 million Americans who are unaware that they have the disease.¹

“Early detection, improved delivery of care, and better self-management are key strategies for preventing much of the burden of diabetes. Type 2 diabetes, formerly considered “adult onset” diabetes, is now being diagnosed more frequently among children and adolescents. This type of diabetes is linked to two modifiable risk factors: obesity and physical inactivity.”²

Survey Question:

Have you EVER been told by a doctor that you have diabetes?




Figure 7. Percentage of Arizona and National BRFSS respondents who reported that they were told they had diabetes in 2002-2007. Healthy People 2010 Objective is 4.0 percent.

According to the 2007 BRFSS, 8.4 percent* of all respondents were told by a doctor they had diabetes. The Arizona prevalence rates of 8.5 percent in 2006 and 8.4 percent in 2007 were 2.1 times greater than the *Healthy People 2010 Objective* (No. 5.3) target rate of no more than 4 percent.³

* 95% Confidence Interval: 7.0%-9.8%.

The following respondent groups had the highest prevalence of diabetes:

Gender: Males, 9.3 percent.

Age: 65+ years old, 17.2 percent.

Marital Status: Widowed, 15.4 percent.

Education: Less than a high school, 12.5 percent.

Employment Status: Unable to work, 18.2 percent.

Income: <\$25,000, 14.9 percent.

Race/Ethnicity: Hispanic, 9.4 percent.

Veteran Status: Veterans, 15.4 percent.

2007 Arizona BRFSS: Respondents Who Were Told They Have Diabetes					
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT
TOTAL	8.4	539		EMPLOYMENT	
SEX				Employed for wages	6.4
Male	9.3	222		Self-employed	3.1
Female	7.6	317		Out of work	5.7
AGE				Homemaker	3.8
18-24	2.0	2		Student	3.6
25-34	2.7	14		Retired	18.1
35-44	3.5	32		Unable to work	18.2
45-54	11.1	98			
55-64	14.5	145		INCOME	
65+	17.2	248		<\$25,000	14.9
MARITAL STATUS				\$25,000-\$34,999	6.6
Married	7.8	270		\$35,000-\$49,999	8.7
Divorced	13.8	101		\$50,000-\$74,999	6.3
Widowed	15.4	102		\$75,000 or more	6.1
Separated	12.5	16		RACE/ ETHNICITY	
Never married	5.0	39		White, Non-Hispanic	8.3
Unmarried couple	6.2	8		Black, Non-Hispanic	7.7
EDUCATION				Other race, Non-Hispanic	7.8
Less than High School	12.5	110		Hispanic	9.4
High School Graduate/GED	8.9	157			
Some College/Tech School	7.6	149		VETERAN STATUS	
College Grad	7.5	121		Yes	15.4
				No	7.4

Table 7. BRFSS results: Respondents who were told they had diabetes. *N is unweighted.

References

1. Centers for Disease Control and Prevention. Diabetes: Disabling, Deadly, and on the Rise. 2002
2. U.S. Department of Health and Human Services. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives, February 2004.
3. U.S. Department of Health and Human Services. Healthy People 2010: Understanding and Improving Health. 2nd ed. Washington, DC: U.S. Government Printing Office, November 2000.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 5: DIABETES
HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS		RESPONDENT NUMBER		Yes		Yes, during pregnancy		No		No, pre or borderline diabetes		
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1721	2,252,372	222	9.3	07.1-11.5		1,480	89.7	87.3-92.1	19	1.0	00.0-02.0
Female	3007	2,293,241	317	7.6	06.0-09.2		2,619	89.2	87.2-91.2	27	0.8	00.2-01.4
White/Non-Hisp	3239	3,050,074	323	8.3	06.7-09.9		29	1.1	00.5-01.7	2858	89.5	87.7-91.3
Black or Afr. Am./Non-Hisp	77	145,033	9	7.7	01.0-14.4		1	0.1	00.0-00.3	65	92.0	85.3-98.7
Oth. Race/Non-Hisp.	259	325,254	47	8.2	04.7-11.7		2	0.3	00.0-00.7	206	90.6	86.9-94.3
Hispanic	1072	953,059	151	9.4	06.1-12.7		12	2.1	00.0-04.5	899	87.8	83.7-91.9
18-24	162	401,208	2	2.0	00.0-05.5		2	0.3	00.0-00.7	158	97.8	94.3-0100
25-34	530	1,031,417	14	2.7	00.3-05.1		8	1.6	00.0-03.8	507	95.7	92.6-98.8
35-44	637	888,333	32	3.5	01.7-05.3		15	2.5	00.9-04.1	586	93.2	90.7-95.7
45-54	909	770,923	97	11.3	07.2-15.4		3	0.5	00.0-01.3	799	86.5	81.8-91.2
55-64	960	612,988	140	14.6	10.5-18.7		5	1.1	00.0-02.5	803	83.4	79.1-87.7
65+	1480	799,266	248	17.2	13.9-20.5		11	0.7	00.1-01.3	1202	80.4	76.9-83.9
Less Than H.S.	565	543,012	110	12.5	07.2-17.8		8	3.2	00.0-07.1	439	83.9	77.4-90.4
H.S. or G.E.D.	1327	1,136,766	157	8.9	06.5-11.3		8	0.3	00.0-00.7	1148	89.5	86.6-92.4
Some PostH.S.	1397	1,306,734	149	7.6	05.4-09.8		11	1.0	00.2-01.8	1225	90.6	88.2-93.0
College Graduate	1422	1,537,242	121	7.5	05.1-09.9		17	1.3	00.5-02.1	1272	90.3	87.8-92.8
Less than \$15,000	480	303,287	92	14.4	08.7-20.1		6	1.7	00.0-03.7	373	82.4	75.9-88.9
\$15,000-24,999	762	598,191	123	15.1	09.8-20.4		5	0.4	00.0-01.0	631	84.4	78.9-89.9
\$25,000-34,999	538	451,934	58	6.6	03.7-09.5		2	0.7	00.0-01.9	472	92.4	89.3-95.5
\$35,000-49,999	721	650,547	63	8.7	05.0-12.4		6	1.1	00.0-02.5	649	88.3	83.6-93.0
\$50,000-74,999	643	731,152	49	6.3	03.4-09.2		6	1.2	00.0-02.4	577	91.5	88.2-94.8
\$75,000+	873	1,244,618	56	6.1	03.6-08.6		10	0.6	00.0-01.2	801	93.0	90.5-95.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 5: DIABETES

HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS		RESPONDENT NUMBER		Yes %		No %		No pre or borderline diabetes %			
		TOTAL	WEIGHTED	N	C.I. (95%)	N	C.I. (95%)	N	C.I. (95%)		
Male	1721	2,252,972	222	9.3	07.1-11.5	1480	89.7	87.3-92.1	19	1.0	00.0-02.0
White/Non-Hisp.	1215	1,464,392	148	9.7	07.0-12.4	1051	88.9	85.8-92.0	16	1.4	00.0-02.8
Oth. Race/Non-Hisp.	102	179,401	21	8.3	03.2-13.4	80	91.3	86.2-96.4	1	0.4	00.0-01.2
Hispanic	336	475,191	48	10.1	04.4-15.8	286	89.8	84.1-95.5	2	0.1	00.0-00.3
18-24	67	231,891	6	4.6	00.1-09.1	67	100.0	0100-0100			
25-34	185	511,906	12	2.4	00.4-04.4	179	95.4	90.9-99.9			
35-44	217	462,721	39	16.5	08.9-24.1	204	97.1	94.9-99.3	1	0.4	00.0-01.2
45-54	320	389,054	59	12.3	06.4-18.2	276	80.4	71.8-89.0	5	3.1	00.0-08.0
55-64	394	293,788	103	20.8	14.7-26.9	331	87.3	81.4-93.2	4	0.4	00.0-01.0
65+	524	355,488	40	16.1	06.3-25.9	412	77.3	71.2-83.4	9	1.9	00.0-03.9
Less Than H.S. H.S. or G.E.D.	189	277,771	56	7.2	03.7-10.7	145	83.5	73.7-93.3	4	0.4	00.0-00.8
Some Post-H.S.	466	557,152	56	8.3	04.4-12.2	403	90.6	85.9-95.3	7	2.2	00.0-05.7
College Graduate	468	603,743	69	9.3	05.4-13.2	410	91.6	87.7-95.5	2	0.1	00.0-00.3
Less than \$15,000	123	108,581	46	16.6	07.0-26.2	209	83.3	73.7-92.9	2	0.6	00.0-01.4
\$15,000-24,999	256	300,394	25	7.7	02.8-12.6	151	91.8	86.7-96.9	1	0.0	00.0-00.0
\$25,000-34,999	178	223,858	34	9.4	03.5-15.3	263	87.0	79.2-94.8	2	0.5	00.0-01.3
\$35,000-49,999	299	341,854	24	6.0	01.1-10.9	232	92.9	87.8-98.0	5	1.1	00.0-02.5
\$50,000-74,999	261	339,957	38	7.3	03.6-11.0	351	92.2	88.5-95.9	4	0.5	00.0-01.1
\$75,000+	393	711,722									

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 5: DIABETES

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	N	Yes			Yes, during pregnancy			N	% C.I. (95%)	No	C.I. (95%)	N	% C.I. (95%)	No, pre or borderline diabetes
				%	C.I. (95%)	N	%	C.I. (95%)								
Female	3007	2,293,241	317	7.6	6.0-09.2	44	2.4	01.2-03.6	2619	89.2	87.2-91.2	27	0.8	00.2-01.4		
White/Non-Hisp	2024	1,585,682	175	7.1	05.3-08.9	29	2.2	01.2-03.2	1807	90.1	87.9-92.3	13	0.6	00.0-01.2		
Oth. Race/Non-Hisp.	157	145,853	26	8.1	03.6-12.6	2	0.6	00.0-01.6	126	89.7	84.8-94.6	3	1.6	00.0-03.4		
Hispanic	736	477,867	103	8.8	05.3-12.3	12	4.1	00.0-08.6	613	85.8	80.1-91.5	8	1.2	00.0-02.6		
18-24	95	169,318	2	4.7	00.0-12.7	2	0.7	00.0-01.7	91	94.7	86.7-100					
25-34	345	519,511	8	0.9	00.0-01.9	8	3.1	00.0-07.2	328	95.9	91.8-100	1	0.0	00.0-00.0		
35-44	420	435,613	20	4.6	01.5-07.7	15	5.1	02.0-08.2	382	89.1	84.6-93.6	3	1.2	00.0-03.2		
45-54	589	381,868	58	6.0	03.6-08.4	3	0.9	00.0-02.5	523	92.6	89.7-95.5	5	0.4	00.0-00.8		
55-64	566	319,200	81	16.7	10.8-22.6	5	2.1	00.0-04.8	472	79.8	73.5-86.1	8	1.4	00.0-03.4		
65+	956	443,778	145	14.3	10.8-17.8	11	1.2	00.0-02.4	790	83.0	79.1-86.9	10	1.6	00.0-03.2		
Less Than H.S. H.S. or G.E.D.	376	265,241	70	8.8	04.5-13.1	8	6.6	00.0-14.4	294	84.4	76.0-92.8	4	0.2	00.0-00.4		
Some Post-H.S.	861	579,615	101	10.4	07.1-13.7	8	0.7	00.1-01.3	745	88.5	85.2-91.8	7	0.4	00.0-00.8		
College Graduate	929	702,991	93	6.9	04.5-09.3	11	1.9	00.3-03.5	815	89.8	86.9-92.7	10	1.3	00.1-02.5		
Less than \$15,000	357	194,706	68	12.5	07.0-18.0	6	2.6	00.0-05.5	276	82.9	75.8-90.0	7	2.0	00.0-05.1		
\$15,000- 24,999	506	297,797	77	13.5	08.4-18.6	5	0.9	00.0-01.9	422	85.4	80.3-90.5	2	0.2	00.0-00.6		
\$25,000- 34,999	360	228,076	33	5.4	02.5-08.3	2	1.3	00.0-03.8	321	93.0	89.1-96.9	4	0.3	00.0-00.7		
\$35,000- 49,999	422	308,693	29	7.8	03.3-12.3	6	2.3	00.0-05.0	386	89.9	84.8-95.0	1	0.1	00.0-00.3		
\$50,000- 74,999	382	391,195	25	6.6	02.9-10.3	6	2.3	00.0-04.7	345	90.2	85.9-94.5	6	0.9	00.1-01.7		
\$75,000+	480	532,896	18	4.4	01.1-07.7	10	1.3	00.0-02.7	450	93.9	90.4-97.4	2	0.3	00.0-00.7		

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

OBESITY (BMI)

Obesity has attained epidemic magnitude in the United States, where it has more than doubled in the past two decades. People who are overweight or obese are at greater risk for heart disease, high blood pressure, diabetes, arthritis-related disabilities, and some cancers.¹

According to the most recent weight guidance, more than 57 percent of adults in America were overweight by self-reported height and weight in 2000.¹ The body mass index (BMI) is a relationship between weight and height and is used to determine obesity and assess health risk. BMI is calculated using the following formula: (pounds * 0.454) ÷ (inches * 0.0254)² or (Kg/M²).

Survey Questions:

About how much do you weigh without shoes?

About how tall are you without shoes?




Figure 8. Arizona BRFSS respondents who reported weights exceeding BMI limits of obesity. Healthy People 2010 Objective 19.2 is less than 15.0 percent.

In 2007, 25.8 percent* of respondents in Arizona met or exceeded the BMI standard for obesity, defined as a BMI ≥ 30.0 (Figure 8). *Healthy People 2010* Objective 19.2 set a goal of reducing obesity to a prevalence of <15 percent among adults 20 years of age or older.³

* 95% Confidence Interval: 23.1%-28.5%.

The following respondent groups were most likely to be obese:

Gender: Males, 30.0 percent.

Age: 25 – 34 years old, 30.2 percent.

Marital Status: Separated, 34.6 percent.

Education: High school graduate, 33.8 percent.

Employment Status: Unable to work, 41.1 percent.

Income: <\$25,000, 31.7 percent.

Race/Ethnicity: Hispanic, 36.5 percent.

Veteran Status: Veterans, 27.0 percent.

2007 Arizona BRFSS: Respondents Classified As Obese						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	25.8	1,103		EMPLOYMENT		
SEX				Employed for wages	27.0	437
Male	30.0	444		Self-employed	26.3	84
Female	21.7	659		Out of work	35.4	54
AGE				Homemaker	25.3	120
18-24	23.0	27		Student	1.4	7
25-34	30.2	119		Retired	19.7	292
35-44	25.3	181		Unable to work	41.1	102
45-54	27.6	241		INCOME		
55-64	29.7	259		<\$25,000	31.7	338
65+	17.7	276		\$25,000-\$34,999	26.1	136
MARITAL STATUS				\$35,000-\$49,999	25.5	163
Married	26.1	630		\$50,000-\$74,999	29.2	160
Divorced	25.8	177		\$75,000 or more	21.1	177
Widowed	20.2	119		RACE/ ETHNICITY		
Separated	34.6	28		White, Non-Hispanic	23.6	691
Never married	26.9	118		Black, Non-Hispanic	20.3	18
Unmarried couple	20.7	24		Other race, Non-Hispanic	21.9	83
EDUCATION				Hispanic	36.5	302
Less than High School	31.2	167		VETERAN STATUS		
High School Graduate/GED	33.8	329		Yes	27.0	182
Some College/Tech School	26.0	335		No	25.7	920
College Grad	18.5	272				

Table 8. BRFSS results: Respondents classified as obese, defined as BMI ≥ 30.0 . *N is unweighted.

References

1. U.S. Department of Health and Human Services. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives, February 2004.
2. U.S. Department of Health and Human Services. *Healthy People 2010: Understanding and Improving Health*. 2nd ed. Washington, DC: U.S. Government Printing Office, November 2000.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 12: DEMOGRAPHICS

THREE-LEVEL BODY MASS INDEX CATEGORY (BMI4CAT).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Not Overweight or Obese			Overweight			Obese			
		TOTAL	WEIGHTED	N %	C.I. (95%)	N	%	C.I. (95%)	N	%	
TOTAL	4436	4,263,277	1686	37.3	34.6-40.0	1647	36.8	34.1-39.5	1103	25.8	23.1-28.5
Male	1649	2,137,383	469	28.2	24.1-32.3	736	41.8	37.3-46.3	444	30.0	25.3-34.7
Female	2787	2,125,894	1217	46.5	43.0-50.0	911	31.8	28.7-34.9	659	21.7	19.0-24.4
White/Non-Hisp	3101	2,948,263	1277	41.3	38.0-44.6	1133	35.0	31.9-38.1	691	23.6	20.7-26.5
Oth. Race/Non-Hisp.	239	296,848	287	26.4	20.1-32.7	361	37.1	29.8-44.4	71	23.2	13.8-32.6
Hispanic	950	826,780							302	36.5	28.5-44.5
25-34	473	939,883	189	35.2	27.8-42.6	165	34.6	27.2-42.0	119	30.2	22.2-38.2
35-44	597	847,773	220	38.9	32.6-45.2	196	35.8	29.3-42.3	181	25.3	19.6-31.0
45-54	858	743,595	301	31.9	26.8-37.0	316	39.8	33.9-45.7	241	28.3	23.0-33.6
55-64	911	580,027	282	27.8	22.7-32.9	376	42.3	36.6-48.0	253	29.9	24.6-35.2
65+	1408	772,469	587	43.4	39.1-47.7	545	38.9	34.6-43.2	276	17.7	14.4-21.0
Less Than H.S.	483	458,682	156	29.9	20.5-39.3						
H.S. or G.E.D.	1242	1,060,275	436	32.0	26.9-37.1	477	34.2	29.1-39.3	329	33.8	28.1-39.5
Some Post-H.S.	1327	1,233,765	501	35.5	30.8-40.2	491	38.5	33.6-43.4	335	26.0	20.9-31.1
College Graduate	1375	1,506,824	588	44.8	39.9-49.7	515	36.6	32.1-41.1	272	18.5	14.8-22.2
Less than \$15,000	420	249,553				139	30.9	22.1-39.7	138	28.9	20.5-37.3
\$15,000- 24,999	711	536,575	249	29.8	23.1-36.5	262	37.2	28.8-45.6	200	33.0	23.0-43.0
\$25,000- 34,999	520	424,203	191	37.0	28.4-45.6	193	36.9	28.1-45.7	136	26.1	17.3-34.9
\$35,000- 49,999	687	631,004	255	38.1	31.0-45.2	269	36.4	29.7-43.1	163	25.5	19.0-32.0
\$50,000- 74,999	627	700,168	233	34.5	28.2-40.8	234	36.3	29.6-43.0	160	29.2	22.9-35.5
\$75,000+	852	1,222,585	352	41.0	35.3-46.7	323	38.0	32.3-43.7	177	21.1	15.8-26.4

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 12: DEMOGRAPHICS

THREE-LEVEL BODY MASS INDEX CATEGORY (BMI4CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Not Overweight or Obese			N	C.I. (95%)	Overweight %	C.I. (95%)	N	Obese %	C.I. (95%)
		TOTAL	WEIGHTED	N							
Male	1649	2,137,383	469	28.2	24,1-32.3	736	41.8	37,3-46.3	444	30.0	25.3-34.7
White/Non-Hisp Hispanic	1182	1,440,451	365	32.3	27,2-37.4	526	40.6	35,5-45.7	291	27.1	22.0-32.2
35-44	210	440,619	50	27.0	18,2-35.8	139	46.6	37,2-56.0	70	28.7	19.3-38.1
45-54	307	380,790	76	20.9	14,0-27.8	192	47.8	39,2-56.4	92	32.5	23.5-41.5
55-64	383	282,173	84	20.9	13,6-28.2	224	43.2	35,9-50.5	107	31.3	23.1-39.5
65+	506	348,087	173	36.9	30,0-43.8	224	43.2	35,9-50.5	109	19.9	14,0-25.8
H.S. or G.E.D.	444	527,069	121	26.1	18,3-33.9	189	34.0	26,0-42.0	134	39.8	30,8-48.8
Some Post-H.S.	445	567,911	104	21.9	15,2-28.6	226	47.7	38,7-56.7	115	30.5	21,1-39.9
College Graduate	584	791,009	182	35.0	27,7-42.3	261	42.6	35,5-49.7	141	22.4	16,3-28.5
\$15,000- 24,999	240	260,424	75	17.4	10,1-24.7						
\$35,000- 49,999	290	339,539									
\$50,000- 74,999	259	338,411	72	27.8	18,4-37.2						
\$75,000+	387	702,506	104	30.1	21,9-38.3	181	42.8	34,4-51.2	102	27.1	18,9-35.3

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 12: DEMOGRAPHICS

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (BMI4CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	Not Overweight or Obese			Overweight			Obese			
		WEIGHTED N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2787	2,125,894	1217	46.5	43.0-50.0	911	31.8	28.7-34.9	659	21.7	19.0-24.4
White/Non-Hisp	1919	1,508,813	912	49.9	46.0-53.8	607	29.7	26.2-33.2	400	20.4	17.3-23.5
Hispanic	640	412,695	223	39.1	29.9-48.3	228	34.0	25.4-42.6	189	26.9	19.5-34.3
25-34	302	459,991	140	47.3	37.7-56.9	95	30.9	22.1-39.7	67	21.8	13.8-29.8
35-44	387	407,153	170	51.9	44.1-59.7	106	26.4	19.3-33.5	111	21.7	15.4-28.0
45-54	551	362,805	225	43.4	36.7-50.1	177	32.6	25.9-39.3	149	23.9	18.6-29.2
55-64	528	297,854	198	34.3	27.2-41.4	184	37.0	29.6-44.4	146	28.7	22.0-35.4
65+	902	424,383	414	48.7	43.2-54.2	321	35.4	30.1-40.7	167	16.0	12.3-19.7
H.S. or G.E.D.	798	533,206	315	37.8	31.3-44.3	288	34.4	27.9-40.9	95	27.8	21.5-34.1
Some Post-H.S.	882	665,853	397	47.1	41.4-52.8	265	30.6	25.3-35.9	220	22.2	17.7-26.7
College Graduate	791	715,814	406	55.7	49.6-61.8	254	30.1	24.4-35.8	131	14.3	10.4-18.2
Less than \$15,000	308	165,998				91	24.6	15.4-33.8			
\$15,000-24,999	471	276,150	174	41.5	33.3-49.7	164	33.7	26.1-41.3	133	24.8	17.5-32.1
\$25,000-34,999	347	221,775							90	21.6	13.2-30.0
\$35,000-49,999	397	291,464	175	46.8	38.0-55.6	138	30.4	22.6-38.2	84	22.8	15.4-30.2
\$50,000-74,999	368	361,757	161	40.7	32.3-49.1	116	28.6	20.6-36.6	91	30.8	22.2-39.4
\$75,000+	465	520,078	248	55.6	48.5-62.7	142	31.5	24.6-38.4	75	12.9	08.6-17.2

NOTE:
 $\%$ = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HEALTH RISKS, BEHAVIORS AND AWARENESS

ALCOHOL ABUSE - BINGE DRINKING

Each year, about 100,000 deaths in the United States are related to alcohol consumption.¹ Long-term heavy drinking increases risk for high blood pressure, heart rhythm irregularities (arrhythmias), heart muscle disorders (cardiomyopathy), and stroke. Long-term heavy drinking also increases the risk of developing certain forms of cancer, especially of the esophagus, mouth, throat, and larynx.² Alcohol use has been linked with a substantial proportion of injuries and deaths from motor vehicle crashes, falls, fires, and drownings.³ Clearly, alcohol consumption is an important public health issue.

Survey Question:

Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion?




Figure 9. BRFSS respondents who reported engaging in binge drinking. Healthy People 2010 Objective 26.11c is 6.0 percent.

The related *Healthy People 2010* objective is to reduce the percentage of the population engaging in binge drinking of alcoholic beverages to no more than 6 percent for persons 18 years of age or older.⁴ According to the 2007 Arizona BRFSS, 15.0 percent* of respondents, reported having five or more drinks on an occasion, one or more times in the past month, which is 2.5 times the *Healthy People 2010* objective.

* 95% Confidence Interval: 12.6%-17.4%.

The following respondent groups were most likely to have reported they engaged in binge drinking in the past month:

Gender: Males, 19.7 percent.

Age: 18 – 24 years old, 22.6 percent.

Marital Status: Unmarried couple, 27.8 percent.

Education: Less than a high school, 18.8 percent.

Employment Status: Self-employed, 21.0 percent.

Income: \$75,000 or more, 17.4 percent.

Race/Ethnicity: Black, Non-Hispanic, 40.5 percent.

Veteran Status: Non-veterans, 15.1 percent.

2007 Arizona BRFSS: Respondents Who Reported Engaging In Binge Drinking						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	14.9	509		EMPLOYMENT		
SEX				Employed for wages	19.8	269
Male	19.7	265		Self-employed	21.0	64
Female	10.3	244		Out of work	15.3	21
AGE				Homemaker	4.6	33
18-24	22.6	30		Student	11.1	14
25-34	21.1	97		Retired	5.7	85
35-44	18.9	102		Unable to work	10.7	19
45-54	12.5	124		INCOME		
55-64	9.3	85		<\$25,000	15.5	104
65+	5.3	71		\$25,000-\$34,999	12.5	61
MARITAL STATUS				\$35,000-\$49,999	15.6	89
Married	13.2	277		\$50,000-\$74,999	13.1	72
Divorced	14.6	82		\$75,000 or more	17.4	130
Widowed	4.9	27		RACE/ ETHNICITY		
Separated	14.8	13		White, Non-Hispanic	13.5	319
Never married	23.7	84		Black, Non-Hispanic	40.5	13
Unmarried couple	27.8	23		Other race, Non-Hispanic	13.3	32
EDUCATION				Hispanic	16.1	140
Less than High School	18.8	55		VETERAN STATUS		
High School Graduate/GED	12.8	136		Yes	13.6	81
Some College/Tech School	15.2	159		No	15.1	428
College Grad	15.1	158				

Table 9. BRFSS results: Respondents who reported engaging in binge drinking. *N is unweighted.

References

1. McGinnis, J.M., and Foege, W.H. Actual causes of death in the United States. *Journal of the American Medical Association* 270:2207-2212, 1993.
2. NIAAA. Alcohol and cancer. *Alcohol Alert*. No. 21. Rockville, MD: NIH, 1993.
3. NIAAA. Ninth Special Report to the U.S. Congress on Alcohol and Health From the Secretary of Health and Human Services. NIH Pub. No. 97-4017. Rockville, MD: NIH, 1997.
4. Public Health Service. *Healthy People 2010: National Health Promotion and Disease Prevention Objectives--full report with commentary*. Washington, DC: U.S. Department of Health and Human Services, 2000.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)

SECTION 13: ALCOHOL CONSUMPTION
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	No	%	C.I. (95%)	N	%	Yes	C.I. (95%)
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4620	4,451,255	4101	85.0	82.6-87.4	519	15.0	12.6-17.4
Male	1660	2,190,029	1388	80.2	76.1-84.3	272	19.8	15.7-23.9
Female	2960	2,261,226	2713	89.7	87.5-91.9	247	10.3	08.1-12.5
White/Non-Hisp	3180	3,007,126	2853	86.4	84.0-88.8	327	13.6	11.2-16.0
Oth. Race/Non-Hisp.	253	320,133	225	85.6	78.0-93.2	28	14.4	06.8-22.0
Hispanic	1039	917,429	897	83.9	77.2-90.6	142	16.1	09.4-22.8
25-34	522	1,015,703	424	78.9	71.8-86.0	98	21.1	14.0-28.2
35-44	627	878,261	521	80.8	75.7-85.9	106	19.2	14.1-24.3
45-54	888	757,325	765	87.2	83.5-90.9	123	12.8	09.1-16.5
55-64	943	602,684	857	90.8	87.7-93.9	86	9.2	06.1-12.3
65+	1443	777,448	1371	94.7	92.7-96.7	72	5.3	03.3-07.3
H.S. or G.E.D.	1288	1,096,364	1147	87.1	83.2-91.0	141	12.9	09.0-16.8
Some Post-H.S.	1370	1,290,604	1211	85.0	81.3-88.7	159	15.0	11.3-18.7
College Graduate	1406	1,516,748	1245	84.7	81.0-88.4	161	15.3	11.6-19.0
\$15,000-24,999	742	591,871	676	83.8	74.6-93.0	66	16.2	07.0-25.4
\$25,000-34,999	529	436,918	467	87.5	81.0-94.0	62	12.5	06.0-19.0
\$35,000-49,999	708	642,204	617	84.1	78.6-89.6	91	15.9	10.4-21.4
\$50,000-74,999	634	726,124	561	86.9	81.8-92.0	73	13.1	08.0-18.2
\$75,000+	864	1,226,613	732	82.6	78.3-86.9	132	17.4	13.1-21.7

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 13: ALCOHOL CONSUMPTION
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	No	%	C.I. (95%)	N	%	C.I. (95%)
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%
Male	1660	2,190,029	1388	80.2	76.1-84.3	272	19.8
White/Non-Hisp	1183	1,440,310	1019	83.7	79.8-87.6	164	16.3
35-44	212	451,489	152	75.0	66.4-83.6	60	25.0
45-54	308	381,212	253	84.9	78.4-91.4	55	15.1
55-64	384	288,797	331	86.9	81.2-92.6	53	13.1
65+	502	339,086	466	93.2	89.7-96.7	36	6.8
H.S. or G.E.D.	440	527,277	357	82.6	76.1-89.1	83	17.4
Some Post-H.S.	455	595,895	374	80.6	73.7-87.5	81	19.4
College Graduate	582	779,731	508	82.2	76.1-88.3	74	17.8
\$35,000-49,999	292	340,168	242	81.2	72.6-89.8	50	18.8
\$50,000-74,999	255	335,251	214	81.9	73.1-90.7	41	18.1
\$75,000+	390	703,357	327	80.0	73.1-86.9	63	20.0
					13.1-26.9		

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 13: ALCOHOL CONSUMPTION
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	% C.I. (95%)	No			Yes		
					No C.I. (95%)	N C.I. (95%)	% C.I. (95%)	No C.I. (95%)	N C.I. (95%)	% C.I. (95%)
Female	2960	2,261,226	2713	89.7 87.5-91.9	247	10.3 10.3-12.5	08.1-12.5			
White/Non-Hisp	1997	1,566,815	1834	88.9 86.2-91.6	163	11.1 11.1-13.8	08.4-13.8			
Oth. Race/Non-Hisp.	156	145,400	145	92.3 85.8-98.8	11	7.7 7.7-14.2	01.2-14.2			
Hispanic	720	466,629	654	91.1 86.2-96.0	66	8.9 8.9-13.8	04.0-13.8			
25-34	343	518,964	297	87.0 80.9-93.1	46	13.0 13.0-19.1	06.9-19.1			
35-44	415	426,771	369	87.0 81.3-92.7	46	13.0 13.0-18.7	07.3-18.7			
45-54	580	376,113	512	89.6 85.7-93.5	68	10.4 10.4-14.3	06.5-14.3			
55-64	559	313,888	526	94.4 91.1-97.7	33	5.6 5.6-10.4	02.3-08.9			
65+	941	438,362	905	95.9 93.5-98.3	36	4.1 4.1-7.0	01.7-06.5			
Less Than H.S.	366	258,411	342	95.5 91.6-99.4	24	4.5 4.5-6.4	00.6-08.4			
H.S. or G.E.D.	848	569,087	790	91.2 86.3-96.1	58	8.8 8.8-13.7	03.9-13.7			
Some Post-H.S.	915	694,709	837	88.8 85.1-92.5	78	11.2 11.2-14.9	07.5-14.9			
College Graduate	824	737,017	737	87.3 83.0-91.6	87	12.7 12.7-17.0	08.4-17.0			
Less than \$15,000	356	194,445	335	94.5 87.6-91.0	21	5.5 5.5-12.4	00.0-12.4			
\$15,000- 24,999	500	297,036	471	88.9 82.4-95.4	29	11.1 11.1-17.6	04.6-17.6			
\$25,000- 34,999	353	225,469	322	90.0 81.8-98.2	31	10.0 10.0-18.2	01.8-18.2			
\$35,000- 49,999	416	302,036	375	87.3 81.2-93.4	41	12.7 12.7-18.8	06.6-18.8			
\$50,000- 74,999	379	390,872	347	91.2 85.7-96.7	32	8.8 8.8-14.3	03.3-14.3			
\$75,000+	474	523,255	405	86.2 81.5-90.9	69	13.8 13.8-18.5	09.1-18.5			

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

ALCOHOL ABUSE - HEAVY DRINKING

In Arizona during 2007, alcohol abuse resulted in 34,582 emergency room visits and 26,583 inpatient discharges. The average length of stay for those inpatient discharges was about 4.9 days, which amounted to 13,415 patient days.¹

Heavy drinking is defined as: “Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day).”




Figure 10. 2002-2007 Arizona BRFSS respondents who reported engaging in heavy drinking. Healthy People 2010 Objective 26.11c is 6.0 percent.

According to the 2007 Arizona BRFSS, 5.8 percent* of respondents reported having two or more drinks daily in the past month.

* 95% Confidence Interval: 4.4%-7.2%.

The following respondent groups were most likely to have reported they engaged in heavy drinking in the past month:

Gender: Males, 7.2 percent.

Age: 18 – 24 years old, 10.4 percent.

Marital Status: Never married, 10.5 percent.

Education: Less than high school, 6.8 percent.

Employment Status: Employed for wages, 7.5 percent.

Income: \$35,000 - \$49,999, 8.0 percent.

Race/Ethnicity: White, Non-Hispanic (tied with Other, Non-Hispanic, which had very small unweighted N), 6.4 percent.

Veteran Status: Non-veterans, 6.1 percent.

2007 Arizona BRFSS: Respondents Who Reported Engaging In Heavy Drinking						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	5.8	242				
SEX				EMPLOYMENT		
Male	7.2	111		Employed for wages	7.5	118
Female	4.5	131		Self-employed	5.7	21
AGE				Out of work	3.5	9
18-24	10.4	12		Homemaker	4.3	19
25-34	4.4	28		Student	0.4	2
35-44	7.6	45		Retired	4.6	65
45-54	5.1	48		Unable to work	4.5	7
55-64	5.2	47		INCOME		
65+	4.6	62		<\$25,000	2.7	50
MARITAL STATUS				\$25,000-\$34,999	5.2	30
Married	4.4	127		\$35,000-\$49,999	8.7	44
Divorced	7.6	46		\$50,000-\$74,999	6.0	32
Widowed	3.9	21		\$75,000 or more	8.0	66
Separated	6.1	7		RACE/ ETHNICITY		
Never married	10.5	31		White, Non-Hispanic	6.4	181
Unmarried couple	9.5	9		Black, Non-Hispanic	1.6	4
EDUCATION				Other race, Non-Hispanic	6.4	9
Less than High School	6.8	22		Hispanic	4.6	46
High School Graduate/GED	5.6	71		VETERAN STATUS		
Some College/Tech School	4.8	77		Yes	3.8	36
College Grad	6.7	72		No	6.1	206

Table 10. BRFSS results: Respondents reported engaging in heavy drinking. *N is unweighted.

References

1. Mrela, CK, Arizona Health Status And Vital Statistics, 2007. Bureau of Public Health Statistics, Arizona Department of Health Services.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 13: ALCOHOL CONSUMPTION
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	No			Yes			
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	
TOTAL	4569	4,417,373	4327	94.2	92.8-95.6	242	5.8	04.4-07.2
Male	1637	2,169,580	1526	92.8	90.3-95.3	111	7.2	04.7-09.7
Female	2932	2,247,793	2801	95.5	94.3-96.7	131	4.5	03.3-05.7
White/Non-Hisp	3136	2,965,226	2985	93.6	91.8-95.4	181	6.4	04.6-08.2
Black or Afr. Am./Non-Hisp	72	135,225	68	98.4	96.4-01.00	4	1.6	00.0-03.6
Oth. Race/Non-Hisp.	296	322,991	250	95.0	89.1-01.00	6	5.0	00.0-10.9
Hispanic	1028	921,814	982	95.4	93.0-97.8	46	4.6	02.2-07.0
'18-24	151	392,056	139	89.6	80.2-99.0	12	10.4	01.0-19.8
25-34	520	1,016,334	492	95.6	92.9-98.3	28	4.4	01.7-07.1
35-44	613	865,114	568	92.4	88.9-95.9	45	7.6	04.1-11.1
45-54	885	755,365	837	94.7	92.3-97.1	48	5.3	02.9-07.7
55-64	934	597,525	888	94.8	92.3-97.3	46	5.2	02.7-07.7
65+	1421	762,036	1359	95.4	93.6-97.2	62	4.6	02.8-06.4
Less Than H.S. H.S. or G.E.D.	539	526,977	517	93.2	86.5-99.9	22	6.8	00.1-13.5
Some Post-H.S.	1274	1,099,796	1203	94.4	92.0-96.8	71	5.6	03.2-08.0
College Graduate	1356	1,267,926	1279	95.2	93.4-97.0	77	4.8	03.0-06.6
Less than \$15,000	1385	1,501,209	1313	93.3	90.8-95.8	72	6.7	04.2-09.2
\$15,000- 24,999	467	287,308	449	98.1	97.1-99.1	18	1.9	00.9-02.9
\$25,000- 34,999	737	591,099	705	97.0	95.4-98.6	32	3.0	01.4-04.6
\$35,000- 49,999	526	435,556	496	94.8	91.1-98.5	30	5.2	01.5-08.9
\$50,000- 74,999	699	636,700	655	91.3	87.0-95.6	44	8.7	04.4-13.0
\$75,000+	632	722,962	600	94.0	90.3-97.7	32	6.0	02.3-09.7
	853	1,218,272	787	92.0	88.5-95.5	66	8.0	04.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 13: ALCOHOL CONSUMPTION
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No %	C.I. (95%)	N	% C.I. (95%)	Yes %	C.I. (95%)
	TOTAL	WEIGHTED	N						
Male	1637	2,169,580	1556	92.8	90.3-95.3	111	7.2	04.7-09.7	
White/Non-Hisp	1163	1,416,696	1085	92.3	89.0-95.6	78	7.7	04.4-11.0	
Oth. Race/Non-Hisp.	100	177,591	94	90.9	80.3-0100	6	9.1	00.0-19.7	
Hispanic	313	451,108	290	95.0	91.5-98.5	23	5.0	01.5-08.5	
25-34	179	497,839	163	93.1	87.8-98.4	16	6.9	01.6-12.2	
35-44	205	444,151	181	90.6	84.7-96.5	24	9.4	03.5-15.3	
45-54	305	379,252	291	96.7	93.8-99.6	14	3.3	00.4-06.2	
55-64	379	282,562	356	94.8	91.1-98.5	23	5.2	01.5-08.9	
65+	494	331,410	467	94.7	92.0-97.4	27	5.3	02.6-08.0	
H.S. or G.E.D.	435	527,961	396	91.5	87.0-96.0	39	8.5	04.0-13.0	
Some Post-H.S.	450	584,335	413	94.2	91.1-97.3	37	5.8	02.7-08.9	
College Graduate	570	773,159	547	93.1	88.8-97.4	23	6.9	02.6-11.2	
Less than \$15,000	113	93,023	104	96.8	94.3-99.3	9	3.2	00.7-05.7	
\$15,000- 24,999	240	294,443	225	96.7	94.3-99.1	15	3.3	00.9-05.7	
\$25,000- 34,999	175	211,607	164	92.6	85.2-0100	11	7.4	00.0-14.8	
\$35,000- 49,999	286	335,138	260	90.7	83.8-97.6	26	9.3	02.4-16.2	
\$50,000- 74,999	255	334,577	238	89.8	82.4-97.2	17	10.2	02.8-17.6	
\$75,000+	384	694,532	359	92.0	86.5-97.5	25	8.0	02.5-13.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 13: ALCOHOL CONSUMPTION

HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	N	No % C.I. (95%)	Yes % C.I. (95%)
Female	2932	2,247,793	2801 95.5 94.3-96.7	131 4.5 03.3-05.7
White/Non-Hisp	1973	1,548,530	1870 94.9 93.3-96.5	103 5.1 03.5-06.7
Oth. Race/Non-Hisp.	156	145,400	156 100.0 0100-0100	
Hispanic	715	470,706	692 95.7 92.4-99.0	23 4.3 01.0-07.6
18-24	88	164,710	83 96.9 93.4-0100	5 3.1 00.0-06.6
25-34	341	518,495	329 97.9 95.9-99.9	12 2.1 00.1-04.1
35-44	408	420,963	387 94.3 90.6-98.0	21 5.7 02.0-09.4
45-54	580	376,113	546 92.8 89.3-96.3	34 7.2 03.7-10.7
55-64	555	314,963	532 94.7 91.4-98.0	23 5.3 02.0-08.6
65+	927	430,625	892 95.9 93.7-98.1	35 4.1 01.9-06.3
Less Than H.S.	365	262,314	355 95.5 90.6-0100	10 4.5 00.0-09.4
H.S. or G.E.D.	839	571,836	807 97.2 95.6-98.8	32 2.8 01.2-04.4
Some Post-H.S.	906	683,591	866 96.1 94.1-98.1	40 3.9 01.9-05.9
College Graduate	815	728,050	766 93.5 90.8-96.2	49 6.5 03.8-09.2
Less than \$15,000	354	194,285	345 98.7 97.7-99.7	9 1.3 00.3-02.3
\$15,000- 24,999	497	296,656	480 97.2 95.0-99.4	17 2.8 00.6-05.0
\$25,000- 34,999	351	223,949	332 96.9 94.9-98.9	19 3.1 01.1-05.1
\$35,000- 49,999	413	301,562	395 91.9 86.6-97.2	18 8.1 02.8-13.4
\$50,000- 74,999	377	388,385	362 97.5 95.5-99.5	15 2.5 00.5-04.5
\$75,000+	469	523,740	428 92.0 88.5-95.5	41 8.0 04.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

CIGARETTE SMOKING

"Smoking is associated with a significantly increased risk of heart disease, stroke, lung and other types of cancer, and chronic lung diseases. Decreasing cigarette smoking among adolescents and adults is a major public health objective for the Nation. Preventing smoking among teenagers and young adults is critical because smoking usually begins in adolescence. Smoking during pregnancy contributes to elevated risk of miscarriage, premature delivery, and having a low birthweight infant."¹

"Direct medical expenditures attributed to smoking total more than \$75 billion per year. In addition, smoking costs an estimated \$80 billion per year in lost productivity."²

Healthy Arizona 2010 has identified tobacco use as one of its 12 focus areas, and has set a target of reducing adult smokers to 14 percent of the state population.³ Continued efforts to prevent initial smoking behavior in adolescents, as well as efforts to promote smoking cessation in current smokers using techniques that have documented effectiveness, may decrease the rate of Arizona smokers to meet the *Healthy People 2010* target.

Survey Questions:

Have you smoked at least 100 cigarettes in your entire life?

Do you now smoke cigarettes every day, some days, or not at all?




Figure 11. Percentage of Arizona BRFSS respondents who reported that they were current smokers in 2002-2007. *Healthy Arizona 2010* Objective 3 is 14.0 percent.

According to the 2007 Arizona BRFSS, 19.8 percent* of respondents identified themselves as current smokers. The following respondent groups are current smokers:

Gender: Males, 23.3 percent.

Age: 18 – 24 years old, 36.4 percent.

Marital Status: Divorced, 33.7 percent.

Education: Less than high school, 33.9 percent.

Employment Status: Out of work, 34.1 percent.

Income: Less than \$25,000, 26.6 percent.

Race/Ethnicity: Other Non-Hispanic, 24.8 percent.

Veteran Status: Non-veterans, 19.9 percent.

2007 Arizona BRFSS: Respondents Who Are Current Smokers					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	19.8	839	EMPLOYMENT		
SEX			Employed for wages	22.7	356
Male	23.3	356	Self-employed	17.4	81
Female	16.3	483	Out of work	34.1	49
AGE			Homemaker	9.4	56
18-24	36.4	37	Student	13.8	9
25-34	21.9	113	Retired	12.7	196
35-44	16.9	122	Unable to work	29.9	85
45-54	20.8	205	INCOME		
55-64	21.0	197	<\$25,000	26.6	294
65+	10.1	165	\$25,000-\$34,999	17.7	97
MARITAL STATUS			\$35,000-\$49,999	24.5	132
Married	15.2	357	\$50,000-\$74,999	16.6	104
Divorced	33.7	210	\$75,000 or more	15.7	106
Widowed	17.5	107	RACE/ ETHNICITY		
Separated	31.3	29	White, Non-Hispanic	19.5	591
Never married	30.2	104	Black, Non-Hispanic	23.9	12
Unmarried couple	19.6	25	Other race, Non-Hispanic	24.8	58
EDUCATION			Hispanic	18.1	168
Less than High School	33.9	128	VETERAN STATUS		
High School Graduate/GED	24.1	290	Yes	19.2	136
Some College/Tech School	16.3	242	No	19.9	701
College Grad	14.9	176			

Table 11. BRFSS results: Respondents who reported that they are current smokers and have smoked at least 100 cigarettes in their life. *N is unweighted.

References

1. National Center for Health Statistics. *Health, United States, 2007. With Chartbook on Trends in the Health of Americans.* Hyattsville, MD: 2007.
2. Centers for Disease Control and Prevention. The Power of Prevention: Reducing The Health And Economic Burden Of Chronic Disease. 2003.
3. Arizona Department of Health Services. *Healthy Arizona 2010: Collaborating for a Healthier Future.* Phoenix, AZ 2001.

* 95% Confidence Interval: 17.3%-22.3%.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 11: TOBACCO USE
ADULTS WHO ARE CURRENT SMOKERS (RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	No	%	C.I. (95%)	N	%	Yes	C.I. (95%)
	TOTAL	WEIGHTED	N					
TOTAL	4711	4,537,483	3872	80.2	77.7-82.7	839	19.8	17.3-22.3
Male	1716	2,252,637	1360	76.7	72.4-81.0	356	23.3	19.0-27.6
Female	2995	2,284,846	2512	83.7	81.2-86.2	483	16.3	13.8-18.8
White/Non-Hisp	3228	3,042,320	2637	80.5	77.8-83.2	591	19.5	16.8-22.2
Hispanic	1068	952,181	900	81.9	75.2-88.6	168	18.1	11.4-24.8
25-34	527	1,027,655	414	78.1	71.2-85.0	113	21.9	15.0-28.8
35-44	636	898,192	514	83.1	78.6-87.6	122	16.9	12.4-21.4
45-54	905	766,376	702	79.0	74.3-83.7	203	21.0	16.3-25.7
55-64	958	611,969	767	79.0	74.5-83.5	191	21.0	16.5-25.5
65+	1472	799,878	1387	89.9	87.4-92.4	165	10.1	07.6-12.6
H.S. or G.E.D.	1320	1,132,794	1030	75.9	71.2-80.6	290	24.1	19.4-28.8
Some Post-H.S.	1394	1,305,659	1152	83.7	80.2-87.2	242	16.3	12.8-19.8
College Graduate	1419	1,534,824	1243	85.1	81.4-88.8	176	14.9	11.2-18.6
\$15,000-24,999	758	596,259	591	73.7	64.7-82.7	167	26.3	17.3-35.3
\$25,000-34,999	537	448,926	440	82.3	75.2-89.4	97	17.7	10.6-24.8
\$35,000-49,999	721	652,136	589	75.5	69.2-81.8	132	24.5	18.2-30.8
\$50,000-74,999	640	727,624	536	83.4	78.1-88.7	104	16.6	11.3-21.9
\$75,000+	871	1,243,981	765	84.3	79.6-89.0	106	15.7	11.0-20.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 11: TOBACCO USE

ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	No	%	C.I. (95%)	N	%	Yes
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%
Male	1716	2,252,637	1360	76.7	72.4-81.0	356	23.3
White/Non-Hisp	1210	1,464,051	967	77.6	73.1-82.1	243	22.4
35-44	217	462,721	168	81.7	74.8-88.6	49	18.3
45-54	318	387,574	229	74.2	66.0-82.4	89	25.8
55-64	393	293,666	300	77.6	70.5-84.7	93	22.4
65+	521	356,627	471	90.6	86.5-94.7	50	9.4
H.S. or G.E.D.	464	555,903	343	75.0	67.7-82.3	121	25.0
Some Post-H.S.	468	606,190	372	81.3	75.2-87.4	96	18.7
College Graduate	587	793,310	512	83.4	77.5-89.3	75	16.6
\$25,000- 34,999	179	223,986	136	82.8	74.0-91.6	43	17.2
\$35,000- 49,999	300	344,466	234	70.4	60.6-80.2	66	29.6
\$50,000- 74,999	260	339,496	222	82.7	73.9-91.5	38	17.3
\$75,000+	392	711,229	338	82.8	75.5-90.1	54	17.2
					09.9-24.5		

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 11: TOBACCO USE

ADULTS WHO ARE CURRENT SMOKERS (RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No N	% C.I. (95%)	Yes N	% C.I. (95%)
	TOTAL	WEIGHTED				
Female	2995	2,284,846	2512	83.7	812,862	483
White/Non-Hisp	2018	1,578,269	1670	83.1	802,86.0	348
Oth. Race/Non-Hisp.	156	145,766	136	87.7	79.5-95.9	20
Hispanic	731	476,861	630	83.4	76.3-90.5	101
25-34	342	515,749	279	83.3	76.4-90.2	63
35-44	419	435,471	346	84.6	78.9-90.3	73
45-54	587	378,801	473	83.8	79.1-88.5	114
55-64	565	318,303	467	80.4	74.3-86.5	98
65+	951	443,251	836	89.3	86.2-92.4	115
Less Than H.S.	373	264,062	307	84.0	76.7-91.3	66
H.S. or G.E.D.	856	576,891	687	76.9	70.8-83.0	169
Some Post-H.S.	926	699,469	780	85.7	82.2-89.2	146
College Graduate	832	741,514	731	87.0	82.5-91.5	101
Less than \$15,000	357	195,479	278	85.8	80.5-91.1	79
\$15,000- 24,999	504	297,015	404	77.3	70.2-84.4	100
\$35,000- 49,999	421	307,670	355	81.1	73.8-88.4	66
\$50,000- 74,999	380	388,128	314	83.9	77.6-90.2	66
\$75,000+	479	532,752	427	86.3	81.0-91.6	52

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

FRUIT AND VEGETABLE CONSUMPTION

Good nutrition, including a diet low in saturated fats and at least five servings of fruits and vegetables each day, plays a key role in maintaining good health. Improving the American diet could extend the productive life span of Americans and reduce the occurrence of chronic diseases, including heart disease, stroke, some types of cancers, diabetes, and osteoporosis.¹

It has been known for many years that diet plays a large role in the quality of long-term health. Among adults who do not drink excessively or smoke, diet is the most significant controllable risk factor that determines their health status. It is widely accepted that a significant percentage of all cancer deaths can be attributed to poor dietary habits.

Survey Questions:

How often do you drink fruit juices such as orange, grapefruit, or tomato?

How often do you eat (fruit, green salad, potatoes, carrots)?

Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat?




Figure 12. Percentage of Arizona BRFSS respondents who reported consuming less than five servings of fruits and vegetables per day in 2002-2007.

One of the most important dietary habits is the consumption of at least five servings of fruits and vegetables per day. Analysis of the 2007 Arizona BRFSS showed that 71.7 percent* of respondents reported that they consume less than five servings of fruits and vegetables per day (Figure 11). This falls short of *Healthy Arizona 2010* Objective 2.1, which sets a target of

* 95% Confidence Interval: 69.2%-74.2%.

increasing the proportion of Arizonans aged two years and older who consume at least two daily servings of fruit and at least three daily servings of vegetables (with at least one-third being dark green or deep yellow vegetables) to at least 50 percent.²

The following respondent groups most like to consume less than five servings of fruits and vegetables:

Gender: Males, 78.9 percent.

Age: 35 – 44 years old, 74.2 percent.

Marital Status: Unmarried couple, 78.7 percent.

Education: Less than high school, 73.8 percent.

Employment Status: Employed for wages, 76.9 percent.

Income: \$25,000 - \$34,999, 78.5 percent.

Race/Ethnicity: Hispanic, 76.2 percent.

Veteran Status: Veterans, 74.6 percent.

2007 Arizona BRFSS: Consuming Less Than Five Servings Of Fruits And Vegetables Per Day						
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*	GROUPS
TOTAL	71.7	3,276	EMPLOYMENT			
SEX			Employed for wages	76.9	1,251	
Male	78.9	1,275	Self-employed	67.0	298	
Female	64.7	2,001	Out of work	66.6	114	
AGE			Homemaker	59.6	339	
18-24	73.2	102	Student	71.7	53	
25-34	73.9	386	Retired	69.1	1,013	
35-44	74.2	466	Unable to work	70.6	195	
45-54	67.0	621	INCOME			
55-64	73.7	710	<\$25,000	73.3	900	
65+	68.2	991	\$25,000-\$34,999	78.5	398	
MARITAL STATUS			\$35,000-\$49,999	70.3	486	
Married	71.7	1,856	\$50,000-\$74,999	73.1	456	
Divorced	75.0	494	\$75,000 or more	68.9	566	
Widowed	64.7	416	RACE/ ETHNICITY			
Separated	61.8	79	White, Non-Hispanic	70.9	2,231	
Never married	73.2	339	Black, Non-Hispanic	67.5	47	
Unmarried couple	78.7	81	Other race, Non-Hispanic	69.1	196	
EDUCATION			Hispanic	76.2	777	
Less than High School	73.8	412	VETERAN STATUS			
High School Graduate/GED	73.7	981	Yes	74.6	520	
Some College/Tech School	72.1	974	No	71.3	2,753	
College Grad	68.9	900				

Table 12. BRFSS survey results: Respondents who reported consuming less than five servings of fruits and vegetables per day. *N is unweighted.

References

1. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives. CDC. 2004.
2. Department of Health Services. Arizona 2010: Collaborating for a Healthier Future. 2001.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 16: FRUITS AND VEGETABLES
CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (FV5SRV)
 Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	Consume less than 5 times per day			Consume 5 or more times per day		
			N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4611	4,413,523	3276	71.7	69.2-74.2	1335	28.3	25.8-30.8
Male	1666	2,170,505	1275	78.9	75.4-82.4	391	21.1	17.6-24.6
Female	2945	2,243,018	2001	64.7	61.4-68.0	944	35.3	32.0-38.6
White/Non-Hisp.	3176	2,983,921	2231	70.9	68.0-73.8	945	29.1	26.2-32.0
Oth. Race/Non-Hisp. Hispanic	252	321,100	168	68.3	58.7-77.9	84	31.7	22.1-41.3
	1036	910,265	777	76.2	70.3-82.1	259	23.8	17.9-29.7
25-34	517	998,501	386	73.9	67.4-80.4	131	26.1	19.6-32.6
35-44	626	877,975	466	74.2	68.7-79.7	160	25.8	20.3-31.3
45-54	880	739,922	615	67.3	62.0-72.6	265	32.7	27.4-38.0
55-64	943	599,949	683	73.7	69.0-78.4	260	26.3	21.6-31.0
65+	1446	779,869	991	68.2	64.1-72.3	455	31.8	27.7-35.9
Less Than H.S. H.S. or G.E.D.	547	530,530	412	73.8	64.6-83.0	135	26.2	17.0-35.4
Some Post-H.S.	1290	1,083,761	981	73.7	68.8-78.6	309	26.3	21.4-31.2
College Graduate	1366	1,274,575	974	72.1	67.8-76.4	392	27.9	23.6-32.2
	1395	1,505,355	900	68.9	64.8-73.0	495	31.1	27.0-35.2
\$15,000- 24,999	741	585,440	564	78.2	72.1-84.3	177	21.8	15.7-27.9
\$25,000- 34,999	550	417,057	398	78.5	71.4-85.6	132	21.5	14.4-28.6
\$35,000- 49,999	705	637,642	486	70.3	64.0-76.6	219	29.7	23.4-36.0
\$50,000- 74,999	631	719,628	456	73.1	67.2-79.0	175	26.9	21.0-32.8
\$75,000+	853	1,222,264	566	68.9	63.8-74.0	287	31.1	26.0-36.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 16: FRUITS AND VEGETABLES

CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (FV5SRV)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	Consume less than 5 times per day			Consume 5 or more times per day		
			N	%	C.I. (95%)	N	%	C.I. (95%)
Male	16666	2,170,505	12775	78.9	75.4-82.4	391	21.1	17.6-24.6
White/Non-Hisp	1184	1,432,019	898	78.1	74.0-82.2	286	21.9	17.8-26.0
Hispanic	320	439,151	262	85.3	78.0-92.6	58	14.7	07.4-22.0
25-34	180	485,166	145	84.5	76.5-92.5	35	15.5	07.5-23.5
35-44	213	456,563	176	81.9	74.1-89.7	37	18.1	10.3-25.9
45-54	305	369,034	225	72.0	63.6-80.4	80	28.0	19.6-36.4
55-64	381	284,032	294	79.9	73.8-86.0	87	20.1	14.0-26.2
65+	511	347,926	376	71.6	65.1-78.1	135	28.4	21.9-34.9
H.S. or G.E.D.	449	516,082	359	79.9	73.0-86.8	90	20.1	13.2-27.0
Some Post-H.S.	459	592,228	361	78.9	72.4-85.4	98	21.1	14.6-27.6
College Graduate	572	773,271	406	77.7	72.2-83.2	166	22.3	16.8-27.8
\$15,000-24,999	245	292,368	208	88.1	80.8-95.4	37	11.9	04.6-19.2
\$35,000-49,999	294	342,958	216	73.7	64.3-83.1	78	26.3	16.9-35.7
\$50,000-74,999	255	336,705	197	81.7	75.2-88.2	58	18.3	11.8-24.8
\$75,000+	380	697,031	277	78.1	71.6-84.6	103	21.9	15.4-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 16: FRUITS AND VEGETABLES

CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (Fv5SRV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Consume less than 5 times per day			Consume 5 or more times per day			
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%
Female	2945	2,243,018	2001	64.7	61.4-68.0	944	35.3	32.0-38.6
White/Non-Hisp	1992	1,551,902	1333	64.2	60.5-67.9	659	35.8	32.1-39.5
Hispanic	716	471,104	515	67.8	59.6-76.0	201	32.2	24.0-40.4
25-34	337	513,335	241	63.9	54.9-72.9	96	36.1	27.1-45.1
35-44	413	421,412	290	65.8	58.7-72.9	123	34.2	27.1-41.3
45-54	575	370,888	390	62.7	56.2-69.2	185	37.3	30.8-43.8
55-64	562	315,917	389	68.1	61.4-74.8	173	31.9	25.2-38.6
65+	935	431,943	615	65.5	60.2-70.8	320	34.5	29.2-39.8
H.S. or G.E.D.	841	567,680	622	68.0	61.5-74.5	219	32.0	25.5-38.5
Some Post-H.S.	907	682,347	613	66.2	60.7-71.7	294	33.8	28.3-39.3
College Graduate	823	732,085	494	59.7	53.8-65.6	329	40.3	34.4-46.2
\$15,000-24,999	496	293,073	356	68.4	60.4-76.4	140	31.6	23.6-39.6
\$25,000-34,999	356	225,951	255	75.2	66.8-83.6	101	24.8	16.4-33.2
\$35,000-49,999	411	294,684	270	66.2	58.2-74.2	141	33.8	25.8-41.8
\$50,000-74,999	376	382,922	259	65.6	57.0-74.2	117	34.4	25.8-43.0
\$75,000+	473	525,233	289	56.6	49.5-63.7	184	43.4	36.3-50.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

FOLIC ACID AWARENESS

Each year in the United States, approximately 3,000 pregnancies are affected by neural tube defects (NTDs). Studies have shown that up to 70 percent of neural tube defects (NTDs) such as spina bifida and anencephaly may be preventable through adequate intake of folic acid.¹ Folic acid is a B vitamin that helps form red blood cells and has been found to reduce the risks of certain types of birth defects, cancer, and cardiovascular disease. While folic acid is important for everyone's health, it is especially vital for women of childbearing age. The United States Public Health Service recommends that all women of childbearing age in the United States who are capable of becoming pregnant should consume 400 micrograms (mcg) of folic acid per day for the purpose of reducing their risk of having a pregnancy affected with a neural tube defect.²

Survey Question:

Some health experts recommend that women take 400 micrograms of the B-vitamin folic acid every day. They recommend this for which one of the following reasons?

Healthy Arizona 2010 has set an objective of increasing to 80 percent the proportion of pregnancies begun with an optimum folic acid intake (400 mcg).




Figure 13. Percentage of BRFS female respondents (18-44 years old) who did not report that folic acid prevents birth defects in 2003-2007.

Results from the 2007 BRFS showed that 40.8 percent of women aged 18 - 44 did not answer that folic acid might prevent birth defects (Figure 13). The following female respondent groups gave a response other than folic acid prevents birth defects more often:

Age: 18 – 24 years old, 43.5 percent.

Marital Status: Separated, 58.8 percent.

Education: Less than High School, 68.5 percent.

Employment Status: Retired, 91.3 percent.

Income: Less than \$25,000, 53.3 percent.

Race/Ethnicity: Black Non-Hispanic, 79.4 percent.

Veteran Status: Veterans (cell size is small), 47.8 percent.

2007 Arizona BRFSS: Prevalence Of Women (18-44) Who Responded Other Than Folic Acid Prevented Birth Defects					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	40.8	266	EMPLOYMENT		
SEX			Employed for wages	38.3	36
Male	N/A	N/A	Self-employed	46.0	13
Female	40.8	266	Out of work	63.9	56
AGE			Homemaker	43.1	13
18-24	43.5	32	Student	19.9	2
25-34	41.2	83	Retired	91.3	15
35-44	39.3	151	Unable to work	47.6	36
45-54	N/A	N/A	INCOME		
55-64	N/A	N/A	<\$25,000	53.3	86
65+	N/A	N/A	\$25,000-\$34,999	48.8	27
MARITAL STATUS			\$35,000-\$49,999	52.9	40
Married	35.9	150	\$50,000-\$74,999	36.7	38
Divorced	55.8	35	\$75,000 or more	29.7	49
Widowed	13.2	2	RACE/ ETHNICITY		
Separated	58.8	14	White, Non-Hispanic	30.7	117
Never married	45.4	52	Black, Non-Hispanic	79.4	8
Unmarried couple	58.7	11	Other race, Non-Hispanic	58.6	23
EDUCATION			Hispanic	53.6	116
Less than High School	68.5	49	VETERAN STATUS		
High School Graduate/GED	46.9	70	Yes	47.8	9
Some College/Tech School	38.4	91	No	40.8	257
College Grad	27.5	56			

Table 13. BRFS survey results: Prevalence of women (18-44) who responded other than folic acid prevented birth defects. N/A =Not applicable. *N is unweighted.

References

1. Retrieved from the Internet June 12, 2007. http://www.marchofdimes.com/pnhec/173_769.asp.
2. Centers for Disease Control and Prevention. CDC Surveillance Summaries, April 30, 1999. MMWR 1999; 48 (No. 16).

NO INFLUENZA VACCINATION

Influenza is a significant cause of morbidity. Elderly persons with chronic diseases are at high risk for influenza morbidity and mortality.¹ "Influenza A and B are the two types of influenza viruses that cause epidemic human disease."² Since treatment of influenza can only minimize its symptoms, epidemics are most preventable through vaccination against current strains of disease.

Objective 14.29a in *Healthy People 2010* targets influenza vaccinations at a minimum of 90 percent in persons 65 years of age or older. Since new strains of influenza periodically emerge, annual vaccinations are necessary to provide constant protection against infection. Vaccination against influenza is recommended as a part of routine health care for persons age 65 and older, and younger persons at risk of medical complications if they should contact influenza. Health care professionals should continue to inform their high risk populations, toward the end of each year, to be vaccinated against current influenza strains.

Survey Question:

A flu shot is an influenza vaccine injected into your arm. During the past 12 months, have you had a flu shot?




Figure 14. Percentage of BRFSS respondents 65+ years old reporting they did not have an influenza vaccination in the last 12 months in 2002-2007.

According to the 2007 BRFSS, 31.0 percent* of Arizonans 65+ years of age reported not receiving an influenza vaccine during the past 12 months. The following respondent groups have not had an influenza vaccination in the past 12 months:

Gender: Females, 33.2 percent.

Marital Status: Divorced, 44.1 percent.

Education: High school, 38.5 percent.

Employment Status: Out of work, 56.6 percent (cell size is small).

Income: \$25,000 - \$34,999, 33.5 percent.

Race/Ethnicity: Hispanic, 38.4 percent.

Veteran Status: Non-veterans, 32.5 percent.

2007 Arizona BRFSS: Characteristics Of Persons 65+Not Receiving An Influenza Vaccination					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	31.0	502	EMPLOYMENT		
SEX			Employed for wages	42.5	40
Male	28.3	166	Self-employed	39.5	26
Female	33.2	336	Out of work	56.6	9
AGE			Homemaker	28.8	38
18-24	N/A	N/A	Student	0.0	0
25-34	N/A	N/A	Retired	29.6	375
35-44	N/A	N/A	Unable to work	28.5	11
45-54	N/A	N/A	INCOME		
55-64	N/A	N/A	<\$25,000	33.3	166
65+	31.0	502	\$25,000-\$34,999	33.5	65
MARITAL STATUS			\$35,000-\$49,999	22.0	67
Married	27.0	220	\$50,000-\$74,999	30.3	39
Divorced	44.1	82	\$75,000 or more	24.7	40
Widowed	37.5	178	RACE/ ETHNICITY		
Separated	40.4	7	White, Non-Hispanic	29.2	391
Never married	20.2	14	Black, Non-Hispanic	73.4	9
Unmarried couple	1.7	1	Other race, Non-Hispanic	33.3	17
EDUCATION			Hispanic	38.4	79
Less than High School	31.4	77	VETERAN STATUS		
High School Graduate/GED	38.5	185	Yes	27.1	106
Some College/Tech School	28.7	126	No	32.5	396
College Grad	25.5	112			

Table 14. BRFSS survey results: Characteristics of persons 65+ reporting that they received no influenza vaccination in the past 12 months. N/A =Not applicable. *N is unweighted.

References

1. Reece SM. Preventing Influenza and its Complications: a Public Health Initiative for the Year 2000. Nurse Pract, 1995; 20(9): 32-36, 44.
2. "Prevention and Control of Influenza," MMWR, August 8, 2008/Vol 57/No. RR07, Page 4.

* 95% Confidence Interval: 27.1%-34.9%.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1479	801,315	977	69.0	65.1-72.9	502	31.0	27.1-34.9	
Male	523	356,283	357	71.7	65.2-78.2	166	28.3	21.8-34.8	
Female	956	445,032	620	66.8	61.9-71.7	336	33.2	28.3-38.1	
White/Non-Hisp	1215	697,490	824	70.8	66.7-74.9	391	29.2	25.1-33.3	
65+	1479	801,315	977	69.0	65.1-72.9	502	31.0	27.1-34.9	
H.S. or G.E.D.	485	256,408	300	61.5	53.9-69.1	185	38.5	30.9-46.1	
Some Post-H.S.	411	222,652	285	71.3	64.2-78.4	126	28.7	21.6-35.8	
College Graduate	389	248,724	277	74.5	67.6-81.4	112	25.5	18.6-32.4	
\$15,000-24,999	289	139,090	188	66.5	58.1-74.9	101	33.5	25.1-41.9	
\$35,000-49,999	228	135,767	161	78.0	70.2-85.8	67	22.0	14.2-29.8	

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes			No			
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%
Male	523	356,283	357	71.7	65.2-78.2	166	28.3	21.8-34.8
White/Non-Hisp	449	317,856	317	75.1	68.8-81.4	132	24.9	18.6-31.2
65+	523	356,283	357	71.7	65.2-78.2	166	28.3	21.8-34.8
College Graduate	189	147,796	139	75.8	66.0-85.6	50	24.2	14.4-34.0
\$35,000-49,999	101	68,491	76	81.9	71.9-91.9	25	18.1	08.1-28.1

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

SECTION 10: IMMUNIZATION

ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (FLSHOT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED N	Yes		N	% C.I. (95%)	No	C.I. (95%)
			%	C.I. (95%)				
Female	956	445,032	620	66.8	61,9-71.7	336	33.2	28.3-38.1
White/Non-Hisp	766	379,634	507	67.3	62.0-72.6	259	32.7	27.4-38.0
65+	956	445,032	620	66.8	61.9-71.7	336	33.2	28.3-38.1
H.S. or G.E.D.	341	167,438	209	61.5	52.7-70.3	132	38.5	29.7-47.3
Some Post-H.S.	285	141,886	201	71.8	63.6-80.0	84	28.2	20.0-36.4
College Graduate	200	100,929	138	72.5	62.9-82.1	62	27.5	17.9-37.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

PHYSICAL ACTIVITY - CATEGORIES

Physical inactivity and its related health problems have significant economic consequences for the U.S. health care system. In the long term, physical inactivity threatens to reverse the decades-long progress that has been made in reducing the morbidity and mortality related with many chronic conditions, e.g., cardiovascular disease. A physically inactive population is at medical and financial risk for many chronic diseases and conditions including heart disease, stroke, colon cancer, diabetes, obesity, and osteoporosis.¹

Regular physical activity decreases the risk for heart attack, colon cancer, diabetes, and high blood pressure, and may decrease their risk for stroke. It also helps with weight control; contributes to healthy bones, muscles, and joints; reduces falls among the elderly; helps to relieve the pain of arthritis; decreases symptoms of anxiety and depression; and can decrease the need for hospitalizations, physician visits, and medications. Moreover, physical activity does not need to be strenuous to be beneficial.² Regular exercise also can contribute to the functional independence of the elderly and improves the quality of life for people of all ages.³

Survey Questions:

Now, thinking about the moderate activities you do in a usual week, do you do moderate activities for at least 10 minutes at a time, such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate?

Now, thinking about the vigorous activities you do in a usual week, do you do vigorous activities for at least 10 minutes at a time, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate?

How many days per week do you do these (moderate/vigorous) activities for at least 10 minutes at a time?

On days when you do (moderate/vigorous) activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?




Figure 15. 2007 Arizona BRFSS respondents' physical activity levels.

People are considered at risk if they either reported insufficient or no physical activity. Analysis of the 2007 Arizona BRFSS data indicated that 47.6 percent* of all respondents reported insufficient activity for both moderate and vigorous physical activity or no physical activity. The following respondent groups reported insufficient or no physical activity:

Gender: Females, 49.5 percent.

Age: 65+ years old, 55.7 percent.

Marital Status: Widowed, 60.6 percent.

Education: Less than high school, 60.7 percent.

Employment Status: Unable to work, 58.3 percent.

Income: Less than \$25,000, 57.2 percent.

Race/Ethnicity: Black Non-Hispanic, 61.4 percent.

Veteran Status: Veterans, 47.8 percent.

2007 Arizona BRFSS: Arizona Respondents Who Are At Risk Because Of Insufficient Or No Physical Activity					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	47.6	2,179	EMPLOYMENT		
SEX			Employed for wages	47.5	805
Male	45.6	731	Self-employed	36.6	154
Female	49.5	1,448	Out of work	55.5	85
AGE			Homemaker	44.5	228
18-24	43.5	61	Student	32.1	24
25-34	42.9	214	Retired	52.7	702
35-44	43.9	281	Unable to work	58.3	171
45-54	48.3	413	INCOME		
55-64	51.8	471	<\$25,000	57.2	637
65+	55.7	739	\$25,000-\$34,999	48.4	259
MARITAL STATUS			\$35,000-\$49,999	50.6	332
Married	45.0	1,176	\$50,000-\$74,999	46.0	294
Divorced	51.7	334	\$75,000 or more	39.2	325
Widowed	60.6	347	RACE/ ETHNICITY		
Separated	49.8	54	White, Non-Hispanic	45.9	1,494
Never married	49.4	211	Black, Non-Hispanic	61.4	35
Unmarried couple	51.5	51	Other race, Non-Hispanic	46.1	127
EDUCATION			Hispanic	51.6	507
Less than High School	60.7	301	VETERAN STATUS		
High School Graduate/GED	52.4	670	Yes	47.8	329
Some College/Tech School	44.9	625	No	47.6	1,849
College Grad	41.2	574			

Table 15. BRFSS results: Arizona respondents who are at risk because of insufficient or no physical activity. *N is unweighted.

References

1. U.S. Department of Health and Human Services. Physical Activity Fundamental To Preventing Disease, June 2002.
2. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives. CDC. 2004.
3. Katz S, Branch LG, Branson MH, et al., Active Life Expectancy. N Engl J Med, 1983; 309: 1218-1224.

* 95% Confidence Interval: 44.7%-50.5%.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 17: PHYSICAL ACTIVITY
ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Meet Recommendation			Insufficient Activity			No Activity			
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4379	4,197,419	2200	52.4	49.5-55.3	1541	35.0	32.1-37.9	638	12.6	10.8-14.4	
Male	1586	2,050,735	855	54.4	49.5-59.3	505	33.2	28.5-37.9	226	12.4	9.7-15.1	
Female	2793	2,146,684	1345	50.5	47.0-54.0	1036	36.7	33.4-40.0	412	12.8	10.4-15.2	
White/Non-Hisp	3034	2,863,847	1540	54.1	50.8-57.4	1077	34.9	31.8-38.0	417	11.0	9.2-12.8	
Oth. Race/Non-Hisp.	234	301,167	466	48.4	41.0-55.8	343	34.7	27.3-42.1	40	14.5	6.7-22.3	
Hispanic	973	856,222	448	42.5-53.9	329	37.3	31.6-43.0	164	16.9	11.2-22.6		
18-24	150	381,566	616	44.3	40.0-48.6	467	34.2	30.1-38.3	22	11.4	0.1-18.7	
25-34	497	947,348	283	57.1	49.3-64.9	171	34.3	26.7-41.9	43	8.6	0.9-13.3	
35-44	595	811,310	314	56.1	49.6-62.6	219	35.9	29.6-42.2	62	8.0	0.4-11.1	
45-54	835	712,689	430	52.3	46.4-58.2	299	35.7	30.0-41.4	106	12.0	0.7-16.1	
55-64	904	578,713	448	48.2	42.5-53.9	329	37.3	31.6-43.0	127	14.5	10.4-18.6	
65+	1355	736,969	616	44.3	40.0-48.6	467	34.2	30.1-38.3	272	21.6	17.7-25.5	
Less Than H.S.	504	497,384	536	47.6	42.1-53.1	445	35.2	29.9-40.5	133	22.5	14.7-30.3	
H.S. or G.E.D.	1206	1,020,053	686	55.1	50.0-60.2	456	34.3	29.2-39.4	225	17.2	13.1-21.3	
Some Post-H.S.	1311	1,223,434	774	58.8	54.1-63.5	466	34.6	30.1-39.1	169	10.6	8.1-13.1	
College Graduate	1348	1,438,131	51.6	42.4-60.8	182	31.6	23.6-39.6	108	6.6	0.4-6.08.6		
Less than \$15,000	433	273,946	329	45.7	36.9-54.5	239	35.3	25.9-44.7	114	24.7	16.3-33.1	
\$15,000- 24,999	698	552,251	245	49.4	42.1-56.7	263	38.5	31.6-45.4	130	19.0	11.9-26.1	
\$25,000- 34,999	504	377,389	349	54.0	47.1-60.9	246	36.8	30.1-43.5	69	12.1	0.7-16.6	
\$35,000- 49,999	681	620,873	320	50.4	45.0-56.7	268	34.5	28.6-40.4	48	9.2	0.5-13.1	
\$50,000- 74,999	614	707,568	504	54.9-66.7	40	34.5	28.6-40.4	57	4.7	0.2-7.06.7		
\$75,000+	829	1,161,326	60.8	40	34.5	28.6-40.4	40	34.5	28.6-40.4	57	4.7	0.2-7.06.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 17: PHYSICAL ACTIVITY
ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Meet Recommendation			Insufficient Activity			No Activity		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1586	2,050,735	855	54.4	49.5-59.3	505	33.2	28.5-37.9	226	12.4	9.7-15.1
White/Non-Hisp Hispanic	1130	1,378,887	602	56.3	50.8-61.8	367	33.0	27.9-38.1	161	10.7	8.0-13.4
304	397,804								43	16.3	07.3-25.3
18-24	59	215,382							9	9.3	00.9-17.7
25-34	173	447,214							14	8.4	00.8-16.0
35-44	200	411,680							21	7.7	03.4-12.0
45-54	288	358,184	155	51.2	41.6-60.8	100	36.3	27.1-45.5	33	12.5	05.1-19.9
55-64	368	278,249	194	51.8	43.0-60.6	127	33.7	25.3-42.1	47	14.4	08.5-20.3
65+	485	333,715	248	45.2	38.1-52.3	136	31.0	24.3-37.7	101	23.8	17.1-30.5
Less Than H.S. H.S. or G.E.D.	173	251,951							43	17.8	07.8-27.8
Some Post-H.S.	420	477,841	198	50.0	41.0-59.0	143	34.4	26.0-42.8	79	15.6	09.5-21.7
College Graduate	554	561,043	244	54.3	45.3-63.3	139	36.0	26.8-45.2	52	9.7	05.8-13.6
	743,569	326	62.8	55.9-69.7	179	28.6	22.3-34.9	49	8.6	05.1-12.1	
\$25,000- 34,999	164	159,799							29	16.0	06.6-25.4
\$35,000- 49,999	286	335,802							31	11.0	04.1-17.9
\$50,000- 74,999	245	331,980	227	60.7	51.9-69.5	110	33.3	24.7-41.9	18	9.5	03.2-15.8
\$75,000+	368	659,809							31	6.0	03.1-08.9

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 17: PHYSICAL ACTIVITY

AULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (RFPAREC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2793	2,146,684	1345	50.5	47.0-54.0	1036	36.7	33.4-40.0	412	12.8	10.4-15.2	
White/Non-Hisp.	1904	1,484,960	938	52.0	48.1-55.9	710	36.8	32.9-40.7	256	11.2	8.8-13.6	
Oth. Race/Non-Hisp.	139	127,801							23	8.1	3.4-12.8	
Hispanic	669	458,418	302	47.3	38.5-56.1	246	35.3	27.1-43.5	121	17.4	10.5-24.3	
25-34	324	500,134	174	53.6	44.2-63.0	121	37.5	28.5-46.5	29	8.9	3.2-14.6	
35-44	395	399,631	208	53.3	45.5-61.1	146	38.4	30.8-46.0	41	8.3	3.8-12.8	
45-54	547	354,505	275	53.4	46.7-60.1	199	35.0	28.5-41.5	73	11.5	7.6-15.4	
55-64	536	300,464	254	44.8	37.4-52.2	202	40.6	33.2-48.0	80	14.6	9.1-20.1	
65+	870	403,255	368	43.5	38.0-49.0	331	36.8	31.5-42.1	171	19.7	15.2-24.2	
H.S. or G.E.D.	786	542,212	338	45.5	38.8-52.2	302	35.9	29.4-42.4	146	18.6	13.1-24.1	
Some Post-H.S.	876	662,391	442	55.7	50.0-61.4	317	32.9	27.8-38.0	117	11.4	8.1-14.7	
College Graduate	794	694,562	448	54.5	48.2-60.8	287	41.1	34.8-47.4	59	4.4	2.6-6.2	
Less than \$15,000	324	178,679							83	20.8	12.0-29.6	
\$15,000-24,999	464	280,327	210	46.6	38.4-54.8	170	33.9	26.3-41.5	84	19.5	12.2-26.8	
\$25,000-34,999	340	217,590					131	29.5	20.5-38.5			
\$35,000-49,999	395	285,071	196	44.1	35.5-52.7	161	42.6	34.0-51.2	38	13.3	7.4-19.2	
\$50,000-74,999	369	375,588	185	50.7	41.9-59.5	154	40.4	31.8-49.0	30	8.9	4.0-13.8	
\$75,000+	461	501,518	277	60.9	53.8-68.0	158	36.0	28.9-43.1	26	3.1	01.1-05.1	

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

SCREENINGS

COLORECTAL CANCER SCREENING (SIGMOIDOSCOPY & COLONOSCOPY)

Colorectal cancer is the second leading cause of cancer-related deaths both nationally and in Arizona. In 2007, 966 Arizonans died from colorectal cancer, accounting for approximately 10 percent of all cancer deaths.¹

With age comes an increasing risk of developing colorectal cancer. People at least 50 years old, those who suffer from inflammatory bowel disease, are overweight or physically inactive, and those who have a personal or family history of colorectal polyps or colorectal cancer have a higher risk. Additionally, low fruit and vegetable consumption, a diet low in fiber, alcohol consumption, and tobacco use may contribute to the risk for colorectal cancer.¹

Survey Question:

Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you EVER had either of these exams?




Figure 16. Percentage of Arizona BRFSS respondents 50 years of age or older who reported they never had a sigmoidoscopy or colonoscopy.

Respondents who were at least 50 years of age were surveyed on whether they had ever had a sigmoidoscopy and colonoscopy. In 2007 almost 38 percent* responded that they have not had a sigmoidoscopy or colonoscopy. The following respondent groups have not had a sigmoidoscopy or colonoscopy:

Gender: Females, 40.3 percent.

Age: 45 - 54 years old (partial age group), 58.9 percent.

Marital Status: Separated, 58.6 percent.

Education: Less than high school, 52.6 percent.

Employment Status: Out of work, 58.5 percent.

Income: <\$25,000, 46.4 percent.

Race/Ethnicity: Other Non-Hispanic, 55.7 percent.

Veteran Status: Non-veterans, 40.0 percent.

2007 Arizona BRFSS: Arizona Respondents Who Have Not Had A Sigmoidoscopy Or Colonoscopy					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	37.8	1,118	EMPLOYMENT		
SEX			Employed for wages	44.4	336
Male	34.9	387	Self-employed	49.2	115
Female	40.3	731	Out of work	58.5	42
AGE			Homemaker	48.0	101
18-24	N/A	N/A	Student	0.0	0
25-34	N/A	N/A	Retired	27.8	435
35-44	N/A	N/A	Unable to work	47.1	83
45-54*	58.9	291	INCOME		
55-64	37.4	388	<\$25,000	46.4	372
65+	27.9	439	\$25,000-\$34,999	36.6	130
MARITAL STATUS			\$35,000-\$49,999	34.3	142
Married	34.8	552	\$50,000-\$74,999	35.1	125
Divorced	50.1	241	\$75,000 or more	34.7	168
Widowed	36.4	215	RACE/ ETHNICITY		
Separated	58.6	32	White, Non-Hispanic	35.1	812
Never married	40.3	62	Black, Non-Hispanic	27.8	10
Unmarried couple	30.7	15	Other race, Non-Hispanic	55.7	69
EDUCATION			Hispanic	53.6	219
Less than High School	52.6	158	VETERAN STATUS		
High School Graduate/GED	43.3	343	Yes	30.6	176
Some College/Tech School	35.5	307	No	40.0	941
College Grad	32.9	309			

Table 16. BRFSS survey results: Respondents over age 50 who have not had a sigmoidoscopy or colonoscopy. N/A=Not applicable. *=part of age group not included. *N is unweighted.

References

1. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives. CDC. 2004.

* 95% Confidence Interval: 34.7%-40.9%.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2762	1,726,060	1644	62.2	59.1-65.3	1118	37.8	34.7-40.9
Male	1019	796,549	632	65.1	60.0-70.2	387	34.9	29.8-40.0
Female	1743	929,511	1012	59.7	55.8-63.6	731	40.3	36.4-44.2
White/Non-Hisp	2173	1,410,703	1361	64.9	61.6-68.2	812	35.1	31.8-38.4
45-54	444	371,625	153	41.1	33.1-49.1	291	58.9	50.9-66.9
55-64	919	590,379	531	62.6	57.1-68.1	388	37.4	31.9-42.9
65+	1399	764,055	960	72.1	68.2-76.0	439	27.9	24.0-31.8
H.S. or G.E.D.	771	436,995	428	56.7	50.6-62.8	343	43.3	37.2-49.4
Some Post-H.S.	817	500,947	510	64.5	59.0-70.0	307	35.5	30.0-41.0
College Graduate	868	650,976	559	67.1	61.6-72.6	309	32.9	27.4-38.4
\$15,000- 24,999	462	243,998	255	58.6	50.0-67.2	207	41.4	32.8-50.0
\$25,000- 34,999	326	154,501	196	63.4	54.2-72.6	130	36.6	27.4-45.8
\$35,000- 49,999	423	263,829	281	65.7	57.5-73.9	142	34.3	26.1-42.5
\$50,000- 74,999	341	256,402	216	64.9	56.9-72.9	125	35.1	27.1-43.1
\$75,000+	451	425,405	283	65.3	58.2-72.4	168	34.7	27.6-41.8

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes		N	%	C.I. (95%)	No	C.I. (95%)
			%	C.I. (95%)					
Male	1019	796,549	632	65.1	60.0-70.2	387	34.9	29.8-40.0	
White/Non-Hisp	817	651,286	540	68.5	63.0-74.0	277	31.5	26.0-37.0	
55-64	372	279,561	224	65.5	57.3-73.7	148	34.5	26.3-42.7	
65+	497	343,340	354	74.9	68.6-81.2	143	25.1	18.8-31.4	
H.S. or G.E.D.	250	168,665	135	58.0	48.2-67.8	115	42.0	32.2-51.8	
Some Post-H.S.	274	201,474	176	66.5	57.3-75.7	98	33.5	24.3-42.7	
College Graduate	391	350,224	270	70.5	62.3-78.7	121	29.5	21.3-37.7	
\$75,000+	229	248,014	159	70.1	60.3-79.9	70	29.9	20.1-39.7	

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	N	Yes		N	% C.I. (95%)	No	N C.I. (95%)
				%	C.I. (95%)				
Female	1743	929,511	1012	59.7	55.8-63.6	731	40.3	36.4-44.2	
White/Non-Hisp	1356	759,417	821	61.9	57.6-66.2	535	38.1	33.8-42.4	
45-54	294	197,978	99	37.8	28.4-47.2	195	62.2	52.8-71.6	
55-64	547	310,818	307	60.0	52.7-67.3	240	40.0	32.7-47.3	
65+	902	420,715	606	69.8	64.9-74.7	296	30.2	25.3-35.1	
H.S. or G.E.D.	521	268,330	293	56.0	48.4-63.6	228	44.0	36.4-51.6	
Some Post-H.S.	543	299,473	334	63.3	56.6-70.0	209	36.7	30.0-43.4	
College Graduate	477	300,752	289	63.3	56.2-70.4	188	36.7	29.6-43.8	
\$15,000-24,999	308	148,290	170	55.1	45.3-64.9	138	44.9	35.1-54.7	
\$25,000-34,999	224	93,149	134	68.5	58.5-78.5	90	31.5	21.5-41.5	
\$35,000+	222	177,390	124	58.5	48.5-68.5	98	41.5	31.5-51.5	

NOTE:
 '% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

COLORECTAL CANCER SCREENING (FECAL OCCULT BLOOD TEST)

Fecal occult blood test, flexible sigmoidoscopy and colonoscopy are utilized regularly to detect colorectal cancer in its earliest stages, when treatment is most likely to be effective. Regular colorectal cancer screening, as recommended by the U.S. Preventive Services Task Force, can reduce the number of deaths from this disease by at least 30 percent.

Survey Question:

A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?




Figure 17. Percentage of Arizona BRFSS respondents 50 years of age or older who reported they never had a blood stool test.

Respondents who were at least 50 years of age were surveyed on whether they had ever had a blood stool test. Almost fifty-four percent* responded that they have not had a blood stool test.

* 95% Confidence Interval: 50.5%-57.1%.

The following respondent groups have not had a blood stool test:

Gender: Males, 56.5 percent.

Age: 45 - 54 years old (partial age group), 77.5 percent.

Marital Status: Divorced, 62.8 percent.

Education: Less than high school, 76.5 percent.

Employment Status: Unable to work (Student cell size was too small), 71.8 percent.

Income: <\$25,000, 63.1 percent.

Race/Ethnicity: Hispanic, 79.3 percent.

Veteran Status: Non-veterans, 55.7 percent.

2007 Arizona BRFSS: Arizona Respondents Who Have Not Had A Fecal Occult Blood Test						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	53.8	1,502		EMPLOYMENT		
SEX				Employed for wages	64.9	434
Male	56.5	577		Self-employed	61.1	135
Female	51.5	925		Out of work	69.1	51
AGE				Homemaker	51.2	133
18-24	N/A	N/A		Student	98.9	3
25-34	N/A	N/A		Retired	41.6	625
35-44	N/A	N/A		Unable to work	71.8	114
45-54*	77.5	344		INCOME		
55-64	54.4	524		<\$25,000	63.1	477
65+	41.7	634		\$25,000-\$34,999	48.5	162
MARITAL STATUS				\$35,000-\$49,999	49.9	203
Married	52.6	783		\$50,000-\$74,999	51.8	177
Divorced	62.8	311		\$75,000 or more	50.5	224
Widowed	50.8	281		RACE/ ETHNICITY		
Separated	56.4	33		White, Non-Hispanic	50.1	1,097
Never married	52.0	73		Black, Non-Hispanic	47.6	15
Unmarried couple	49.0	19		Other race, Non-Hispanic	67.0	75
EDUCATION				Hispanic	79.3	304
Less than High School	76.5	225		VETERAN STATUS		
High School Graduate/GED	56.0	430		Yes	47.5	264
Some College/Tech School	48.0	410		No	55.7	1,237
College Grad	52.0	435				

Table 17. BRFSS survey results: Respondents over age 50 who have not had a fecal occult blood test. N/A=Not applicable. *= Cell size too small. *part of age group not included. *N is unweighted.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

**MODULE 11: COLORECTAL CANCER SCREENING
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes		No	
			N	%	C.I. (95%)	N
TOTAL	2763	1,724,891	1261	46.2	42.9-49.5	1502
Male	1018	794,298	441	43.5	38.4-48.6	577
Female	1745	930,593	820	48.5	44.4-52.6	925
White/Non-Hisp	2174	1,409,689	1077	49.9	46.4-53.4	1097
Hispanic	407	182,168	103	20.7	13.3-28.1	304
45-54	450	373,444	106	22.5	16.2-28.8	344
55-64	917	588,434	393	45.6	39.9-51.3	524
65+	1396	763,013	762	58.3	54.0-62.6	634
Less Than H.S.	304	136,444	79	23.5	14.9-32.1	225
H.S. or G.E.D.	774	438,382	344	44.0	38.1-49.9	430
Some Post-H.S.	813	499,096	403	52.0	46.3-57.7	410
College Graduate	867	649,184	432	48.0	42.3-53.7	435
\$15,000-\$24,999	466	244,846	196	38.3	30.7-45.9	270
\$25,000-\$34,999	326	154,613	164	51.5	42.1-60.9	162
\$35,000-\$49,999	423	262,358	220	50.1	41.9-58.3	203
\$50,000-\$74,999	337	253,812	160	48.2	39.6-56.8	177
\$75,000+	450	425,269	226	49.5	42.1-56.9	224

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes		N	%	C.I. (95%)	No	C.I. (95%)
			%	C.I. (95%)					
Male	1018	794,298	441	43.5	38,4-48.6	577	56.5	51.4-61.6	
White/Non-Hisp	817	650,484	381	47.9	42.2-53.6	436	52.1	46.4-57.8	
45-54	152	174,505	25	13.7	06.4-21.0	127	86.3	79.0-93.6	
55-64	371	277,997	156	47.7	38.9-56.5	215	52.3	43.5-61.1	
65+	495	341,796	260	55.4	48.1-62.7	235	44.6	37.3-51.9	
H.S. or G.E.D.	249	168,672	104	43.2	33.2-53.2	145	56.8	46.8-66.8	
Some Post-H.S.	273	200,273	117	45.2	35.6-54.8	156	54.8	45.2-64.4	
College Graduate	390	348,912	190	47.2	38.8-55.6	200	52.8	44.4-61.2	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING

A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD

THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	Yes		No C.I. (95%)
				%	C.I. (95%)	
Female	1745	930,593	820	48.5	44.4-52.6	925 51.5 47.4-55.6
White/Non-Hisp Hispanic	1357 270	759,205 91,171	696 68	51.7 20.9	47.2-56.2 12.5-29.3	661 202 48.3 79.1 43.8-52.8 70.7-87.5
45-54	298	198,939	81	30.3	21.3-39.3	217 69.7 60.7-78.7
55-64	546	310,437	237	43.7	36.4-51.0	309 56.3 49.0-63.6
65+	901	421,217	502	60.7	55.4-66.0	399 39.3 34.0-44.6
Less Than H.S. H.S. or G.E.D.	200 525	60,764 269,710	49 240	23.6 44.5	14.0-33.2 37.2-51.8	151 76.4 66.8-86.0 285 55.5 48.2-62.8
Some Post-H.S.	540	298,824	286	56.5	49.4-63.6	254 43.5 36.4-50.6
College Graduate	477	300,273	242	48.9	41.5-56.3	235 51.1 43.7-58.5
\$15,000-24,999	311	149,004	137	39.5	30.5-48.5	174 60.5 51.5-69.5

NOTE:
' % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

HEALTH CARE COVERAGE AND HEALTH CARE UTILIZATION

HEALTH CARE COVERAGE

Health insurance coverage is an important determinant of access to health care. Uninsured children and adults under 65 years of age are substantially less likely to have a usual source of health care or a recent health care visit than their insured counterparts. Uninsured people are more likely to forego needed health care due to cost concerns.¹

Survey Question:

Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?




Figure 18. Percentage of BRFSS respondents who reported they did not have health coverage in 2002-2007.

In 2007, 18.1 percent* of Arizonans reported they did not have health care coverage. Improving access to health care is a *Healthy People 2010* objective, an initiative which sets a goal of reducing the proportion of adults with health insurance to zero percent.² There is also a *Healthy Arizona 2010* objective, with a goal of decreasing the percentage of persons with health care coverage to 10 percent.³

* 95% Confidence Interval: 15.4%-20.8%.

The following respondent groups were least likely to have health insurance:

Gender: Males, 21.3 percent.

Age: 18 - 24 years old, 37.4 percent.

Marital Status: Unmarried couple, 41.3 percent.

Education: Less than high school, 46.7 percent.

Employment Status: Out of work, 42.5 percent.

Income: <\$25,000, 37.3 percent.

Race/Ethnicity: Hispanic, 42.9 percent.

Veteran Status: Non-veterans, 18.9 percent.

2007 Arizona BRFSS: Arizona Respondents Without Health Care Coverage						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	18.1	670		EMPLOYMENT		
SEX				Employed for wages	16.6	246
Male	21.3	257		Self-employed	32.9	129
Female	15.0	413		Out of work	42.5	61
AGE				Homemaker	23.3	108
18-24	37.4	56		Student	17.3	22
25-34	27.7	126		Retired	3.5	70
35-44	22.4	128		Unable to work	19.5	31
45-54	9.7	168		INCOME		
55-64	16.2	171		<\$25,000	37.3	292
65+	1.2	21		\$25,000-\$34,999	27.5	86
MARITAL STATUS				\$35,000-\$49,999	13.0	100
Married	14.8	342		\$50,000-\$74,999	9.7	52
Divorced	17.6	113		\$75,000 or more	6.9	41
Widowed	8.6	44		RACE/ ETHNICITY		
Separated	25.9	36		White, Non-Hispanic	9.2	278
Never married	30.2	108		Black, Non-Hispanic	12.1	2
Unmarried couple	41.3	26		Other race, Non-Hispanic	31.7	77
EDUCATION				Hispanic	42.9	307
Less than High School	46.7	157		VETERAN STATUS		
High School Graduate/GED	19.1	237		Yes	12.7	58
Some College/Tech School	17.6	170		No	18.9	611
College Grad	7.0	104				

Table 18. BRFSS results: Arizona respondents with no health care coverage. *N is unweighted.

References

1. National Center for Health Statistics. *Health, United States, 2006. With Chartbook on Trends in the Health of Americans*. Hyattsville, MD: 2006.
2. U.S. Department of Health and Human Services. *Healthy People 2010: Understanding and Improving Health*. 2nd ed. Washington, DC: U.S. Government Printing Office, November 2000.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 3: HEALTH CARE ACCESS
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOs, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	Yes %	C.I. (95%)	N	No %	C.I. (95%)
TOTAL	4711	4,536,769	4038	81.9	79.2-84.6	673	18.1	15.4-20.8
Male	1715	2,249,417	1458	78.7	74.0-83.4	257	21.3	16.6-26.0
Female	2996	2,287,352	2580	85.0	82.3-87.7	416	15.0	12.3-17.7
White/Non-Hisp	3234	3,050,699	2955	90.8	88.8-92.8	279	9.2	07.2-11.2
Hispanic	1066	950,647	758	57.1	49.3-64.9	308	42.9	35.1-50.7
25-34	527	1,024,401	400	72.4	64.8-80.0	127	27.6	20.0-35.2
35-44	634	896,958	506	77.6	71.3-83.9	128	22.4	16.1-28.7
45-54	906	769,505	739	90.2	87.7-92.7	167	9.8	07.3-12.3
55-64	959	612,794	792	83.5	79.2-87.8	167	16.5	12.2-20.8
65+	1479	803,025	1457	98.7	97.9-99.5	22	1.3	00.5-02.1
H.S. or G.E.D.	1322	1,133,642	1085	80.9	76.6-85.2	237	19.1	14.8-23.4
Some Post-H.S.	1392	1,306,930	1221	82.4	77.7-87.1	171	17.6	12.9-22.3
College Graduate	1419	1,534,259	1315	93.0	90.3-95.7	104	7.0	04.3-09.7
\$15,000-24,999	758	597,298	571	60.2	50.4-70.0	187	39.8	30.0-49.6
\$25,000-34,999	537	451,762	451	72.7	62.7-82.7	86	27.3	17.3-37.3
\$35,000-49,999	719	648,475	619	87.0	82.5-91.5	100	13.0	08.5-17.5
\$50,000-74,999	642	730,249	590	90.4	86.3-94.5	52	9.6	05.5-13.7
\$75,000+	871	1,244,556	830	93.1	89.6-96.6	41	6.9	03.4-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOs, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No								
				TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1715	2,249,417	1458	78.7	74.0-83.4	257	21.3	16.6-26.0			
White/Non-Hisp	1212	1,465,206	1092	89.0	85.5-92.5	120	11.0	07.5-14.5			
45-54	320	389,054	270	90.5	86.4-94.6	50	9.5	05.4-13.6			
55-64	394	293,788	328	83.5	77.6-89.4	66	16.5	10.6-22.4			
65+	524	358,003	514	98.6	97.6-99.6	10	1.4	00.4-02.4			
H.S. or G.E.D.	466	556,376	371	80.0	73.5-86.5	95	20.0	13.5-26.5			
Some Post-H.S.	466	604,805	400	77.4	68.8-86.0	66	22.6	14.0-31.2			
College Graduate	590	794,843	546	91.0	86.7-95.3	44	9.0	04.7-13.3			
\$35,000-49,999	300	344,466	266	88.7	82.8-94.6	34	11.3	05.4-17.2			
\$50,000-74,999	260	339,054	234	86.6	79.0-94.2	26	13.4	05.8-21.0			
\$75,000+	393	711,722	373	90.9	85.0-96.8	20	9.1	03.2-15.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 3: HEALTH CARE ACCESS
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOs, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	N	Yes		No			
			TOTAL	WEIGHTED	%	C.I. (95%)		
Female	2996	2,287,352	2580	85.0	82.3-87.7	416	15.0	12.3-17.7
White/Non-Hisp	2022	1,585,494	1863	92.4	90.4-94.4	159	7.6	05.6-09.6
Hispanic	732	477,063	521	61.7	52.9-70.5	211	38.3	29.5-47.1
25-34	343	515,256	262	73.5	64.9-82.1	81	26.5	17.9-35.1
35-44	418	434,852	343	85.4	80.1-90.7	75	14.6	09.3-19.9
45-54	586	380,451	469	89.9	87.0-92.8	117	10.1	07.2-13.0
55-64	565	319,006	464	83.5	77.4-89.6	101	16.5	10.4-22.6
65+	955	445,023	943	98.8	97.6-0100	12	1.2	00.0-02.4
H.S. or G.E.D.	856	577,266	714	81.9	76.4-87.4	142	18.1	12.6-23.6
Some Post-H.S.	926	702,125	821	86.7	82.8-90.6	105	13.3	09.4-17.2
College Graduate	829	739,415	769	95.2	92.1-98.3	60	4.8	01.7-07.9
\$15,000-24,999	503	297,087	383	73.3	66.2-80.4	120	26.7	19.6-33.8
\$35,000-49,999	419	304,009	353	85.2	78.3-92.1	66	14.8	07.9-21.7
\$50,000-74,999	382	391,195	356	93.7	89.8-97.6	26	6.3	02.4-10.2
\$75,000+	478	532,833	457	96.0	93.1-98.9	21	4.0	01.1-06.9

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

USUAL SOURCE OF HEALTH CARE

More than 40 million Americans do not have a specific doctor's office, clinic, health center, or other location where they regularly go for health care or health-related advice. Even among privately insured persons, a substantial number lacked a usual source of care or reported difficulty in accessing needed care due to financial constraints or insurance problems.¹

Strong predictors of access to quality health care include having health insurance, a higher income level, and a regular primary care provider or other source of ongoing health care. Use of clinical preventive services, such as early prenatal care, can serve as indicators of access to quality health care services.¹

Survey Question:

Do you have one person you think of as your personal doctor or health care provider?




Figure 19. Percentage of Arizona BRFSS respondents reporting on whether they had a usual source of health care in 2007.

According to the 2007 BRFSS, 25.6 percent* of all respondents reported not having a usual source of health care.

* 95% Confidence Interval: 22.9%-28.3%.

The following respondent groups did not have a usual source of health care:

Gender: Males, 31.3 percent.

Age: 25 - 34 years old, 40.6 percent.

Marital Status: Unmarried couple, 59.0 percent.

Education: Less than high school, 47.5 percent.

Employment Status: Out of work, 40.1 percent.

Income: <\$25,000, 36.6 percent.

Race/Ethnicity: Hispanic, 42.0 percent.

Veteran Status: Non-veterans, 26.3 percent.

2007 Arizona BRFSS: Arizona Respondents Without Usual Source of Health Care						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	25.6	948		EMPLOYMENT		
SEX				Employed for wages	26.4	407
Male	31.3	432		Self-employed	37.8	141
Female	19.9	516		Out of work	40.1	61
AGE				Homemaker	30.0	119
18-24	39.9	70		Student	29.2	28
25-34	40.6	197		Retired	7.8	144
35-44	31.9	180		Unable to work	31.7	43
45-54	20.4	201		INCOME		
55-64	14.3	194		<\$25,000	36.6	324
65+	5.9	106		\$25,000-\$34,999	33.8	119
MARITAL STATUS				\$35,000-\$49,999	24.7	143
Married	21.8	496		\$50,000-\$74,999	19.7	102
Divorced	21.4	143		\$75,000 or more	16.4	126
Widowed	13.2	71		RACE/ ETHNICITY		
Separated	31.9	29		White, Non-Hispanic	18.5	499
Never married	37.9	160		Black, Non-Hispanic	35.8	18
Unmarried couple	59.0	42		Other race, Non-Hispanic	36.9	89
EDUCATION				Hispanic	42.0	328
Less than High School	47.5	178		VETERAN STATUS		
High School Graduate/GED	25.2	296		Yes	19.7	120
Some College/Tech School	21.8	241		No	26.3	826
College Grad	21.4	230				

Table19. BRFSS results: Respondents without usual source of health care. **N is unweighted.

References

1. U.S. Department of Health and Human Services. Healthy People 2010: Understanding and Improving Health. 2nd ed. Washington, DC: U.S. Government Printing Office, November 2000.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 3: HEALTH CARE ACCESS

DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	Yes, only one			More than one			No		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4713	4,527,891	3371	67.1	64.2-70.0	394	7.3	05.9-08.7	948	25.6	22.9-28.3
Male	1714	2,244,614	1144	60.7	56.0-65.4	138	7.9	05.5-10.3	432	31.3	26.6-36.0
Female	2999	2,283,277	2227	73.3	70.2-76.4	256	6.7	05.1-08.3	516	19.9	17.0-22.8
White/Non-Hisp	3233	3,038,309	2437	73.0	70.1-75.9	297	8.5	06.5-10.5	499	18.5	16.0-21.0
Black or Afr. Am./Non-Hisp	77	145,033				4	3.3	00.0-07.8			
Oth. Race/Non-Hisp.	257	323,376				19	4.8	01.5-08.1			
Hispanic	1067	949,661	670	52.6	45.0-60.2	69	5.4	02.5-08.3	328	42.0	34.2-49.8
18-24	158	397,880				10	8.1	00.7-15.5			
25-34	529	1,030,288	303	54.9	47.1-62.7	29	4.5	01.6-07.4	197	40.6	32.8-48.4
35-44	632	890,638	401	59.9	53.2-66.6	51	8.2	04.7-11.7	180	31.9	25.2-38.6
45-54	907	763,548	643	73.5	68.4-78.6	67	6.8	03.7-09.9	197	19.6	15.3-23.9
55-64	961	613,276	705	80.0	75.9-84.1	69	5.7	03.5-07.9	187	14.3	10.8-17.8
65+	1476	800,206	1206	82.6	79.3-85.9	164	11.5	08.6-14.4	106	5.9	03.9-07.9
Less Than H.S. H.S. or G.E.D.	564	543,003	934	69.2	64.1-74.3	44	5.8	02.5-09.1			
Some Post-H.S.	1322	1,132,293	1040	70.7	65.6-75.8	92	5.6	02.9-08.3	296	25.2	20.5-29.9
College Graduate	1395	1,308,186	1043	69.4	64.7-74.1	114	7.5	05.0-10.0	241	21.8	16.9-26.7
Less than \$15,000	1415	1,521,950				142	9.1	06.4-11.8	230	21.4	17.1-25.7
\$15,000- 24,999	479	303,277				47	8.0	03.5-12.5			
\$25,000- 34,999	760	598,438	514	60.0	50.6-69.4	61	4.2	02.6-05.8	185	35.8	26.0-45.6
\$35,000- 49,999	535	449,442				35	6.9	00.6-13.2	119	33.8	23.8-43.8
\$50,000- 74,999	721	652,409	510	67.6	61.1-74.1	68	7.7	04.6-10.8	143	24.7	18.6-30.8
\$75,000+	642	727,013	479	69.3	62.6-76.0	61	11.0	06.1-15.9	102	19.7	13.8-25.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 3: HEALTH CARE ACCESS
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes, only one			More than one			No		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1714	2,244,614	1144	60.7	56.0-65.4	138	7.9	05.5-10.3	432	31.3	26.6-36.0
White/Non-Hisp	1211	1,458,710	860	67.8	62.9-72.7	106	9.8	06.7-12.9	245	22.4	18.1-26.7
Oth. Race/Non-Hisp.	101	178,273				8	4.7	00.0-09.8			
Hispanic	336	474,926				22	5.5	00.4-10.6			
18-24	65	229,381				4	6.8	00.0-16.6			
25-34	184	510,777				9	5.1	00.0-10.4			
35-44	214	457,983				16	8.6	03.1-14.1			
45-54	319	387,393	212	68.1	59.5-76.7	20	7.4	01.9-12.9	87	24.5	16.9-32.1
55-64	394	293,788	285	80.1	73.8-86.4	20	3.6	00.7-06.5	89	16.3	10.4-22.2
65+	524	357,191	408	75.6	69.1-82.1	68	16.2	10.5-21.9	48	8.2	04.3-12.1
Less Than H.S. H.S. or G.E.D.	189	277,771				15	5.7	00.8-10.6			
Some Post-H.S.	463	553,658	300	64.0	55.8-72.2	29	5.1	00.8-09.4	134	30.8	23.2-38.4
College Graduate	467	605,073	315	60.8	51.8-69.8	38	8.9	04.2-13.6	114	30.3	21.3-39.3
\$15,000- 24,999	587	788,649	417	62.9	55.6-70.2	56	10.1	05.4-14.8	114	27.0	20.1-33.9
\$25,000- 34,999	254	299,849				21	3.4	01.0-05.8			
\$35,000- 49,999	178	222,857				11	7.5	00.0-17.3			
\$50,000- 74,999	300	344,466				26	7.6	03.1-12.1	76	29.9	20.1-39.7
\$75,000+	260	335,818				19	13.7	04.9-22.5			
	392	710,061	295	74.4	67.1-81.7	32	7.6	03.3-11.9	65	18.1	11.8-24.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 3: HEALTH CARE ACCESS
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	Yes, only one			More than one			No			
		WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	
Female	2999	2,283,277	2227	73.3	70.2-76.4	256	6.7	5.1-08.3	516	19.9	17.0-22.8
White/Non-Hisp.	2022	1,579,599	1577	77.8	74.5-81.1	191	7.4	5.4-09.4	254	14.8	11.9-17.7
Oth. Race/Non-Hisp.	156	145,103				11	4.9	0.1-08.6	45	22.7	13.1-32.3
Hispanic	731	474,735	482	58.1	49.5-66.7	47	5.3	0.2-08.4	202	36.6	27.8-45.4
25-34	345	519,511	213	59.9	50.9-68.9	20	4.0	0.1-06.9	112	36.1	27.1-45.1
35-44	418	432,655	288	73.0	66.3-79.7	35	7.8	0.3-11.9	95	19.2	13.5-24.9
45-54	588	376,155	431	79.2	74.5-83.9	47	6.2	0.3-08.9	110	14.6	10.5-18.7
55-64	567	319,488	420	79.9	74.6-85.2	49	7.6	0.4-10.9	98	12.4	07.9-16.9
65+	952	443,015	798	88.2	85.1-91.3	96	7.8	0.5-10.5	58	4.0	02.4-05.6
Less Than H.S. H.S. or G.E.D.	375	265,232				29	5.9	01.8-10.0			
Some Post-H.S.	859	578,635	634	74.2	68.3-80.1	63	6.1	02.6-09.6	162	19.7	14.4-25.0
College Graduate	928	703,113	725	79.2	74.7-83.7	76	6.3	03.8-08.8	127	14.5	10.6-18.4
Less than \$15,000	356	194,697				36	7.0	03.1-10.9			
\$15,000-\$24,999	506	298,589	361	71.0	63.6-78.4	40	4.9	02.7-07.1	105	24.0	16.6-31.4
\$25,000-\$34,999	357	226,585				24	6.2	00.0-14.0			
\$35,000-\$49,999	421	307,943	312	73.5	65.7-81.3	42	7.7	03.4-12.0	67	18.8	11.5-26.1
\$50,000-\$74,999	382	391,195	287	76.3	68.9-83.7	42	8.7	04.2-13.2	53	15.0	08.3-21.7
\$75,000+	478	524,267	378	78.9	73.0-84.8	39	7.1	03.8-10.4	61	14.0	08.7-19.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

TIME SINCE LAST ROUTINE CHECKUP

Survey Question:

About how long has it been since you last visited a doctor for a routine checkup?




Figure 20. Percentage of Arizona BRFSS respondents who reported how long since their last routine checkup in 2007.

In 2007, an estimated 34.8 percent of Arizona adults did not have a routine checkup in the past year. The following respondent groups were the least likely to have had a routine checkup in the last 12 months:

Gender: Males, 41.3 percent.

Age: 35 - 44 years old, 46.7 percent.

Marital Status: Never married, 48.9 percent.

Education: Less than high school, 47.2 percent.

Employment Status: Out of work, 51.2 percent.

Income: Less than \$25,000, 42.6 percent.

Race/Ethnicity: Hispanic, 45.9 percent.

Veteran Status: Non-veterans, 36.5 percent.

2007 Arizona BRFSS: Arizona Respondents Who Did Not Have A Routine Checkup In The Past Year					
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT
TOTAL	34.8	1,314			
SEX				EMPLOYMENT	
Male	41.3	576		Employed for wages	37.3
Female	28.4	738		Self-employed	45.4
AGE				Out of work	51.2
18-24	43.0	56		Homemaker	35.9
25-34	43.8	195		Student	44.5
35-44	46.7	243		Retired	16.3
45-54	31.0	292		Unable to work	30.2
55-64	29.3	297			
65+	14.3	231		INCOME	
MARITAL STATUS				<\$25,000	42.6
Married	33.5	713		\$25,000-\$34,999	38.8
Divorced	32.1	221		\$35,000-\$49,999	33.0
Widowed	17.8	118		\$50,000-\$74,999	32.9
Separated	27.3	33		\$75,000 or more	32.1
Never married	48.9	185			
Unmarried couple	42.3	40		RACE/ ETHNICITY	
EDUCATION				White, Non-Hispanic	30.4
Less than High School	47.2	170		Black, Non-Hispanic	31.7
High School Graduate/GED	35.0	377		Other race, Non-Hispanic	41.7
Some College/Tech School	33.7	364		Hispanic	45.9
College Grad	30.7	398			
				VETERAN STATUS	
				Yes	23.2
				No	36.5
					1,166

Table 20. BRFSS results: Respondents who did not have a routine checkup in the past year. **N is unweighted.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007

ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	1-12 months		1-2 years		2-5 years		5 or more years		N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)		
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)								
TOTAL	4683	4,512,343	3363	65.2	62.3-68.1	585	14.9	12.7-17.1	299	7.8	6.0-0.9-0.6	375	9.6	07.8-11.4	61	2.5	00.9-04.1
Male	1707	2,244,113	1131	58.8	53.9-63.7	239	18.0	14.3-21.7	131	9.1	06.0-12.2	173	10.4	07.7-13.1	33	3.7	00.8-06.6
Female	2976	2,268,230	2232	71.5	68.4-74.6	346	11.9	09.7-14.1	168	6.5	04.7-08.3	202	8.9	06.7-11.1	28	1.2	00.2-02.2
White/Non-Hisp	3212	3,035,091	2348	69.5	66.4-72.6	366	13.1	10.9-15.3	197	6.9	04.9-08.9	273	9.6	07.6-11.6	28	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	77	145,033	316,866	54.1	46.5-61.7	36	12.6	06.3-18.9	21	14.4	07.0-21.8	20	11.0	02.8-19.2	4	2.4	00.0-06.3
Oth. Race/Non-Hisp.	256	941,786	724	54.1	46.5-61.7	163	19.8	13.3-26.3	70	8.5	03.8-13.2	73	10.2	05.5-14.9	27	7.3	00.8-13.8
Hispanic	1057	1,021,082	328	56.1	48.3-63.9	72	15.4	09.7-21.1	52	7.8	04.3-11.3	21	14.6	05.2-24.0	1	0.6	00.0-01.8
18-24	155	389,197	388	53.4	46.7-60.1	121	19.6	14.1-25.1	55	13.6	08.3-18.9	51	10.3	06.6-14.0	16	3.2	00.4-12.2
25-34	524	889,837	618	69.5	64.4-74.6	128	16.5	12.0-21.0	63	6.0	03.8-08.2	88	7.2	04.7-09.7	9	0.8	00.0-01.6
35-44	631	768,633	667	70.8	65.7-75.9	122	13.7	09.8-17.6	61	5.2	02.7-07.7	88	9.1	06.0-12.2	14	1.1	00.1-02.1
45-54	952	611,356	1230	85.6	82.7-88.5	112	8.1	05.6-10.6	51	2.4	01.2-03.6	63	3.3	02.1-04.5	8	0.5	00.0-01.1
55-64	1464	800,030	541,357	66	16.3	07.3-25.3	43	10.3	05.2-15.4	46	11.1	04.8-17.4	16	9.4	00.0-19.6		
65+	1313	1,122,287	934	65.0	59.7-70.3	154	13.5	09.8-17.2	89	6.7	04.3-09.1	114	11.5	08.0-15.0	22	3.3	00.8-05.8
Less Than H.S.	1383	1,290,544	1017	66.2	60.7-71.7	169	16.3	12.0-20.6	82	9.4	04.7-14.1	105	7.6	05.1-10.1	10	0.5	00.1-00.9
H.S. or G.E.D.	1416	1,535,695	1018	69.4	64.9-73.9	193	14.5	11.2-17.8	85	6.6	04.2-09.0	108	8.3	05.6-11.0	12	1.2	00.2-02.2
Some Post-H.S.																	
College Graduate																	
Less than \$15,000	475	303,220	752	55.1	45.7-64.5	93	20.3	11.9-28.7	52	6.5	03.6-09.4	67	12.6	06.5-18.7	14	5.5	00.0-14.5
\$15,000-24,999	590,985	526	60.8	50.8-70.8	66	13.7	07.4-20.0	30	9.7	01.7-17.7	50	11.2	04.9-17.5	5	4.6	00.0-10.7	
\$25,000-34,999	451,520	515	67.0	60.3-73.7	85	13.4	08.5-18.3	53	7.6	03.9-11.3	54	9.6	05.3-13.9	11	2.3	00.5-04.1	
\$35,000-49,999	718	715,463	458	67.1	60.8-73.4	87	15.2	10.5-19.9	53	10.6	06.5-14.7	40	7.1	03.6-10.6			
\$50,000-74,999	638	1,241,606	622	67.9	62.2-73.6	132	14.5	10.8-18.2	46	7.5	03.2-11.8	59	8.6	05.3-11.9	11	1.5	00.1-02.9
\$75,000+	870																

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007

ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	1-12 months			1-2 years			2-5 years			5 or more years			Never				
		TOTAL	WEIGHTED	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%		
Male	1707	2,244	1,113	1131	56.8	53.9-63.7	239	18.0	14.3-21.7	131	9.1	6.0-12.2	173	10.4	07.7-13.1	33	3.7	00.8-06.6
White/Non-Hisp.	1208	1,460	960	846	67.0	61.9-72.1	148	15.3	11.6-19.0	78	6.8	03.3-10.3	123	9.8	06.7-12.9	13	1.1	00.3-01.9
Oth. Race/Non-Hisp. Hispanic	100	178	1084	16	9.4	03.3-15.5	34	13.6	04.8-22.4	36	12.0	04.4-19.6	3	3.9	00.0-11.0			
25-34	183	509	554	29	20.0	10.2-29.8	22	8.1	02.4-13.8	34	15.6	07.0-24.2						
35-44	215	461	394	43	22.6	13.4-31.8	27	18.2	09.0-27.4	23	10.1	04.6-15.6	12	5.5	00.6-10.4			
45-54	319	387	393	198	67.0	58.6-75.4	58	20.6	13.0-28.2	24	4.9	02.0-07.8	35	6.4	02.7-10.1	4	1.1	00.0-02.3
55-64	391	293	342	248	66.6	58.8-74.4	65	17.8	11.1-24.5	31	4.3	01.8-06.8	40	10.0	05.1-14.9	7	1.3	00.0-02.9
65+	521	356	837	438	85.4	80.5-90.3	33	8.4	03.9-12.9	18	2.3	00.7-03.9	28	3.0	01.6-04.4	4	0.9	00.0-02.3
Less Than H.S. H.S. or G.E.D.	187	276	717	288	55.8	47.2-64.4	60	18.0	11.3-24.7	41	8.2	03.9-12.5	23	12.8	02.8-22.8			
Some Post-H.S.	461	550	979	326	60.9	51.3-70.5	64	20.9	13.1-28.7	29	10.9	01.9-19.9	42	7.0	03.3-10.7	3	0.3	00.0-0.7
College Graduate	587	793	073	404	66.3	59.2-73.4	86	15.7	10.6-20.8	42	7.3	03.4-11.2	46	8.6	04.1-13.1	9	2.1	00.1-04.1
Less than \$15,000	123	108	581							11	11.5	01.9-21.1	22	8.9	02.0-15.8	4	1.7	00.0-03.9
\$15,000-24,999	254	299	622							24	7.8	02.5-13.1						
\$25,000-34,999	179	223	986										26	13.6	04.0-23.2			
\$35,000-49,999	298	342	789										30	9.7	04.0-15.4	7	3.2	00.1-06.3
\$50,000-74,999	260	339	204	181	63.1	53.1-73.1	39	19.1	10.9-27.3	25	10.8	04.5-17.1	15	7.0	01.7-12.3			
\$75,000+	391	709	487	272	65.6	57.0-74.2	56	15.2	09.5-20.9	25	8.8	01.7-15.9	29	7.9	03.2-12.6	9	2.6	00.2-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007

**ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR SECTION 3: HEALTH CARE ACCESS
A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	1-12 months			1-2 years			2-5 years			5 or more years			Never			
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
Female	2976	2,268,230	2232	71.5	68.4-74.6	346	11.9	9.7-14.1	168	6.5	4.7-8.3	202	8.9	6.7-11.1	28	1.2	0.2-02.2
White/Non-Hisp.	2004	1,574,132	1502	71.9	68.4-75.4	218	11.1	8.7-13.5	119	7.0	4.8-9.2	150	9.4	6.7-12.1	15	0.6	0.2-01.0
Oth. Race/Non-Hisp.	156	138,781							8	7.1	6.4-12.8	9	6.9	6.0-14.0	1	0.5	0.0-01.5
Hispanic	726	470,704	540	70.9	62.9-78.9	102	13.5	6.6-19.4	36	3.4	1.4-05.4	37	8.5	3.2-13.8	11	3.8	0.0-07.9
18-24	92	161,857							5	4.4	0.0-09.9				1	1.4	0.0-04.1
25-34	341	511,529	236	65.2	56.4-74.0	43	10.9	5.2-16.6	30	7.5	3.2-11.8	25	13.1	6.2-20.0	7	3.3	0.0-07.0
35-44	416	428,444	278	63.9	56.6-71.2	78	16.3	11.0-21.6	28	8.7	4.0-13.4	28	10.4	5.3-15.5	4	0.7	0.0-01.5
45-54	587	381,240	420	71.9	66.0-77.8	70	12.4	7.5-17.3	39	7.1	4.0-10.2	53	7.9	4.8-11.0	5	0.6	0.0-01.4
55-64	561	318,015	419	74.7	68.0-81.4	57	10.0	5.5-14.5	30	6.1	1.8-10.4	48	8.4	4.5-12.3	7	0.9	0.0-01.9
65+	943	443,193	792	85.9	82.2-89.6	79	7.8	4.9-10.7	33	2.6	0.0-04.2	35	3.6	0.8-05.4	4	0.2	0.0-00.4
Less Than H.S.	367	264,640				38	13.3	0.5-22.1	24	7.4	0.5-13.3	23	9.4	0.1-16.7	7	5.9	0.0-13.0
H.S. or G.E.D.	852	571,308	646	73.9	68.0-79.8	94	9.1	5.8-12.4	48	5.3	2.9-07.7	54	10.6	5.5-15.7	10	1.2	0.2-02.2
Some Post-H.S.	919	686,663	691	70.9	65.6-76.2	105	12.3	8.6-16.0	53	8.1	4.6-11.6	63	8.2	4.7-11.7	7	0.6	0.0-01.2
College Graduate	829	742,622	614	72.7	67.2-78.2	107	13.2	9.3-17.1	43	5.8	2.9-08.7	62	8.0	4.5-11.5	3	0.2	0.0-00.4
Less than \$15,000	352	194,640				34	7.7	0.4-12.0	21	4.3	0.1-07.6	34	11.7	0.3-20.3	8	6.2	0.0-13.5
\$15,000-24,999	498	291,363	367	72.1	65.0-79.2	58	12.4	6.7-18.1	28	5.1	2.2-08.0	40	9.8	5.3-14.3	5	0.6	0.0-01.2
\$25,000-34,999	357	227,534				37	10.1	0.4-15.8	14	7.2	0.0-15.0	24	8.9	0.7-17.1	2	0.1	0.0-00.3
\$35,000-49,999	420	308,211	312	72.2	64.4-80.0	51	11.2	6.3-16.1	29	5.8	2.7-08.9	24	9.5	3.0-16.0	4	1.3	0.0-02.7
\$50,000-74,999	378	376,258	277	70.7	62.9-78.5	48	11.7	6.6-16.8	28	10.4	4.7-16.1	25	7.2	2.3-12.1			
\$75,000+	479	532,119	350	70.9	64.2-77.6	76	13.7	9.0-18.4	21	5.8	0.2-10.5	30	9.4	0.4-14.3	2	0.1	0.0-00.3

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COULD NOT AFFORD NEEDED HEALTH CARE

Either lack of a health care insurance or inadequate coverage prevents many from getting required care because they are unable to pay for services without the help of insurance. People with health insurance are normally more likely to have a primary care provider and to receive necessary preventive care, such as immunizations, health screening tests, or prenatal care, immunizations.

Survey Question:

Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?




Figure 21. Percentage of Arizona BRFSS respondents who could not afford needed health care.

According to the 2007 BRFSS, 13.6 percent* of all respondents reported they could not afford needed health care.

* 95% Confidence Interval: 11.4%-15.8%.

The following respondent groups could not afford needed health care:

- Gender:** Females, 16.0 percent.
Age: 35 - 44 years old, 21.6 percent.
Marital Status: Separated, 22.5 percent.
Education: Less than high school, 27.3 percent.
Employment Status: Unable to work, 25.8 percent.
Income: <\$25,000, 26.3 percent.
Race/Ethnicity: Hispanic, 26.0 percent.
Veteran Status: Non-veterans, 14.7 percent.

2007 Arizona BRFSS: Arizona Respondents Who Could Not Afford Needed Health Care					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL		580			
SEX			EMPLOYMENT		
Male	11.1	169	Employed for wages	12.8	209
Female	16.0	411	Self-employed	18.9	78
			Out of work	19.4	41
AGE			Homemaker	20.5	82
18-24	13.2	30	Student	7.7	11
25-34	17.9	84	Retired	4.8	91
35-44	21.6	105	Unable to work	25.8	64
45-54	10.0	142			
55-64	12.5	143	INCOME		
65+	3.8	76	<\$25,000	26.3	273
			\$25,000-\$34,999	20.9	56
MARITAL STATUS			\$35,000-\$49,999	14.3	91
Married	13.3	298	\$50,000-\$74,999	10.7	58
Divorced	17.9	114	\$75,000 or more	3.7	31
Widowed	9.3	52			
Separated	22.5	30	RACE/ ETHNICITY		
Never married	14.5	71	White, Non-Hispanic	9.1	307
Unmarried couple	6.2	11	Black, Non-Hispanic	15.7	6
			Other race, Non-Hispanic	15.9	47
EDUCATION			Hispanic	26.0	211
Less than High School	27.3	130			
High School Graduate/GED	16.0	169	VETERAN STATUS		
Some College/Tech School	14.2	174	Yes	5.7	45
College Grad	6.7	105	No	14.7	534

Table 21. BRFSS results: Respondents who could not afford needed health care. **N is unweighted.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 3: HEALTH CARE ACCESS

WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No
	TOTAL	%	%
	WEIGHTED	C.I. (95%)	C.I. (95%)
TOTAL	4716	4,533,556	13.6
Male	1712	2,239,520	11.1
Female	3004	2,294,036	16.0
White/Non-Hisp	3231	3,039,004	9.1
Oth. Race/Non-Hisp.	257	322,997	42
Hispanic	1070	953,115	211
18-24	160	398,699	30
25-34	527	1,025,619	84
35-44	635	898,119	105
45-54	907	764,261	140
55-64	958	612,530	134
65+	1478	802,122	76
H.S. or G.E.D.	1322	1,133,289	169
Some Post-H.S.	1395	1,302,295	174
College Graduate	1421	1,534,083	105
Less than \$15,000	477	303,206	12.0
\$15,000- 24,999	761	598,834	153
\$25,000- 34,999	535	450,782	56
\$35,000- 49,999	721	652,698	91
\$50,000- 74,999	641	726,483	58
\$75,000+	872	1,237,973	31

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes			No			
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%
Male	1712	2,239,520	169	11.1	07.4-14.8	1543	88.9	85.2-92.6
White/Non-Hisp	1208	1,453,082	99	5.9	04.1-07.7	1109	94.1	92.3-95.9
18-24	65	229,381	14	7.7	01.4-14.0	51	92.3	86.0-98.6
45-54	319	382,410	38	6.5	03.8-09.2	281	93.5	90.8-96.2
55-64	392	293,271	40	8.4	03.9-12.9	352	91.6	87.1-96.1
65+	521	356,847	22	2.0	00.8-03.2	499	98.0	96.8-99.2
H.S. or G.E.D.	462	553,847	52	11.7	07.0-16.4	410	88.3	83.6-93.0
Some Post-H.S.	467	599,558	50	14.7	06.7-22.7	417	85.3	77.3-93.3
College Graduate	589	790,704	30	4.4	01.3-07.5	559	95.6	92.5-98.7
\$35,000-49,999	299	344,005	23	7.3	02.8-11.8	276	92.7	88.2-97.2
\$50,000-74,999	260	335,818	24	9.2	02.9-15.5	236	90.8	84.5-97.1
\$75,000+	392	705,077	10	1.8	00.4-03.2	382	98.2	96.8-99.6

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 3: HEALTH CARE ACCESS
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	Yes		% C.I. (95%)	No
				%	C.I. (95%)		
Female	3004	2,294,036	411	16.0	13.3-18.7	2593	84.0
White/Non-Hisp	2023	1,585,921	208	12.2	9.5-14.9	1815	87.8
Oth. Race/Non-Hisp.	157	145,853	24	16.1	8.1-24.1	133	83.9
Hispanic	734	477,808	165	26.5	19.1-33.9	569	73.5
25-34	344	518,981	60	19.8	12.7-26.9	284	80.2
35-44	418	435,398	78	23.1	15.8-30.4	340	76.9
45-54	588	381,851	102	11.8	8.5-15.1	486	88.2
55-64	566	319,259	94	16.1	10.8-21.4	472	83.9
65+	957	445,275	54	5.3	0.2-8.07.8	903	94.7
H.S. or G.E.D.	860	579,442	117	20.1	14.0-26.2	743	79.9
Some Post-H.S.	928	702,737	124	13.9	10.0-17.8	804	86.1
College Graduate	832	743,379	75	9.1	0.6-12.6	757	90.9
\$15,000-24,999	506	298,591	113	25.2	18.3-32.1	393	74.8
\$35,000-49,999	422	308,693	68	22.2	14.4-30.0	354	77.8
\$50,000-74,999	381	390,665	34	12.1	6.0-18.2	347	87.9
\$75,000+	480	532,896	21	6.2	0.2-5.99	459	93.8

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

APPENDICES

ARIZONA RESPONDENT PROFILE - 2007

ARIZONA RESPONDENT PROFILE BY YEAR, 2001-2007

RESPONDENT PROFILE BY REGION IN 2007

2007 ADDITIONAL SELECTED INDICATORS

2007 ARIZONA BRFSS QUESTIONS LISTING

2007 ARIZONA QUESTIONNAIRE

2007 BRFSS WEIGHTING FORMULA

2007 ARIZONA RESPONDENT PROFILE

2007 ARIZONA RESPONDENT PROFILE					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL		4,733	EMPLOYMENT		
SEX			Employed for wages	47.5	1,745
Male	49.6	1,723	Self-employed	10.4	446
Female	50.4	3,010	Out of work	5.4	170
AGE			Homemaker	9.4	494
18-24	15.1	162	Student	3.1	75
25-34	17.4	530	Retired	18.5	1,507
35-44	13.7	637	Unable to work	5.3	274
45-54	9.6	923	INCOME		
55-64	8.0	998	<\$25,000	19.8	1,244
65+	25.8	1,483	\$25,000-\$34,999	9.9	539
MARITAL STATUS			\$35,000-\$49,999	14.4	722
Married	63.7	2,685	\$50,000-\$74,999	16.1	643
Divorced	8.9	714	\$75,000 or more	27.3	873
Widowed	6.5	622	RACE/ ETHNICITY		
Separated	1.9	116	White, Non-Hispanic	67.1	3,242
Never married	14.2	468	Black, Non-Hispanic	3.2	77
Unmarried couple	4.4	110	Other race, Non-Hispanic	8.0	296
EDUCATION			Hispanic	20.9	1,073
Less than High School	11.9	566	VETERAN STATUS		
High School Graduate/GED	25.0	1,328	Yes	12.5	722
Some College/Tech School	28.8	1,399	No	87.4	4,007
College Grad	33.8	1,423			

Source: 2007 Arizona BRFSS Sample. Weighted percent is percent of total sample. *N is unweighted.

2002 – 2007 ARIZONA RESPONDENT PROFILE BY YEAR *

GROUPS	2002	2003	2004	2005	2006	2007
<u>Sex</u>						
Male	49.3	49.4	49.5	49.5	49.5	49.6
Female	50.7	50.6	50.5	50.5	50.5	50.4
<u>Age</u>						
18-24	13.8	12.7	13.6	13.5	12.4	8.8
25-34	19.1	19.2	19.1	19.4	20.4	22.7
35-44	19.7	19.6	19.3	19.1	18.8	19.7
45-54	17.2	16.5	17.4	17.3	17.3	17.4
55-64	12.5	12.7	12.8	13.1	13.4	13.7
65+	17.6	18.4	17.7	17.7	17.7	17.7
<u>Education</u>						
Less than High School	8.2	9.9	14.0	12.4	11.8	11.9
High School Graduate or GED	28.4	27.1	26.7	26.5	24.7	25.0
Some College or Tech School	32.4	31.7	27.6	30.2	28.9	28.8
College Grad	30.9	31.0	21.6	30.8	33.9	33.8
<u>Income</u>						
< \$15,000	7.3	9.3	7.8	8.8	8.3	6.7
\$15,000-\$24,999	15.6	16.0	17.2	15.6	13.2	13.2
\$25,000-\$34,999	13.0	11.3	12.0	10.9	10.5	9.9
\$35,000-\$49,999	15.5	16.8	16.0	15.2	12.6	14.4
≥\$50,000	34.8	35.3	32.5	35.1	40.8	43.4
Unknown/Refused	7.8	11.2	14.5	14.3	14.6	12.5
<u>Race</u>						
White	75.3	70.6	69.5	68.9	68.4	67.1
Non-White	23.8	28.4	29.9	31.1	30.3	32.1
<u>Ethnicity</u>						
Hispanic	14.3	20.7	22.3	23.7	23.3	20.9
Non-Hispanic	85.3	78.8	77.5	76.3	76.5	78.8
Total	3,227	3,235	4,719	4,710	4,814	4,733

* Weighted percentages

2007 RESPONDENT PROFILE BY REGION

(UNWEIGHTED N)

GROUPS	1	2	3	4	5	6	7	8
<u>Sex</u>								
Male	327	270	200	219	163	174	167	203
Female	562	479	298	346	317	286	361	361
<u>Age</u>								
18-24	32	26	19	15	12	15	17	26
25-34	106	78	63	50	59	39	66	69
35-44	159	87	77	46	56	52	79	81
45-54	197	150	110	106	76	77	120	87
55-64	162	164	103	147	108	103	110	101
65+	233	244	126	201	169	174	136	200
<u>Education</u>								
Less than High School	73	56	44	69	67	44	101	112
High School Graduate or GED	207	180	150	184	159	124	150	174
Some College or Tech School	263	228	153	180	143	151	129	152
College Grad	344	283	150	132	107	139	144	124
<u>Income</u>								
< \$15,000	56	64	41	72	47	45	78	78
\$15,000-\$24,999	113	94	67	104	94	87	103	101
\$25,000-\$34,999	78	87	66	61	59	48	63	77
\$35,000-\$49,999	126	117	85	93	69	66	82	84
≥\$50,000	405	268	165	151	133	132	122	140
Unknown/Refused	111	119	74	84	78	82	80	84
<u>Race</u>								
White	657	570	334	480	354	339	172	336
Non-White	227	166	155	80	121	120	354	223
<u>Ethnicity</u>								
Hispanic	136	117	50	51	91	87	341	200
Non-Hispanic	752	627	443	512	386	373	185	361
Total	889	749	498	565	480	460	528	564

Regions 1: Maricopa; 2: Pima; 3: Apache, Coconino, and Navajo; 4: Gila, La Paz, Mohave, and Yavapai; 5: Graham, Greenlee, and Pinal; 6: Cochise; 7: Santa Cruz; and 8: Yuma.

2007 ADDITIONAL SELECTED INDICATORS

	<u>Page #</u>
HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD?	151
HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD?	152
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES?.....	153
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES.....	154
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE.....	155
ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE?.....	156
HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED?.....	157
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?.....	158
HAVE YOU EVER BEEN TOLD THAT YOUR BLOOD CHOLESTEROL IS HIGH?.....	159
DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE?	160
HAVE YOU EVER HAD A PNEUMONIA SHOT?	161
HAVE YOU EVER RECEIVED THE HEPATITIS B VACCINE?	162
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE?	163
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL?	164
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING?	165
DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE?	166
HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK?	167
HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS	168
ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS?.....	169
WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO?	170
HAVE YOU EVER BEEN TESTED FOR HIV?	171
HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED?	172
IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE?.....	173
IN THE PAST 30 DAYS, DID YOU HAVE DIARRHEA THAT BEGAN WITHIN THE 30 DAY PERIOD?	174
HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA?.....	175
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES?	176
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR?.....	177
HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES?	178
HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"?	179

2007 ADDITIONAL SELECTED INDICATORS (CONT)

Page

HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT?.....	180
WAS YOUR MOST RECENT EXAMINATION CALLED A SIGMOIDOSCOPY OR A COLONOSCOPY?.....	181
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY?.....	182
HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD THAT YOU HAD ASTHMA?.....	183
DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA?	184
DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA?	185
HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA?	186
THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY?	187
ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB	188
ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE	189
CHOLESTEROL CHECK WITHIN PAST FIVE YEARS	190
ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD THAT IT WAS HIGH	191
FOUR-LEVEL SMOKER STATUS.....	192
WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME?	193
WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME?	194
WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORK'S OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS?	195
WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORK'S OFFICIAL SMOKING POLICY FOR WORK AREAS?	196
IS YOUR HOME HEATED WITH A FURNACE OR BOILER THAT BURNS OIL, GAS, COAL, OR OTHER FUEL?	197
DOES YOUR HOME HAVE ANY OF THE FOLLOWING APPLIANCES POWERED BY NATURAL GAS: A STOVE, AN OVEN, A WATER HEATER, OR A CLOTHES DRYER?	198
DO YOU HAVE A CO DETECTOR IN YOUR HOME?	199
DO YOU CURRENTLY HAVE MOLD IN YOUR HOME ON AN AREA GREATER THAN THE SIZE OF A DOLLAR BILL?	200
DO YOU HAVE ANY KIND OF INSURANCE COVERAGE THAT PAYS FOR SOME OR ALL OF YOUR ROUTINE DENTAL CARE?	201
HAVE YOU EVER HAD DENTAL WORK DONE IN ANOTHER COUNTRY?	202
IN WHAT COUNTRY/COUNTRIES DID YOU HAVE THE DENTAL WORK DONE?	203
IN WHAT COUNTRY/COUNTRIES DID YOU HAVE THE DENTAL WORK DONE (SECOND PART)?.....	204
AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION?.....	205
AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION?.....	206

2007 ADDITIONAL SELECTED INDICATORS (CONT)

	<u>Page #</u>
(DO YOU THINK) SUDDEN CONFUSION OR TROUBLE SPEAKING (ARE SYMPTOMS OF A STROKE?).....	207
(DO YOU THINK) SUDDEN NUMBNESS OR WEAKNESS OF FACE, ARM, OR LEG, ESPECIALLY ON ONE SIDE, (ARE SYMPTOMS OF A STROKE?).....	208
(DO YOU THINK) SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES (ARE SYMPTOMS OF A STROKE?).....	209
(DO YOU THINK) SUDDEN CHEST PAIN OR DISCOMFORT (ARE SYMPTOMS OF A STROKE?).....	210
(DO YOU THINK) SUDDEN TROUBLE WALKING, DIZZINESS, OR LOSS OF BALANCE (ARE SYMPTOMS OF A STROKE?)	211
(DO YOU THINK) SEVERE HEADACHE WITH NO KNOWN CAUSE (ARE SYMPTOMS OF A STROKE?).....	212
IF YOU THOUGHT SOMEONE WAS HAVING A HEART ATTACK OR A STROKE, WHAT IS THE FIRST THING YOU WOULD DO?.....	213
DO YOU CURRENTLY TAKE ANY MULTIVITAMINS OR SUPPLEMENTS THAT CONTAIN FOLIC ACID?	214
SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B-VITAMIN FOLIC ACID EVERY DAY. THEY RECOMMEND THIS FOR WHICH ONE OF THE FOLLOWING REASONS?	215
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE OSTEOPOROSIS?	216
HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS?	217
HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PREDIABETES OR BORDERLINE DIABETES?.....	218
HAS ANYONE EVER HAD SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT THEM TO OR WITHOUT YOUR CONSENT?	219
HAS ANYONE EVER ATTEMPTED TO HAVE SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT, BUT SEX DID NOT OCCUR?.....	220
HAS AN INTIMATE PARTNER EVER THREATENED YOU WITH PHYSICAL VIOLENCE?.....	221
HAS AN INTIMATE PARTNER EVER ATTEMPTED PHYSICAL VIOLENCE AGAINST YOU?.....	222
HAS AN INTIMATE PARTNER EVER HIT, SLAPPED, PUSHED, KICKED, OR HURT YOU IN ANY WAY?.....	223
HAVE YOU EVER EXPERIENCED ANY UNWANTED SEX BY A CURRENT OR FORMER INTIMATE PARTNER?.....	224

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS
YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	TOTAL	WEIGHTED	None		1-2 days		3-7 days		8-29 days		30 days		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	
TOTAL	4642	4,482,040	2962	66.8	64.1-69.5	423	10.7	08.9-12.5	461	8.9	07.3-10.5	393	7.6	06.0-09.2
Male	1693	2,221,726	1172	70.4	66.1-74.7	146	10.6	07.7-13.5	123	7.0	04.8-09.2	107	6.1	03.6-08.6
Female	2949	2,260,314	1790	63.3	60.2-66.4	277	10.8	08.8-12.8	338	10.8	08.8-12.8	286	9.1	07.1-11.1
White/Non-Hisp	3187	3,017,853	1998	64.9	61.8-68.0	303	12.4	10.0-14.8	329	9.5	07.7-11.3	268	6.5	05.1-07.9
Black or Afr. Am./Non-Hisp	73	135,448				8	4.9	00.0-10.2	4	2.7	00.0-05.8			
Oth. Race/Non-Hisp.	245	310,003				31	12.6	05.9-19.3	26	12.2	03.8-20.6	18	6.6	01.5-11.7
Hispanic	1056	945,623	713	72.1	65.6-78.6	74	6.0	03.1-08.9	95	7.2	04.3-10.1	89	10.8	05.3-16.3
18-24	158	391,275				13	12.5	02.5-22.5	20	11.3	03.5-19.1	9	6.6	00.3-12.9
25-34	524	1,021,266	379	74.9	68.6-81.2	63	14.3	09.2-19.4	45	6.3	03.2-09.4	25	2.4	00.8-04.0
35-44	628	886,605	402	63.3	56.6-70.0	58	7.8	04.9-10.7	72	11.7	07.8-15.6	61	14.1	08.0-20.2
45-54	899	767,905	581	67.7	62.6-72.8	105	12.5	08.8-16.2	83	8.6	05.5-11.7	63	5.8	03.6-08.0
55-64	944	595,796	563	60.5	55.0-66.0	91	11.3	07.6-15.0	82	8.9	05.8-12.0	94	8.9	06.2-11.6
65+	1440	787,213	893	64.7	60.6-68.8	88	6.4	04.2-08.6	154	8.3	06.1-10.5	136	8.5	06.0-11.0
Less Than H.S.	543	532,672	320	66.8	57.4-76.2	33	9.4	02.1-16.7	49	5.7	02.4-09.0	55	6.8	03.1-10.5
H.S. or G.E.D.	1299	1,108,665	845	69.5	64.8-74.2	97	7.1	04.4-09.8	130	9.6	06.5-12.7	107	7.3	04.6-10.0
Some Post-H.S.	1374	1,287,284	843	60.8	55.7-65.9	136	12.4	09.1-15.7	150	10.7	07.8-13.6	132	10.5	06.4-14.6
College Graduate	1411	1,531,205	943	69.5	65.2-73.8	155	12.4	09.3-15.5	131	8.2	05.8-10.6	99	5.8	03.8-07.8
Less than \$15,000	470	300,708				28	4.2	01.5-06.9	54	10.1	04.6-15.6	76	15.8	09.3-22.3
\$15,000-24,999	746	587,676	437	62.6	54.6-70.6	40	6.5	02.6-10.4	94	10.5	06.8-14.2	84	10.6	04.7-16.5
\$25,000-34,999	528	433,333	354	64.6	54.6-74.6	41	11.6	04.5-18.7	51	8.5	03.4-13.6	39	10.1	01.7-18.5
\$35,000-49,999	709	642,253	485	71.7	65.8-77.6	71	10.1	06.2-14.0	65	8.7	04.6-12.8	53	6.2	03.5-08.9
\$50,000-74,999	639	728,545	439	71.3	65.4-77.2	87	11.8	07.9-15.7	52	8.6	04.7-12.5	36	4.9	02.0-07.8
\$75,000+	873	1,244,618	608	69.1	63.8-74.4	103	15.4	10.9-19.9	80	7.2	04.8-09.6	50	5.0	02.8-07.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED N	None		1-2 days		3-7 days		8-29 days		30 days							
			%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%						
TOTAL	4657	4,498,323	3135	64.8	62.1-67.5	435	10.9	08.9-12.9	448	11.3	09.3-13.3	384	8.0	06.6-09.4	255	5.0	03.8-06.2	
Male	1697	2,225,851	1244	68.0	63.5-72.5	136	9.9	06.4-13.4	137	10.6	07.5-13.7	107	7.1	05.1-09.1	73	4.4	02.4-06.4	
Female	2960	2,272,472	1891	61.7	58.4-65.0	299	11.8	09.6-14.0	311	12.0	09.6-14.4	277	8.9	07.1-10.7	182	5.5	03.9-07.1	
White/Non-Hisp	3206	3,030,407	2164	64.2	61.1-67.3	301	9.9	08.1-11.7	296	11.4	09.0-13.8	272	8.9	07.1-10.7	173	5.5	03.9-07.1	
Black or Afr. Am./Non-Hisp	73	143,389		5	2.7	00.0-05.8			4	2.1	00.0-04.5		2	1.9	00.0-05.2			
Oth. Race/Non-Hisp.	250	312,100		36	18.9	09.3-28.5			35	13.8	05.8-21.8		23	7.1	02.2-12.0	15	5.6	01.5-09.7
Hispanic	1050	940,136	727	68.6	61.2-76.0	86	13.0	05.9-20.1	100	8.2	04.5-11.9	80	6.7	03.8-09.6	57	3.4	01.6-05.2	
18-24	157	390,967		20	9.2	01.9-16.5			26	11.5	03.9-19.1		16	10.6	03.3-17.9	9	5.6	00.0-11.7
25-34	522	1,019,511	323	60.4	52.6-68.2	60	13.9	07.6-20.2	68	14.6	08.9-20.3	45	6.4	03.3-09.5	26	4.7	01.4-08.0	
35-44	628	887,850	367	57.4	50.9-63.9	77	13.0	07.9-18.1	74	14.6	09.9-19.3	75	9.7	06.4-13.0	35	5.1	02.6-07.6	
45-54	897	766,179	579	66.4	61.1-71.7	101	11.0	07.9-14.1	92	10.7	07.2-14.2	74	6.9	04.4-09.4	51	5.1	02.4-07.8	
55-64	945	606,571	618	66.1	60.8-71.4	91	11.0	07.5-14.5	79	8.8	05.7-11.9	81	7.9	05.0-10.8	76	6.2	03.8-08.6	
65+	1460	796,217	1128	76.5	72.8-80.2	81	5.5	03.7-07.3	104	6.1	04.1-08.1	91	8.2	05.5-10.9	56	3.7	02.1-05.3	
Less Than H.S. H.S. or G.E.D.	538	531,998	898	64.2	58.9-69.5	96	7.3	04.8-09.8	49	6.6	03.1-10.1	54	9.9	05.2-14.6	47	8.2	03.9-12.5	
Some Post-H.S.	1378	1,290,006	892	64.6	59.7-69.5	145	13.5	09.6-17.4	133	9.1	06.2-12.0	126	9.5	06.8-12.2	82	3.3	02.1-04.5	
College Graduate	1413	1,531,948	973	65.3	60.6-70.0	163	11.3	08.6-14.0	138	13.6	09.9-17.3	98	6.4	04.2-08.6	41	3.3	01.3-05.3	
Less than \$15,000	465	289,322		38	12.3	05.2-19.4			56	11.7	06.2-17.2	53	7.8	04.3-11.3	64	15.4	09.1-21.7	
\$15,000-24,999	748	590,248	480	58.0	48.8-67.2	61	16.5	06.5-26.5	79	9.6	06.3-12.9	80	10.7	06.6-14.8	48	5.2	02.8-07.6	
\$25,000-34,999	533	450,023	367	63.7	54.1-73.3	53	10.3	04.8-15.8	52	11.5	04.1-18.9	33	9.2	03.1-15.3	28	5.3	01.0-09.6	
\$35,000-49,999	715	646,422	490	65.3	58.4-72.2	58	7.5	04.6-10.4	83	15.7	09.4-22.0	59	7.5	04.6-10.4	25	4.0	00.7-07.3	
\$50,000-74,999	642	731,122	434	65.3	58.8-71.8	78	11.5	07.6-15.4	57	11.8	06.9-16.7	49	7.5	04.0-11.0	24	3.9	01.2-06.6	
\$75,000+	869	1,241,837	628	71.0	65.9-76.1	97	10.5	07.4-13.6	64	9.1	06.0-12.2	56	5.7	03.5-07.9	24	3.8	01.1-06.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA CORE QUESTIONS DATA REPORT, 2007

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED N	None			1-2 days			3-7 days			8-29 days			30 days			
			%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	2383	2,286,550	1339	62.7	59.0-66.4	254	10.9	08.5-13.3	279	10.0	07.8-12.2	282	9.6	07.2-12.0	229	6.8	05.2-08.4	
Male	756	1,051,620	426	65.5	59.2-71.8	78	9.1	05.8-12.4	86	9.2	05.7-12.7	79	8.9	04.6-13.2	88	7.3	04.6-10.0	
Female	1627	1,234,930	913	60.3	56.0-64.6	176	12.5	09.4-15.6	194	10.7	08.2-13.2	203	10.2	07.7-12.7	141	6.3	04.5-08.1	
White/Non-Hisp	1656	1,587,523	900	60.7	56.4-65.0	176	12.4	09.5-15.3	204	10.1	07.7-12.5	205	9.1	06.7-11.5	171	7.8	05.6-10.0	
Oth. Race/Non-Hisp.	149	183,689	21	44.5	40.9-24.1	10	3.6	00.3-06.9	14	6.4	02.1-10.7	13	4.4	01.1-07.7				
Hispanic	504	430,454	310	70.6	61.0-80.2	48	4.5	02.1-06.9	54	7.6	03.5-11.7	56	13.4	05.0-21.8	36	3.9	01.5-06.3	
18-24	91	196,180	67	86.1	76.9-95.3	8	2.5	00.0-05.0	6	3.2	00.0-06.9	6	6.1	00.0-13.5	4	2.2	00.0-04.9	
25-34	259	523,060	166	69.6	60.4-78.8	42	17.7	10.4-25.0	31	7.3	03.0-11.6	18	5.2	00.7-09.7	2	0.2	00.0-00.6	
35-44	349	501,678	196	58.8	49.8-67.8	45	7.9	04.2-11.6	53	17.7	10.8-24.6	35	11.2	03.9-18.5	20	4.3	01.6-07.0	
45-54	455	358,622	241	49.9	42.1-57.7	56	17.9	11.2-24.6	53	10.7	06.0-15.4	52	9.9	06.2-13.6	53	11.7	05.8-17.6	
55-64	521	338,548	261	61.4	54.3-68.5	58	8.0	04.5-11.5	54	6.2	03.7-08.7	81	13.2	08.1-18.3	67	11.1	06.2-16.0	
65+	689	353,002	397	58.6	52.3-64.9	43	5.9	03.4-08.4	81	10.4	06.7-14.1	87	12.2	07.9-16.5	81	12.9	08.2-17.6	
Less Than H.S.	291	274,374		23	5.2	01.3-09.1	27	6.4	02.3-10.5	49	16.2	07.2-25.2	47	8.9	04.6-13.2			
H.S. or G.E.D.	662	566,501	386	66.6	59.7-73.5	53	6.7	03.4-10.0	77	9.3	05.0-13.6	71	8.6	05.3-11.9	75	8.8	04.9-12.7	
Some Post-H.S.	742	705,834	407	58.9	52.0-65.8	81	13.4	09.1-17.7	96	10.7	06.8-14.6	91	10.5	05.4-15.6	67	6.5	03.8-09.2	
College Graduate	681	738,107	397	63.1	56.6-69.6	95	13.9	09.2-18.6	79	11.3	07.2-15.4	70	7.0	03.5-10.5	40	4.7	02.3-07.1	
Less than \$15,000	314	197,106		21	5.1	01.8-08.4	31	6.3	01.6-11.0	63	23.8	15.0-32.6	66	20.8	13.4-28.2			
\$15,000-24,999	419	325,085	224	65.0	55.0-75.0	33	7.0	02.9-11.1	50	6.8	03.7-09.9	58	12.8	06.3-19.3	54	8.4	04.7-12.1	
\$25,000-34,999	264	243,976		23	7.3	00.6-14.0	23	9.1	01.7-16.5	36	6.5	03.2-09.8	33	5.9	03.2-08.6	19	4.6	00.0-09.9
\$35,000-49,999	342	311,805	201	64.2	54.8-73.6	52	17.4	10.3-24.5	44	14.0	07.5-20.5	48	15.0	07.9-22.1	29	7.8	02.9-12.7	
\$50,000-74,999	305	356,756	172	60.9	51.5-70.3	44	10.0	06.1-13.9	56	13.4	07.7-19.1	50	10.0	06.1-13.9	26	5.1	01.0-09.2	
\$75,000+	396	566,265	243	67.9	60.5-75.3										21	3.7	01.3-06.1	

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 4: EXERCISE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4727	4,548,952	3501	77.6	75.2-80.0	1226	22.4	20.0-24.8
Male	1719	2,254,343	1302	78.7	75.0-82.4	417	21.3	17.6-25.0
Female	3008	2,294,608	2199	76.5	73.6-79.4	809	23.5	20.6-26.4
White/Non-Hisp	3238	3,052,628	2480	81.3	79.1-83.5	758	18.7	16.5-20.9
Oth. Race/Non-Hisp.	258	324,696	181	73.7	64.3-83.1	77	26.3	16.9-35.7
Hispanic	1072	953,014	717	67.3	60.4-74.2	355	32.7	25.8-39.6
25-34	530	1,031,417	422	82.9	77.4-88.4	108	17.1	11.6-22.6
35-44	634	897,116	493	80.7	75.2-86.2	141	19.3	13.8-24.8
45-54	909	770,923	689	76.5	71.4-81.6	220	23.5	18.4-28.6
55-64	939	612,491	700	70.6	65.5-75.7	259	29.4	24.3-34.5
65+	1482	803,591	1033	72.6	68.7-76.5	449	27.4	23.5-31.3
Less Than H.S.	564	542,628	320	65.8	56.8-74.8	244	34.2	25.2-43.2
H.S. or G.E.D.	1328	1,136,894	900	69.8	64.9-74.7	428	30.2	25.3-35.1
Some Post-H.S.	1396	1,309,136	1052	77.0	72.7-81.3	344	23.0	18.7-27.3
College Graduate	1422	1,537,834	1217	88.8	86.1-91.5	205	11.2	8.5-13.9
Less than \$15,000	481	304,074	275	62.6	53.0-72.2	206	37.4	27.8-47.0
\$15,000- 24,999	762	598,987	484	66.0	58.4-73.6	278	34.0	26.4-41.6
\$25,000- 34,999	559	452,062	400	75.0	65.6-84.4	139	25.0	15.6-34.4
\$35,000- 49,999	721	652,728	557	75.6	69.7-81.5	164	24.4	18.5-30.3
\$50,000- 74,999	642	731,056	527	81.1	75.8-86.4	115	18.9	13.6-24.2
\$75,000+	872	1,244,445	767	91.3	88.6-94.0	105	8.7	6.0-11.4

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 6: HYPERTENSION AWARENESS

HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes %	C.I. (95%)	Yes, during pregnancy %	C.I. (95%)	No %	C.I. (95%)	Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4,721	4,542,838	1602	24.8	22.6-27.0	37	1.0	0.4-01.6	3049	73.7	71.5-75.9
Male	1718	2,249,145	630	26.0	22.5-29.5				1074	73.6	70.1-77.1
Female	3003	2,293,693	972	23.6	21.1-26.1	37	1.9	0.7-03.1	1975	73.9	71.2-76.6
White/Non-Hisp	3234	3,050,170	1189	28.8	26.1-31.5	25	0.7	0.3-01.1	1994	69.9	67.2-72.6
Oth. Race/Non-Hisp.	259	325,254	69	18.1	09.5-26.7	2	0.9	0.0-02.3	185	80.3	71.7-88.9
Hispanic	1070	952,939	282	14.0	10.3-17.7	10	2.2	0.0-04.7	775	83.8	79.5-88.1
18-24	162	401,208	12	7.9	0.8-15.0	4	0.3	0.0-00.7	146	91.8	84.7-98.9
25-34	530	1,031,417	38	6.5	0.2-10.2	11	1.8	0.0-04.0	478	91.6	87.5-95.7
35-44	635	893,903	94	13.8	09.5-18.1	10	2.1	0.0-03.9	529	84.0	79.5-88.5
45-54	907	770,635	237	23.7	18.8-28.6	2	0.4	0.0-01.2	662	75.2	70.3-80.1
55-64	959	612,552	394	46.1	40.4-51.8	4	0.2	0.0-00.4	553	52.4	46.7-58.1
65+	1478	801,045	807	53.9	49.6-58.2	6	0.1	0.0-1.0.1	651	45.2	40.9-49.5
Less Than H.S.	565	543,785	215	17.7	12.6-22.8	5	3.0	0.0-07.1	341	78.8	72.3-85.3
H.S. or G.E.D.	1321	1,131,261	480	29.4	24.7-34.1	5	0.1	0.0-00.1	827	70.0	65.1-74.9
Some Post-H.S.	1388	1,309,536	482	25.2	21.5-28.9	11	1.1	0.0-02.1	896	73.4	69.5-77.3
College Graduate	1420	1,535,797	424	24.0	20.3-27.7	16	0.8	0.0-01.4	969	74.6	70.9-78.3
Less than \$15,000	481	304,074	209	27.7	20.3-35.1	3	1.7	0.0-04.8	266	69.9	61.9-77.9
\$15,000-24,999	760	598,541	292	28.7	22.4-35.0	2	0.1	0.0-00.3	460	70.9	64.4-77.4
\$25,000-34,999	537	451,785	187	25.8	18.5-33.1	5	0.3	0.0-00.7	341	73.6	66.3-80.9
\$35,000-49,999	721	653,136	233	28.1	22.2-34.0	6	1.5	0.0-03.1	477	70.2	64.1-76.3
\$50,000-74,999	643	731,152	187	20.3	15.6-25.0	6	0.6	0.0-01.4	449	79.1	74.4-83.8
\$75,000+	873	1,244,618	225	21.2	16.9-25.5	10	0.6	0.0-01.2	632	77.5	73.2-81.8

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 6: HYPERTENSION AWARENESS

ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1597	1,125,689	1331	77.4	72.9-81.9	266	22.6	18.1-27.1
Male	629	585,381	497	70.6	63.2-78.0	132	29.4	22.0-36.8
Female	968	540,308	834	84.7	80.6-88.8	134	15.3	11.2-19.4
White/Non-Hisp	1187	877,951	999	80.2	75.7-84.7	188	19.8	15.3-24.3
45-54	236	182,733	171	72.7	62.9-82.5	65	27.3	17.5-37.1
55-64	392	281,469	323	85.7	80.8-90.6	69	14.3	09.4-19.2
65+	805	431,402	751	94.0	91.1-96.9	54	6.0	03.1-08.9
Less Than H.S.	214	95,354	184	83.2	74.8-91.6	30	16.8	08.4-25.2
Some Post-H.S.	481	329,946	397	80.7	74.2-87.2	84	19.3	12.8-25.8
College Graduate	422	368,222	340	74.1	66.3-81.9	82	25.9	18.1-33.7
\$15,000-24,999	292	171,914	252	79.6	70.6-88.6	40	20.4	11.4-29.4
\$35,000-49,999	233	183,396	190	83.7	76.3-91.1	43	16.3	08.9-23.7

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes %	C.I. (95%)	N	No %	C.I. (95%)
	TOTAL	WEIGHTED				
TOTAL	4650	4,442,932	3791	75.1	72.2-78.0	859
Male	1689	2,189,440	1377	73.0	68.1-77.9	312
Female	2961	2,253,492	2414	77.1	73.8-80.4	547
White/Non-Hisp	3189	2,986,688	2834	84.0	81.3-86.7	355
Hispanic	1056	926,415	662	52.1	44.5-59.7	394
25-34	515	997,525	290	54.0	46.2-61.8	225
35-44	624	888,974	447	71.4	64.9-77.9	177
45-54	893	747,602	740	87.8	84.1-91.5	153
55-64	952	610,633	859	92.3	89.6-95.0	93
65+	1467	798,713	1358	95.1	93.5-96.7	109
Less Than H.S.	555	538,633	340	43.6	33.6-53.6	
H.S. or G.E.D.	1301	1,084,754	1020	74.1	69.2-79.0	281
Some Post-H.S.	1371	1,278,297	1161	79.4	74.5-84.3	210
College Graduate	1407	1,518,973	1257	84.0	79.7-88.3	150
\$15,000-24,999	744	590,379	565	62.2	52.2-72.2	179
\$25,000-34,999	523	430,147	415	70.3	60.3-80.3	
\$35,000-49,999	717	649,707	579	72.5	65.2-79.8	138
\$50,000-74,999	635	718,746	550	79.5	73.0-86.0	85
\$75,000+	866	1,216,146	778	86.4	82.3-90.5	88

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 7: CHOLESTEROL AWARENESS

ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)
 Denominator excludes: Respondents who reported not having their blood cholesterol checked
 Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	< 1 Year			1 - < 2 Years			2 - < 5 Years			>= 5 Years				
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	
TOTAL	3,303,001	2919	73.0	70.3-75.7	417	15.5	13.1-17.9	251	7.5	05.7-09.3	154	4.0	02.8-05.2		
Male	1,581,845	1038	71.5	67.0-76.0	161	16.5	12.8-20.2	92	6.9	04.2-09.6	71	5.1	02.7-07.5		
Female	1,721,155	1881	74.5	71.2-77.8	256	14.6	11.9-17.3	159	8.0	05.8-10.2	83	3.0	02.0-04.0		
White/Non-Hisp	2,484,364	2171	73.1	70.0-76.2	312	14.4	11.9-16.9	194	8.2	06.0-10.4	127	4.3	03.1-05.5		
Black or Afr. Am./Non-Hisp	98,761	181,058	133	81.5	72.3-90.7	15	12.2	04.0-20.4	6	3.2	00.1-06.3	7	3.1	00.0-06.8	
Oth. Race/Non-Hisp.															
Hispanic	647	479,417	516	76.5	69.6-83.4	70	18.0	11.5-24.5	43	4.8	02.3-07.3	18	0.7	00.3-01.1	
18-24	57	161,397	194	67.9	59.3-76.5	48	18.5	11.6-25.4	27	8.7	03.8-13.6	1	0.4	00.0-01.2	
25-34	287	527,952	281	59.5	52.4-66.6	91	25.2	18.7-31.7	55	10.7	06.4-15.0	16	4.6	01.3-07.9	
35-44	443	633,662	529	71.2	65.7-76.7	90	12.9	08.8-17.0	67	10.0	06.3-13.7	46	5.8	03.1-08.5	
45-54	732	652,859	660	75.9	70.6-81.2	105	15.3	10.8-19.8	47	4.7	02.0-07.4	41	4.0	01.6-06.4	
55-64	853	562,512	1186	90.1	87.4-92.8	70	5.9	03.5-08.3	45	1.9	01.1-02.7	32	2.1	00.7-03.5	
65+	1333	744,655	231,090	812	76.0	70.7-81.3	102	16.0	11.1-20.9	61	5.4	03.0-07.8	13	2.3	00.0-05.2
Less Than H.S.	326	H.S. or G.E.D.	801,909	887	72.6	67.7-77.5	134	16.6	12.3-20.9	74	7.0	04.3-09.7	39	2.6	01.4-03.8
Some Post-H.S.	1140	994,593	945	71.0	66.5-75.5	153	15.1	11.6-18.6	94	8.4	05.7-11.1	45	3.7	01.7-05.7	
College Graduate	1249	1,271,290	267	77.8	70.7-84.9	29	11.6	05.7-17.5	29	6.8	03.1-10.5	57	5.5	03.0-08.0	
Less than \$15,000	341	\$15,000-\$24,999	363,258	442	78.4	72.3-84.5	56	11.3	06.8-15.8	31	5.9	02.4-09.4	28	4.4	01.7-07.1
	557	\$25,000-\$34,999	297,743	329	74.5	64.7-84.3	37	15.3	06.7-23.9	30	8.6	02.3-14.9	10	1.6	00.0-03.8
	406	\$35,000-\$49,999	470,666	458	73.7	66.8-80.6	58	16.3	10.2-22.4	36	5.5	02.4-08.6	25	4.5	01.4-07.6
	577	\$50,000-\$74,999	571,270	400	67.7	61.0-74.4	76	16.9	11.2-22.6	45	9.9	05.6-14.2	27	5.4	02.5-08.3
	548	\$75,000+	1,041,227	570	71.0	65.1-76.9	112	16.1	11.8-20.4	56	8.6	04.5-12.7	35	4.3	01.6-07.0

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDH12)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3756	3,290,493	1630	38.3	35.6-41.0	2126	61.7	59.0-64.4
Male	1359	1,563,626	601	40.9	36.2-45.6	758	59.1	54.4-63.8
Female	2397	1,726,867	1029	36.0	32.7-39.3	1368	64.0	60.7-67.3
White/Non-Hisp	2805	2,469,477	1256	41.0	37.7-44.3	1549	59.0	55.7-62.3
Hispanic	659	481,760	264	29.3	22.4-36.2	395	70.7	63.8-77.6
25-34	290	538,686	62	21.0	13.0-29.0	228	79.0	71.0-87.0
35-44	445	634,962	131	27.1	20.8-33.4	314	72.9	66.6-79.2
45-54	736	651,401	288	36.6	30.7-42.5	448	63.4	57.5-69.3
55-64	853	562,253	431	50.4	44.5-56.3	422	49.6	43.7-55.5
65+	1336	743,720	694	53.9	49.4-58.4	642	46.1	41.6-50.6
H.S. or G.E.D.	1010	799,346	457	38.0	32.5-43.5	553	62.0	56.5-67.5
Some Post-H.S.	1150	988,387	478	33.1	28.8-37.4	672	66.9	62.6-71.2
College Graduate	1247	1,261,822	510	40.2	35.3-45.1	737	59.8	54.9-64.7
Less than \$15,000	348	172,493	189	51.8	42.6-61.0	159	48.2	39.0-57.4
\$15,000- 24,999	557	364,688	259	44.9	37.1-52.7	298	55.1	47.3-62.9
\$25,000- 34,999	412	301,262	175	28.8	21.5-36.1	237	71.2	63.9-78.5
\$35,000- 49,999	576	470,731	249	42.1	35.0-49.2	327	57.9	50.8-65.0
\$50,000- 74,999	546	567,961	209	32.5	26.0-39.0	337	67.5	61.0-74.0
\$75,000+	771	1,020,743	293	36.9	31.0-42.8	478	63.1	57.2-69.0

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 10: IMMUNIZATION
DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO
CALLED FLUMIST™. (FLUSPRY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No			
	TOTAL	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4714	4,542,535	61	1.2	00-01-8	4653
Male	1716	2,253,154	26	1.4	00-02-2	1690
Female	2998	2,289,381	35	1.0	00-01-6	2963
White/Non-Hisp	3231	3,047,786	29	1.0	00-01-6	3202
Black or Afr. Am./Non-Hisp	77	145,033	5	3.2	00-07-3	72
Oth. Race/Non-Hisp.	259	325,254	5	0.9	00-02-3	254
Hispanic	1065	950,882	21	1.6	00-02-8	1044
18-24	161	400,681	2	0.4	00-01-2	159
25-34	530	1,031,417	12	1.5	00-3-02-7	518
35-44	636	897,666	12	1.7	00-1-03-3	624
45-54	907	770,698	9	1.2	00-0-02-4	898
55-64	957	608,815	11	1.2	00-2-02-2	946
65+	1472	801,051	14	0.5	00-01-1	1458
Less Than H.S.	560	542,074	19	2.0	00-6-03-4	541
H.S. or G.E.D.	1324	1,135,836	12	0.9	00-1-01-7	1312
Some Post-H.S.	1393	1,307,806	12	1.6	00-4-02-8	1381
College Graduate	1420	1,534,360	18	0.8	00-2-01-4	1402
Less than \$15,000	478	302,990	6	0.9	00-0-01-9	472
\$15,000-24,999	758	598,670	8	1.2	00-0-02-4	750
\$25,000-34,999	538	451,965	7	0.4	00-0-00-8	531
\$35,000-49,999	722	653,159	15	2.2	00-6-03-8	707
\$50,000-74,999	638	725,897	2	1.5	00-0-03-5	636
\$75,000+	872	1,244,566	5	0.2	00-0-00-4	867

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4401	4,142,988	1510	26.7	24.2-29.2	2891	73.3	70.8-75.8
Male	1562	2,011,375	524	27.0	22.7-31.3	1038	73.0	68.7-77.3
Female	2839	2,131,613	986	26.5	23.8-29.2	1853	73.5	70.8-76.2
White/Non-Hisp	3023	2,777,413	1206	31.5	28.6-34.4	1817	68.5	65.6-71.4
Black or Afr. Am./Non-Hisp	73	140,954	17	8.2	0.2-14.1	56	91.8	85.9-97.7
Oth. Race/Non-Hisp.	230	281,786	62	14.1	0.8-19.4	168	85.9	80.6-91.2
Hispanic	995	870,610	194	18.7	11.4-26.0	801	81.3	74.0-88.6
25-34	453	883,609	57	17.1	0.9-32.4	396	82.9	75.1-90.7
35-44	579	811,832	75	10.3	0.7-13.6	504	89.7	86.4-93.0
45-54	854	716,742	131	14.5	10.4-18.6	723	85.5	81.4-89.6
55-64	904	593,354	259	30.6	25.5-35.7	645	69.4	64.3-74.5
65+	1427	771,177	953	67.2	63.1-71.3	474	32.8	28.7-36.9
H.S. or G.E.D.	1224	1,025,295	456	29.9	25.0-34.8	768	70.1	65.2-75.0
Some Post-H.S.	1303	1,194,309	451	26.3	22.4-30.2	852	73.7	69.8-77.6
College Graduate	1327	1,415,971	435	25.7	21.8-29.6	892	74.3	70.4-78.2
Less than \$15,000	459	281,545	164	24.7	17.4-32.0	295	75.3	68.0-82.6
\$15,000- 24,999	716	538,399	286	35.3	26.1-44.5	430	64.7	55.5-73.9
\$25,000- 34,999	501	411,682	192	32.3	23.9-40.7	309	67.7	59.3-76.1
\$35,000- 49,999	664	595,008	243	31.4	24.9-37.9	421	68.6	62.1-75.1
\$50,000- 74,999	590	674,558	170	22.0	16.5-27.5	420	78.0	72.5-83.5
\$75,000+	807	1,123,054	179	20.7	16.0-25.4	628	79.3	74.6-84.0

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 10: IMMUNIZATION

HAVE YOU EVER RECEIVED THE HEPATITIS B VACCINE? THE HEPATITIS B VACCINE IS COMPLETED AFTER THE THIRD SHOT IS GIVEN. (HEPBVAC)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No			
	TOTAL	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4140	3,852,151	1238	35.5	32.6-38.4	2902
Male	1496	1,905,944	445	33.3	28.6-38.0	1051
Female	2644	1,946,208	793	37.7	34.2-41.2	1851
White/Non-Hisp	2851	2,521,189	791	34.4	31.1-37.7	2060
Hispanic	924	850,577	295	32.7	25.6-39.8	629
25-34	424	826,570	219	43.4	35.0-51.8	205
35-44	530	756,564	255	46.3	39.2-53.4	275
45-54	813	669,962	279	31.1	25.8-36.4	534
55-64	869	546,552	217	25.6	20.7-30.5	652
65+	1337	721,999	180	13.5	10.4-16.6	1157
H.S. or G.E.D.	1164	978,544	272	32.3	26.2-38.4	892
Some Post-H.S.	1231	1,093,471	399	34.9	30.0-39.8	832
College Graduate	1236	1,290,679	475	42.1	37.0-47.2	761
\$15,000-24,999	682	556,483	180	25.7	18.6-32.8	502
\$25,000-34,999	483	406,449	141	29.4	20.6-38.2	342
\$35,000-49,999	620	540,874	201	40.7	33.3-48.1	419
\$50,000-74,999	561	602,406	197	39.6	32.3-46.9	364
\$75,000+	751	992,989	302	42.6	36.5-48.7	449

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

SECTION 11: TOBACCO USE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	N	Yes %	C.I. (95%)	N	No %	C.I. (95%)
TOTAL	4712	4,537,570	2208	43.8	40.9-46.7	2504	56.2
Male	1716	2,252,637	949	49.9	45.2-54.6	767	50.1
Female	2996	2,284,933	1259	37.8	34.7-40.9	1737	62.2
White/Non-Hisp Hispanic	3228	3,042,320	1691	46.1	43.0-49.2	1537	53.9
25-34	527	1,027,655	180	32.2	24.8-39.6	347	67.8
35-44	636	898,192	228	35.6	29.3-41.9	408	64.4
45-54	905	766,376	420	45.8	40.1-51.5	485	54.2
55-64	958	611,969	521	59.0	53.5-64.5	437	41.0
65+	1473	799,965	790	56.0	51.7-60.3	683	44.0
H.S. or G.E.D.	1321	1,132,881	690	51.4	45.9-56.9	631	48.6
Some Post-H.S.	1394	1,305,659	677	40.6	35.7-45.5	717	59.4
College Graduate	1419	1,534,824	588	39.0	34.5-43.5	831	61.0
\$15,000-24,999	759	596,345	377	52.5	43.7-61.3	382	47.5
\$25,000-34,999	537	448,926	264	43.7	34.5-52.9	273	56.3
\$35,000-49,999	721	652,136	357	48.8	41.9-55.7	364	51.2
\$50,000-74,999	640	727,624	301	40.4	33.9-46.9	339	59.6
\$75,000+	871	1,243,981	363	39.2	33.5-44.9	508	60.8

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Every day			Some days			Not at all			
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
TOTAL	2207	1,989,387	608	31.1	26.8-35.4	231	14.0	10.9-17.1	1368	54.8	50.5-59.1
Male	949	1,125,053	261	33.8	27.1-40.5	95	12.9	08.6-17.2	593	53.3	46.6-60.0
Female	1258	864,334	347	27.6	23.1-32.1	136	15.5	10.8-20.2	775	56.9	51.8-62.0
White/Non-Hisp	1691	1,401,933	464	31.7	27.4-36.0	127	10.6	07.5-13.7	1100	57.6	53.1-62.1
35-44	228	319,952	84	30.7	21.3-40.1	38	16.6	08.8-24.4			
45-54	420	350,962	158	30.9	23.6-38.2	45	15.0	07.2-22.8	217	54.1	45.5-62.7
55-64	521	360,886	147	28.2	21.5-34.9	44	7.3	03.6-11.0	330	64.5	57.4-71.6
65+	789	447,703	124	13.6	09.7-17.5	41	4.5	02.3-06.7	624	81.9	77.6-86.2
Less Than H.S. H.S. or G.E.D.	245	274,312				28	9.7	02.1-17.3			
Some Post-H.S.	689	581,841	211	29.2	22.9-35.5	79	17.6	10.7-24.5	399	53.2	45.9-60.5
College Graduate	677	530,114	179	27.4	21.1-33.7	63	12.8	07.7-17.9	435	59.7	52.6-66.8
College Graduate	588	598,489	116	24.5	17.6-31.4	60	13.7	07.8-19.6	412	61.9	54.3-69.5
Less than \$15,000	242	141,027				31	12.6	04.8-20.4			
\$15,000- 24,999	376	313,152				41	12.6	05.0-20.2			
\$25,000- 34,999	264	196,336	75	24.9	15.1-34.7						
\$35,000- 49,999	357	318,400	93	31.8	23.0-40.6	39	18.4	09.6-27.2	225	49.7	40.3-59.1
\$50,000- 74,999	301	293,896				31	10.8	04.1-17.5			
\$75,000+	363	487,450	67	25.2	16.0-34.4	39	14.9	08.2-21.6	257	59.9	50.7-69.1

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

SECTION 11: TOBACCO USE

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes		No		C.I. (95%)
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	
TOTAL	836	895,442	451	59.9	53.0-66.8	385	40.1
Male	355	524,722	190	64.7	55.1-74.3	165	35.3
Female	481	370,720	261	53.1	44.3-61.9	220	46.9
White/Non-Hisp	590	592,969	294	54.9	47.3-62.5	296	45.1
Some Post-H.S.	240	212,025	129	66.0	56.6-75.4	111	34.0
					24.6-43.4		

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 13: ALCOHOL CONSUMPTION
 DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR?
 (DRNKANY4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes %	C.I. (95%)	N	No %	C.I. (95%)		
	TOTAL	WEIGHTED						
TOTAL	4696	4,521,467	2285	53.6	50.7-56.5	2411	46.4	43.5-49.3
Male	1710	2,238,077	990	61.4	56.9-65.9	720	38.6	34.1-43.1
Female	2986	2,283,390	1285	45.9	42.6-49.2	1691	54.1	50.8-57.4
White/Non-Hisp Hispanic	3222	3,036,391	1684	57.0	53.9-60.1	1528	43.0	39.9-46.1
25-34	528	1,030,869	261	53.2	45.6-60.8	267	46.8	39.2-54.4
35-44	635	891,837	338	59.0	52.7-65.3	297	41.0	34.7-47.3
45-54	901	762,583	465	51.9	46.2-57.6	436	48.1	42.4-53.8
55-64	956	609,989	472	57.1	51.6-62.6	484	42.9	37.4-48.4
65+	1470	797,069	659	48.3	44.0-52.6	811	51.7	47.4-56.0
H.S. or G.E.D.	1321	1,131,090	576	45.2	39.7-50.7	745	54.8	49.3-60.3
Some Post-H.S.	1391	1,302,482	698	57.5	52.6-62.4	693	42.5	37.6-47.4
College Graduate	1415	1,526,287	842	61.9	57.2-66.6	573	38.1	33.4-42.8
\$15,000- 24,999	756	597,777	278	42.9	33.7-52.1	478	57.1	47.9-66.3
\$25,000- 34,999	537	451,599	244	49.8	40.2-59.4	293	50.2	40.6-59.8
\$35,000- 49,999	718	650,120	390	53.5	46.4-60.6	328	46.5	39.4-53.6
\$50,000- 74,999	643	731,152	377	55.9	49.2-62.6	266	44.1	37.4-50.8
\$75,000+	870	1,235,829	593	70.5	65.2-75.8	277	29.5	24.2-34.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007

ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days			
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	2217	2,365,112	748	31.7	28.0-35.4	114	4.0	02.8-05.2	998	51.2	47.1-55.3	309	11.8	09.4-14.2	48	1.3	00.7-01.9
Male	954	1,334,838	318	31.0	25.3-36.7	71	5.3	03.1-07.5	368	48.5	42.0-55.0	180	14.4	10.5-18.3	17	0.7	00.1-01.3
Female	1263	1,030,274	430	32.6	28.1-37.1	43	2.2	01.2-03.2	630	54.8	49.9-59.7	129	8.4	06.0-10.8	31	2.0	00.8-03.2
White/Non-Hisp.	1638	1,681,509	567	30.2	26.3-34.1	95	4.7	03.1-06.3	690	51.5	47.0-56.0	264	12.8	10.1-15.5	22	0.8	00.4-01.2
Oth. Race/Non-Hisp.	86	131,848				3	0.5	00.0-01.1							4	3.4	00.0-07.7
Hispanic	421	431,287				14	2.7	00.7-04.7							28	4.2	01.5-06.9
18-24	67	203,549				4	8.1	00.0-17.5							3	5.0	00.0-12.4
25-34	257	547,040				73	23.4	14.8-32.0	5	1.2	00.0-02.4	158	50.1	41.3-58.9	15	8.5	02.2-14.8
35-44	327	516,012				123	34.8	26.8-42.8	8	2.2	00.2-04.2	203	42.9	34.9-50.9	32	11.8	05.9-17.7
45-54	459	392,372				171	38.6	31.0-46.2	19	3.0	01.2-04.8	195	50.5	42.9-58.1	57	14.3	09.0-19.6
55-64	457	336,657				155	31.7	24.6-38.8	21	3.3	01.1-05.5	237	43.3	35.8-48.8	77	13.2	08.9-17.5
65+	632	358,056				197	28.4	22.9-33.9	56	10.2	06.1-14.3	123	16.9	12.4-21.4	19	2.2	00.4-04.0
Less Than H.S.	161	196,156				9	1.6	00.2-03.0							16	5.5	00.4-10.6
H.S. or G.E.D.	555	500,177				170	29.2	21.9-36.5	35	5.9	02.2-09.6	257	48.6	40.2-57.0	77	13.7	08.0-19.4
Some Post-H.S.	673	722,440				227	31.7	25.4-38.0	35	3.9	01.7-06.1	314	54.3	47.0-61.6	85	9.0	05.5-12.5
College Graduate	824	930,102				299	30.5	25.4-35.6	35	3.6	02.0-05.2	348	50.6	44.5-56.7	130	14.5	10.2-18.8
Less than \$15,000	120	74,503				7	2.1	00.1-04.1							19	10.6	01.4-19.8
\$15,000-24,999	272	255,120				15	4.4	01.1-07.7							35	8.7	03.6-13.8
\$25,000-34,999	238	221,280				74	19.8	10.6-29.0	11	7.0	00.0-14.3				29	9.5	02.2-16.8
\$35,000-49,999	377	339,183				122	28.3	20.9-35.7	23	6.0	02.1-09.9	171	52.2	43.2-61.2	51	11.5	06.8-16.2
\$50,000-74,999	370	401,172				134	30.8	22.8-38.8	14	3.8	00.7-06.9	170	54.0	45.0-63.0	52	11.4	05.7-17.1
\$75,000+	581	858,197				206	33.3	26.8-39.8	28	2.4	01.0-03.8	254	49.9	42.6-57.2	87	13.6	08.7-18.5

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	%	C.I. (95%)	Yes	N	%	C.I. (95%)
TOTAL	4624	4,444,424	1702	25.3	23.1-27.5	2922	74.7	72.5-76.9	
Male	1676	2,197,200	531	20.9	18.0-23.8	1145	79.1	76.2-82.0	
Female	2948	2,247,223	1171	29.6	26.9-32.3	1777	70.4	67.7-73.1	
White/Non-Hisp	3183	2,993,398	1347	30.7	28.0-33.4	1836	69.3	66.6-72.0	
Black or Afr. Am./Non-Hisp	73	139,268	20	13.2	04.0-22.4	53	86.8	77.6-96.0	
Oth. Race/Non-Hisp.	254	321,991	59	14.7	09.0-20.4	195	85.3	79.6-91.0	
Hispanic	1036	924,175	246	12.9	09.4-16.4	790	87.1	83.6-90.6	
18-24	154	387,396	7	2.7	00.0-05.4	147	97.3	94.6-100	
25-34	522	1,016,889	32	4.2	02.2-06.2	490	95.8	93.8-97.8	
35-44	623	870,259	114	14.4	10.1-18.7	509	85.6	81.3-89.9	
45-54	883	745,940	270	24.7	20.4-29.0	613	75.3	71.0-79.6	
55-64	945	600,730	445	52.4	46.9-57.9	500	47.6	42.1-53.1	
65+	1449	792,047	823	55.8	51.5-60.1	626	44.2	39.9-48.5	
Less Than H.S.	549	536,919	190	19.2	13.3-25.1	359	80.8	74.9-86.7	
H.S. or G.E.D.	1294	1,097,542	477	26.6	22.7-30.5	817	73.4	69.5-77.3	
Some Post-H.S.	1371	1,284,279	542	27.0	23.3-30.7	829	73.0	69.3-76.7	
College Graduate	1397	1,506,382	490	25.4	21.7-29.1	907	74.6	70.9-78.3	
Less than \$15,000	472	298,356	219	35.8	26.8-44.8	253	64.2	55.2-73.2	
\$15,000-24,999	741	589,138	289	28.8	22.5-35.1	452	71.2	64.9-77.5	
\$25,000-34,999	531	434,274	181	22.9	16.6-29.2	350	77.1	70.8-83.4	
\$35,000-49,999	709	635,189	278	24.9	20.2-29.6	431	75.1	70.4-79.8	
\$50,000-74,999	631	720,681	205	21.0	16.5-25.5	426	79.0	74.5-83.5	
\$75,000+	855	1,221,902	244	20.7	16.8-24.6	611	79.3	75.4-83.2	

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes			No			
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%
TOTAL	2319	1,752,522	803	317	20.2-35.2	1516	683	64.8-71.8
Male	787	817,226	258	28.8	23.3-34.3	529	712	65.7-76.7
Female	1532	935,296	545	34.2	29.9-38.5	987	658	61.5-70.1
White/Non-Hisp	1760	1,359,909	628	32.9	29.0-36.8	1132	671	63.2-71.0
35-44	215	284,745	69	30.0	20.0-40.0	146	700	60.0-80.0
45-54	429	329,261	142	25.8	19.7-31.9	287	742	68.1-80.3
55-64	581	397,023	222	36.3	29.6-43.0	359	637	57.0-70.4
65+	959	509,484	341	37.8	32.3-43.3	618	622	56.7-67.7
H.S. or G.E.D	626	409,707	216	35.2	28.7-41.7	410	648	58.3-71.3
Some Post-H.S.	737	559,705	260	27.7	22.4-33.0	477	723	67.0-77.6
College Graduate	676	604,854	214	30.0	23.9-36.1	462	700	63.9-76.1
\$35,000-49,999	312	233,334	98	27.9	20.6-35.2	274	721	64.8-79.4
\$50,000-74,999	282	279,502	78	23.1	14.9-31.3	204	769	68.7-85.1
\$75,000+	371	450,591	93	23.7	16.4-31.0	278	763	69.0-83.6

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? (JOBACTIV)

Denominator excludes: Respondents that are NOT employed,

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor			
		WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2096	2,504,710	1351	64.0	60.1-67.9	490	22.6	19.3-25.9	255	13.4	10.3-16.5
Male	868	1,425,827	473	56.6	50.5-62.7	209	23.2	18.1-28.3	186	20.2	14.9-25.5
Female	1228	1,078,883	878	73.7	69.6-77.8	281	21.8	17.7-25.9	69	4.5	0.2-9.06.1
White/Non-Hisp	1369	1,706,468	953	69.0	64.7-73.3	273	19.6	16.1-23.1	143	11.4	0.8-14.5
Oth. Race/Non-Hisp.	132	177,645				38	20.3	10.5-30.1	19	13.1	0.5-3-20.9
25-34	355	727,725	206	62.1	52.9-71.3	99	24.0	16.6-31.4	50	13.9	0.5-9-21.9
35-44	441	619,148	279	59.6	51.8-67.4	98	25.4	18.0-32.8	64	15.0	0.9-20.1
45-54	628	563,378	435	75.4	69.9-80.9	132	16.6	11.9-21.3	61	8.1	0.5-0-11.2
55-64	444	322,934	287	60.9	52.9-68.9	104	25.7	18.3-33.1	53	13.4	0.8-1-18.7
65+	127	65,855							9	11.4	0.2-4-20.4
H.S. or G.E.D.	522	561,771	275	52.6	44.4-60.8	146	27.5	20.4-34.6	101	20.0	14.3-25.7
Some Post-H.S.	638	711,323	409	60.8	53.9-67.7	149	25.9	19.2-32.6	80	13.3	0.8-6-18.0
College Graduate	769	1,001,482	585	79.4	74.7-84.1	137	15.8	11.7-19.9	47	4.8	0.2-6-0.7.0
Less than \$15,000	109	51,684							12	9.0	0.0-2-17.8
\$25,000- 34,999	249	247,925							37	17.4	0.8-4-26.4
\$35,000- 49,999	349	365,626	212	58.0	48.8-67.2	80	20.7	13.8-27.6	57	21.3	13.5-29.1
\$50,000- 74,999	375	478,111	247	66.7	59.1-74.3	76	18.9	12.8-25.0	52	14.3	0.8-4-20.2
\$75,000+	578	893,581	453	77.1	71.2-83.0	90	15.9	11.2-20.6	35	7.1	0.2-8-11.4

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTSTS5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes			N	%	C.I. (95%)	No	C.I. (95%)
			N	%	C.I. (95%)					
TOTAL	2992	3,440,823	1158	39.8	36.5-43.1	1834	60.2	56.9-63.5		
Male	1094	1,726,524	401	36.2	30.9-41.5	693	63.8	58.5-69.1		
Female	1898	1,714,300	757	43.5	39.4-47.6	1141	56.5	52.4-60.6		
White/Non-Hisp	1884	2,192,845	728	40.5	36.6-44.4	1156	59.5	55.6-63.4		
Hispanic	814	833,262	311	37.6	29.8-45.4	503	62.4	54.6-70.2		
25-34	492	942,704	272	49.7	41.7-57.7	220	50.3	42.3-58.3		
35-44	598	833,952	302	47.7	41.0-54.4	296	52.3	45.6-59.0		
45-54	843	703,840	306	30.1	25.0-35.2	537	69.9	64.8-75.0		
55-64	911	585,221	218	23.8	19.1-28.5	693	76.2	71.5-80.9		
Less Than H.S.	341	446,379	113	29.0	19.0-39.0	228	71.0	61.0-81.0		
H.S. or G.E.D.	771	787,403	268	38.5	31.6-45.4	503	61.5	54.6-68.4		
Some Post-H.S.	915	1,001,645	360	40.8	34.7-46.9	555	59.2	53.1-65.3		
College Graduate	962	1,189,793	417	44.5	38.8-50.2	545	55.5	49.8-61.2		
\$35,000-49,999	458	480,316	180	41.6	33.0-50.2	278	58.4	49.8-67.0		
\$50,000-74,999	476	588,462	185	43.1	35.3-50.9	291	56.9	49.1-64.7		
\$75,000+	701	1,070,946	278	39.7	33.6-45.8	423	60.3	54.2-66.4		

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION
HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	Always		Usually		Sometimes		Rarely		Never							
			%	C.I. (95%)	%	C.I. (95%)	%	C.I. (95%)	%	C.I. (95%)	%	C.I. (95%)						
TOTAL	4445	4,255,571	2175	51.0	48.1-53.9	1273	29.5	26.8-32.2	526	10.0	08.2-11.8	224	5.3	03.9-06.7	247	4.3	03.3-05.3	
Male	1592	2,071,282	777	51.2	46.3-56.1	408	27.4	23.1-31.7	181	10.1	07.2-13.0	96	5.5	03.1-07.9	130	5.8	04.0-07.6	
Female	2853	2,184,289	1398	50.7	47.2-54.2	865	31.4	28.3-34.5	345	10.0	08.2-11.8	128	5.1	03.3-06.9	117	2.8	01.8-03.8	
White/Non-Hisp	3084	2,900,622	1531	51.6	48.3-54.9	979	33.4	30.3-36.5	336	8.9	06.9-10.9	122	3.0	02.0-04.0	116	3.2	02.2-04.2	
Black or Afr. Am./Non-Hisp	67	121,335										5	9.6	00.0-19.8	3	2.6	00.0-06.3	
Oth. Race/Non-Hisp.	241	302,069					58	20.5	12.7-28.3	46	14.6	08.7-20.5	17	8.7	00.9-16.5	19	4.9	02.2-07.6
Hispanic	984	875,455	474	47.8	40.0-55.6	198	19.6	13.5-25.7	130	13.2	08.7-17.7	75	11.1	05.6-16.6	107	8.3	05.2-11.4	
18-24	149	382,796										12	7.6	00.0-15.4	6	1.3	00.0-02.7	
25-34	498	959,950	263	51.9	44.1-59.7	138	29.6	22.3-36.9	50	7.6	04.5-10.7	26	7.6	03.1-12.1	21	3.4	01.2-05.6	
35-44	599	827,274	279	51.2	44.5-57.9	188	30.5	24.2-36.8	77	10.5	06.8-14.2	29	4.2	02.2-06.2	26	3.7	01.3-06.1	
45-54	846	703,142	386	46.8	41.1-52.5	260	32.7	27.2-38.2	109	11.9	08.4-15.4	45	4.0	01.8-06.2	46	4.6	02.2-07.0	
55-64	920	592,710	410	45.8	40.1-51.5	279	30.8	25.7-35.9	120	11.5	08.4-14.6	52	5.6	02.7-08.5	59	6.3	03.6-09.0	
65+	1388	759,968	733	54.5	50.2-58.8	356	26.1	22.2-30.0	154	10.5	08.0-13.0	58	3.2	01.8-04.6	87	5.8	03.6-08.0	
Less Than H.S. H.S. or G.E.D.	508	507,853				81	15.5	09.0-22.0	82	12.4	07.1-17.7	55	15.2	06.2-24.2	66	10.1	05.6-14.6	
Some Post-H.S.	1240	1,031,116	613	49.2	43.7-54.7	322	28.6	23.7-33.5	155	11.3	08.2-14.4	67	6.1	03.6-08.6	83	4.8	03.2-06.4	
College Graduate	1327	1,241,926	667	53.3	48.0-58.6	383	28.4	23.7-33.1	163	10.8	06.9-14.7	55	3.3	01.9-04.7	59	4.2	02.4-06.0	
1359	1,456,184	666	51.1	46.2-56.0	485	36.2	31.3-41.1	123	7.7	05.5-09.9	46	2.9	01.5-04.3	39	2.1	00.7-03.5		
Less than \$15,000	445	274,751				96	18.0	11.3-24.7	81	18.3	11.2-25.4	51	12.4	04.6-20.2	58	9.0	04.3-13.7	
\$15,000-24,999	708	569,825	327	42.7	33.3-52.1	161	21.1	14.2-28.0	109	14.2	08.9-19.5	55	13.2	06.1-20.3	56	8.8	05.1-12.5	
\$25,000-34,999	514	398,522	247	48.6	38.8-58.4	144	28.7	19.9-37.5	71	13.2	07.7-18.7	27	5.3	01.4-09.2	25	4.2	00.7-07.7	
\$35,000-49,999	689	621,635	347	48.5	41.4-55.6	210	33.5	26.2-40.8	79	10.6	07.1-14.1	22	3.2	01.2-05.2	31	4.1	01.6-06.6	
\$50,000-74,999	615	706,035	320	56.2	49.5-62.9	191	29.3	23.0-35.6	64	9.0	05.7-12.3	20	2.8	00.8-04.8	20	2.7	01.1-04.3	
\$75,000+	833	1,166,054	450	55.5	49.6-61.4	300	35.1	29.6-40.6	50	5.9	01.8-10.0	20	1.7	00.5-02.9	13	1.8	00.2-03.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA CORE QUESTIONS DATA REPORT, 2007

SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION

IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (1=SATISFY)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied		Satisfied		Dissatisfied		Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4474	4,263,077	2130	48.8	45.9-51.7	2097	46.7	43.8-49.6	195	3.3	02.3-04.3
Male	1611	2,073,253	770	47.5	42.6-52.4	752	47.9	43.0-52.8	68	2.7	01.3-04.1
Female	2863	2,189,324	1360	50.1	46.6-53.6	1345	45.5	42.2-48.8	127	3.8	02.6-05.0
White/Non-Hisp	3107	2,895,703	1564	52.8	49.5-56.1	1370	43.3	40.0-46.6	136	3.0	02.2-03.8
Black or Afr. Am./Non-Hisp	69	124,808							2	1.8	00.0-04.3
Oth. Race/Non-Hisp.	240	304,954							11	6.4	00.0-13.8
Hispanic	987	880,429	403	38.2	30.9-45.5	530	57.7	50.3-65.1	45	3.5	01.3-05.7
18-24	149	382,262	221	42.6	34.8-50.4	266	56.1	48.3-63.9	6	5.0	00.0-11.1
25-34	501	964,836	275	49.6	42.9-56.3	294	46.3	39.6-53.0	30	3.7	00.4-01.6
35-44	600	836,504	388	50.6	44.7-56.5	400	44.9	39.2-50.6	42	3.0	01.3-06.1
45-54	847	695,099	450	47.1	41.4-52.8	411	46.3	40.6-52.0	46	5.4	01.8-04.2
55-64	922	591,345	713	56.6	52.3-60.9	627	38.7	34.6-42.8	57	3.5	02.5-08.3
65+	1410	762,598	531	44.6	39.1-50.1	658	51.5	46.0-57.0	56	3.3	01.9-04.7
Less Than H.S.	511	511,624	173	30.2	20.6-39.8				39	6.1	01.2-11.0
H.S. or G.E.D.	1255	1,033,606	637	50.4	45.1-55.7	611	44.7	39.4-50.0	65	4.3	02.5-06.1
Some Post H.S.	1333	1,242,196	575	52.6-62.4	529	39.9	35.2-44.6	35	1.5	00.7-02.3	
College Graduate	1366	1,457,427							15	1.2	00.2-02.2
Less than \$15,000	443	273,934	273	34.8	26.6-43.0	394	59.2	50.6-67.8	43	5.1	02.4-07.8
\$15,000-24,999	720	573,950	239	47.3	37.5-57.1	257	49.3	39.5-59.1	15	2.7	00.0-05.8
\$25,000-34,999	516	395,159	349	51.3	44.2-58.4	312	46.0	38.9-53.1	21	1.3	00.5-02.1
\$35,000-49,999	691	620,933	708,694	53.4	46.5-60.3	265	44.1	37.2-51.0	21	1.8	00.8-02.8
\$50,000-74,999	621					522	58.3	52.2-64.4	302	40.5	34.4-46.6
\$75,000+	837	1,173,416							10	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 20: GASTROINTESTINAL DISEASE
IN THE PAST 30 DAYS, DID YOU HAVE DIARRHEA THAT BEGAN WITHIN THE 30 DAY PERIOD? DIARRHEA IS DEFINED AS 3 OR MORE LOOSE STOOLS OR BOWEL MOVEMENTS IN A 24-HOUR PERIOD. (DIAR30DY)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4464	4,274,996	746	16.0	13.8-18.2	3718	84.0	81.8-86.2
Male	1613	2,091,170	242	15.2	11.9-18.5	1371	84.8	81.5-88.1
Female	2851	2,183,826	504	16.7	14.3-19.1	2347	83.3	80.9-85.7
White/Non-Hisp	3101	2,905,436	561	16.9	14.5-19.3	2540	83.1	80.7-85.5
Oth. Race/Non-Hisp.	239	308,305	37	16.5	07.9-25.1	202	83.5	74.9-92.1
Hispanic	984	879,829	125	12.3	08.0-16.6	859	87.7	83.4-92.0
18-24	149	381,839	16	13.1	04.1-22.1	133	86.9	77.9-95.9
25-34	488	957,167	79	17.9	11.8-24.0	419	82.1	76.0-88.2
35-44	596	846,254	91	15.4	11.1-19.7	505	84.6	80.3-88.9
45-54	848	705,098	156	15.3	11.8-18.8	692	84.7	81.2-88.2
55-64	920	591,515	169	17.2	12.9-21.5	751	82.8	78.5-87.1
65+	1411	764,840	231	15.5	12.4-18.6	1180	84.5	81.4-87.6
Less Than H.S.	517	511,594	80	10.4	05.7-15.1	437	89.6	84.9-94.3
H.S. or G.E.D.	1244	1,030,093	198	15.1	11.0-19.2	1046	84.9	80.8-89.0
Some Post-H.S.	1326	1,247,768	248	16.4	12.9-19.9	1078	83.6	80.1-87.1
College Graduate	1366	1,467,049	219	18.3	14.4-22.2	1147	81.7	77.8-85.6
Less than \$15,000	447	279,960	85	17.2	10.9-23.5	362	82.8	76.5-89.1
\$15,000- 24,999	722	576,772	115	13.6	09.3-17.9	607	86.4	82.1-90.7
\$25,000- 34,999	514	396,636	84	15.9	09.2-22.6	430	84.1	77.4-90.8
\$35,000- 49,999	680	618,562	122	17.3	12.0-22.6	558	82.7	77.4-88.0
\$50,000- 74,999	616	707,582	104	15.6	10.7-20.5	512	84.4	79.5-89.3
\$75,000+	837	1,176,365	138	17.6	12.9-22.3	699	82.4	77.7-87.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 2: CHILDHOOD ASTHMA PREVALENCE

HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes %	C.I. (95%)	N	% C.I. (95%)
	TOTAL	WEIGHTED				
TOTAL	1333	1,904,619	12.9	09.6-16.2	1167	87.1 83.8-90.4
Male	426	886,528	47	11.8 06.3-17.3	379	88.2 82.7-93.7
Female	907	1,018,092	119	13.8 09.9-17.7	788	86.2 82.3-90.1
White/Non-Hisp.	671	1,039,316	84	12.3 08.6-16.0	587	87.7 84.0-91.4
Oth. Race/Non-Hisp.	110	163,425	11	8.5 01.2-15.8	99	91.5 84.2-98.8
Hispanic	518	619,900	61	10.1 05.6-14.6	457	89.9 85.4-94.4
25-34	366	715,467	40	10.9 06.0-15.8	326	89.1 84.2-94.0
35-44	442	639,696	62	15.4 09.7-21.1	380	84.6 78.9-90.3
45-54	320	286,507	36	10.0 05.1-14.9	284	90.0 85.1-94.9
H.S. or G.E.D.	367	449,538	45	10.0 05.3-14.7	322	90.0 85.3-94.7
Some Post-H.S.	390	557,052	56	13.6 07.9-19.3	334	86.4 80.7-92.1
College Graduate	380	569,530	38	13.1 07.6-18.6	342	86.9 81.4-92.4
\$15,000- 24,999	226	289,104	32	11.3 04.2-18.4	194	88.7 81.6-95.8
\$25,000- 34,999	132	179,723	17	8.7 02.2-15.2	115	91.3 84.8-97.8
\$35,000- 49,999	199	269,482	21	9.0 03.3-14.7	178	91.0 85.3-96.7
\$50,000- 74,999	229	334,710	21	11.3 04.2-18.4	208	88.7 81.6-95.8
\$75,000+	299	548,558	35	11.6 06.3-16.9	264	88.4 83.1-93.7

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 3: DIABETES

HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old			
		N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	220	207,676	4	7.4	40,0-15.6												
Female	304	169,178	8	1.9	00,3-03.5	30	15.7	06,3-25.1	71	25.9	16,9-34.9	107	28.7	19,9-37.5	88	27.9	19,3-36.5
White/Non-Hisp	317	251,282	7	5.5	00,0-12.2	23	12.3	04,1-20.5	57	19.4	12,0-26.8	121	29.1	20,3-37.9	109	33.7	24,3-43.1
Hispanic	146	89,823	2	3.5	00,0-09.4										23	12.1	03,5-20.7
45-54	97	87,045	3	1.1	00,0-02.5												
55-64	139	89,139	3	0.9	00,0-02.3												
65+	235	132,734				6	1.5	00,0-03.3	17	6.0	01,3-10.7	83	30.1	20,1-40.1			
Less Than H.S.	104	67,841	2	4.9	00,0-12.9												
H.S. or G.E.D.	152	98,092	4	1.8	00,0-03.8												
Some Post-H.S.	145	95,542							10	5.5	00,0-11.4						
College Graduate	121	114,767	3	4.9	00,0-12.0												
\$15,000-24,999	121	87,029	2	0.7	00,0-01.9												
\$25,000-34,999	57	29,460															
\$35,000-49,999	60	55,056							5	4.8	00,1-09.5						
\$75,000+	56	75,542	1	5.5	00,0-15.9												

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007

ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

MODULE 3: DIABETES

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	>5 times per Day C.I. (95%)	
TOTAL	526	378,373	50	9.7 04.8-14.6	138	24.6 18.1-31.1	319	60.1 52.1-68.1	19	5.5 01.0-10.0
Male	215	205,427	18	8.3 01.4-15.2	71	26.5 16.5-36.5	199	61.0 51.2-70.8	6	5.8 00.0-13.2
Female	311	172,946	32	11.4 04.5-18.3	67	22.4 14.4-30.4	199	61.0 51.2-70.8	13	5.2 01.3-09.1
White/Non-Hisp	317	249,439	28	11.1 04.6-17.6	78	22.4 15.1-29.7	198	58.7 48.7-68.7	13	7.8 01.1-14.5
Hispanic	145	89,415	19	9.4 00.4-18.4					4	0.5 00.0-01.3
45-54	93	86,103							3	1.9 00.0-04.4
55-64	137	87,456	14	8.6 01.2-16.0					7	4.9 00.0-10.4
65+	244	135,915	19	5.2 01.3-09.1	64	29.0 19.4-38.6			4	2.4 00.0-06.1
Less Than H.S. H.S. or G.E.D.	105	67,025	11	7.0 00.0-15.8	23	11.9 03.7-20.1			3	1.2 00.0-02.8
College Graduate	155	100,255	11	3.7 00.4-07.0					4	2.1 00.0-04.8
	119	113,292							7	4.3 00.0-08.8
Less than \$15,000	91	42,250							2	1.7 00.0-04.2
\$15,000-24,999	121	89,967	10	3.8 00.1-07.5					1	0.1 00.0-00.3
\$25,000-34,999	56	29,252	3	1.7 00.0-03.7					2	0.5 00.0-01.3
\$35,000-49,989	63	56,309							3	5.9 00.0-15.1
\$75,000+	54	75,246							1	2.9 00.0-08.6

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES?

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	1 time		2 times		3 times		4 times		5 or more times		N	% ^a	C.I. (95%)
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%			
TOTAL	522	370,410	69	12.7	07.8-17.6	96	17.7	11.6-23.8	65	13.6	08.3-18.9	102	19.2	12.3-26.1
Male	219	208,151	30	12.9	06.2-19.6	41	15.8	06.4-25.2	29	13.8	05.6-22.0	37	14.8	07.2-22.4
Female	303	162,259	39	12.4	05.3-19.5	55	20.2	12.9-27.5	36	13.4	07.3-19.5	66	18.3	10.9-25.7
White/Non-Hisp	314	248,733	46	14.7	08.2-21.2	61	18.7	10.3-27.1	38	13.2	06.3-20.1	58	20.0	10.8-29.2
Hispanic	146	88,998	16	7.8	00.0-16.4	21	13.4	04.8-22.0				56	13.4	07.3-19.5
45-54	95	85,817	11	7.5	00.0-15.5	27	13.4	05.6-21.2	12	7.9	01.4-14.4			
55-64	135	80,405	18	3.9	01.5-06.3	36	16.9	08.1-25.7	32	15.1	07.7-22.5	52	21.9	12.3-31.5
65+	240	135,035	32	17.3	09.1-25.5							48	15.3	08.0-22.6
Less Than H.S.	106	66,972	13	10.3	00.5-20.1	23	14.5	06.5-22.5				18	8.4	02.3-14.5
H.S. or G.E.D.	150	90,964	26	14.3	05.7-22.9	27	13.9	06.3-21.5	11	7.5	02.2-12.8	31	16.1	07.3-24.9
Some Post-H.S.	144	97,111	15	12.3	02.5-22.1				15	9.1	01.7-16.5			
College Graduate	120	114,751	15	13.1	03.3-22.9							27	12.7	05.3-20.1
\$15,000-24,999	117	84,224	12	6.4	00.0-13.5	18	11.6	03.0-20.2				11	6.5	01.0-12.0
\$25,000-34,999	58	29,703										6	3.2	00.0-06.5
\$35,000-49,999	61	51,402												
\$75,000+	56	75,542												

NOTE:
^a% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007

A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	1-2 per yr		3-4 per yr		5-9 per yr		10 or more per yr		NONE		Never Heard of		
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
TOTAL	496	361,873	204	40.6	32.4-48.8	152	31.4	23.8-39.0	10	2.2	0.0-0.49	13	1.4	0.0-2.6
Male	208	199,532	109	35.1	25.3-44.9	91	36.8	27.0-46.6	4	6.6	0.0-01.4	5	1.7	0.0-03.9
Female	288	162,341	109	35.1	25.3-44.9	91	36.8	27.0-46.6	6	4.0	0.0-0.99	8	1.0	0.0-01.8
White/Non-Hisp	298	238,481	95	32.5	22.5-42.5	5	5.5	0.0-01.1	8	1.1	0.0-02.3	19	6.4	0.5-12.3
Hispanic	141	87,587	2	5.4	0.0-15.6	4	1.0	0.0-02.2				32	10.5	0.4-16.6
45-54	91	81,368	1	0.4	0.0-01.2	3	2.7	0.0-06.8				3	1.3	0.0-03.3
55-64	124	83,072	7	8.3	0.0-19.3	2	0.5	0.0-01.5	19	12.6	0.3-21.6	13	6.0	0.1-10.9
65+	231	129,583	2	0.5	0.0-01.3	7	1.7	0.0-03.7	19	5.7	0.1-10.0	37	12.5	0.5-19.6
Less Than H.S.	96	61,795	14	6.4	01.7-11.1	2	2.6	0.0-06.7				19	10.5	0.0-20.5
H.S. or G.E.D.	144	96,542				5	2.8	0.0-06.3				12	5.7	0.0-10.8
Some Post-H.S.	140	95,080	4	2.4	0.0-05.5	4	0.7	0.0-01.5	12	4.3	0.0-08.2			
College Graduate	114	107,844	3	0.5	0.0-01.1	2	0.2	0.0-00.6				3	4.4	0.0-11.8
Less than \$15,000	84	41,329	4	4.8	0.0-11.7	8	8.0	0.0-16.6						
\$15,000-24,999	111	78,997	3	7.0	0.0-18.4	2	1.7	0.0-04.8				12	6.6	0.1-12.1
\$25,000-34,999	54	29,029	1	0.7	0.0-02.1				4	5.3	0.0-12.2			
\$35,000-49,999	62	56,276	1	0.3	0.0-0.9				1	5.5	0.0-15.9			
\$75,000+	54	74,742	1	0.0	0.0-0.0							1	5.5	0.0-0.0

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007

MODULE 11: COLORECTAL CANCER SCREENING
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
TOTAL	1242	784,543	488	41.1	36.6-45.6	223	18.6	15.3-21.9	241	18.8	15.3-22.3	290	21.6	17.9-25.3
Male	436	344,677	194	42.4	35.0-49.8	66	16.0	11.1-20.9	83	18.8	12.9-24.7	93	22.8	16.5-29.1
Female	806	439,866	294	40.0	34.3-45.7	157	20.6	16.1-25.1	158	18.8	14.3-23.3	197	20.7	16.2-25.2
White/Non-Hisp Hispanic	1063	692,330	410	41.2	36.3-46.1	186	17.2	13.7-20.7	215	19.8	15.9-23.7	252	21.8	17.7-25.9
Hispanic	102	37,508							16	6.7	0.2-11.4			
55-64	391	267,672	128	33.7	25.9-41.5	77	20.7	14.6-26.8	88	22.7	16.0-29.4	98	22.9	16.0-29.8
65+	748	437,561	327	47.3	41.4-53.2	127	17.2	13.1-21.3	132	16.5	12.0-21.0	162	18.9	14.4-23.4
H.S. or G.E.D.	337	188,575	131	42.7	34.3-51.1	74	22.5	15.8-29.2	68	17.3	11.2-23.4	64	17.6	11.3-23.9
Some Post-H.S.	399	254,223	164	42.9	35.1-50.7	65	20.0	13.3-26.7	62	16.2	10.1-22.3	108	20.9	15.0-26.8
College Graduate	424	308,609	158	38.2	30.6-45.8	66	15.1	10.2-20.0	94	21.3	14.8-27.8	106	25.4	18.3-32.5
Less than \$15,000	93	39,774										27	14.6	07.0-22.2
\$15,000-24,999	193	93,488												
\$25,000-34,999	162	79,128												
\$35,000-49,999	217	130,417												
\$50,000-74,999	159	119,436												
\$75,000+	225	209,706												

NOTE:
¹% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.
 180

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007

MODULE 11: COLORECTAL CANCER SCREENING
FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAMINATION CALLED A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy		Colonoscopy		Something Else	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1560	1,022,193	218	12.4	09.9-14.9	1320	85.6	82.9-88.3
Male	607	497,455	79	10.5	07.0-14.0	517	87.2	83.1-91.3
Female	953	524,738	139	14.2	10.7-17.7	803	84.1	80.4-87.8
White/Non-Hisp	1303	868,661	186	13.2	10.5-15.9	1102	85.5	82.6-88.4
Hispanic	168	81,431	21	4.6	00.1-09.1			
45-54	149	151,338	15	4.7	00.8-08.6	132	95.1	91.2-99.0
55-64	510	348,383	69	10.9	06.8-15.0	434	85.8	80.9-90.7
65+	901	522,472	134	15.5	11.6-19.4	754	82.8	78.7-86.9
Less Than H.S.	120	58,511						
H.S. or G.E.D.	408	240,818	53	13.0	07.7-18.3	347	84.1	77.8-90.4
Some Post-H.S.	484	303,602	64	12.1	07.8-16.4	415	85.1	80.0-90.2
College Graduate	544	418,331	82	12.2	08.3-16.1	455	86.7	82.6-90.8
Less than \$15,000	119	47,662						
\$15,000- 24,999	242	138,570	28	7.8	02.3-13.3	210	87.9	80.3-95.5
\$25,000- 34,999	184	80,417						
\$35,000- 49,999	271	169,360	42	11.0	06.3-15.7	228	88.9	84.2-93.6
\$50,000- 74,999	213	165,886	31	12.8	06.1-19.5	178	82.0	73.6-90.4
\$75,000+	276	261,730	29	8.3	03.6-13.0	244	90.7	85.8-95.6

NOTE:
¹% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 11: COLORECTAL CANCER SCREENING

HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago			
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	1624	1,059,692	453	31.0	27.1-34.9	359	22.0	18.7-25.3	551	34.8	30.9-38.7	161	6.9	5.1-08.7	100	5.4	03.4-07.4
Male	625	507,375	172	30.3	24.4-36.2	153	23.2	17.7-28.7	205	34.6	28.3-40.9	52	6.1	3.4-08.8	43	5.8	03.1-08.5
Female	999	552,317	281	31.6	26.5-36.7	206	20.9	16.6-25.2	346	34.9	30.0-39.8	109	7.5	5.3-09.7	57	5.1	02.4-07.8
White/Non-Hisp Hispanic	1347	906,753	367	31.0	26.9-35.1	297	21.4	17.9-24.9	457	34.8	30.5-39.1	138	6.9	4.9-08.9	88	6.0	03.8-08.2
184	79,841											16	4.9	01.4-08.4	11	2.8	00.4-05.2
45-54	152	152,486															
55-64	523	359,355	129	23.2	17.1-29.3	118	22.6	16.7-28.5	188	41.2	33.9-48.5	6	1.4	0.0-03.4	10	2.2	00.2-04.2
65+	949	547,852	276	35.4	30.3-40.5	191	17.0	13.3-20.7	325	33.4	28.5-38.3	98	7.6	5.1-10.1	59	6.6	03.9-09.3
Less Than H.S.	138	62,981															
H.S. or G.E.D.	421	242,376	121	27.7	20.6-34.8	86	18.8	12.9-24.7	143	38.6	30.4-46.8	46	10.5	6.4-14.6	25	4.5	02.0-07.0
Some Post-H.S.	508	322,931	139	29.0	22.5-35.5	120	24.6	18.3-30.9	168	32.5	25.8-39.2	43	4.5	2.3-06.7	38	9.3	04.0-14.6
College Graduate	553	430,475	142	33.7	27.0-40.4	129	23.3	17.2-29.4	199	33.3	27.0-39.6	55	6.5	3.4-09.6	28	3.3	01.5-05.1
Less than \$15,000	131	49,649															
\$15,000-24,999	252	141,800															
\$25,000-34,999	194	97,779	42	24.8	14.8-34.8	48	10.7	05.8-15.6	41	15.2	08.9-21.5	30	11.1	05.4-16.8	23	8.0	02.1-13.9
\$35,000-49,999	279	172,309	88	40.8	31.2-50.4	60	20.4	13.1-27.7	95	30.6	22.0-39.2	22	7.9	3.0-12.8			
\$50,000-74,999	214	161,767	60	30.2	20.6-39.8	64	28.4	19.6-37.2	22	7.2	5.2	01.9-08.5	13	3.0	00.3-05.7		
\$75,000+	281	272,577	66	27.8	19.2-36.4	78	29.9	21.1-38.7	97	35.9	27.1-44.7	29	4.9	02.0-07.8	11	1.6	00.4-02.8

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

PREVIOUSLY YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAE)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	<= 10 years old			11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-96+ years old				
		N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
	TOTAL	609	572,554	146	30.4	23.3-37.5	91	15.3	10.2-20.4	209	38.1	31.0-45.2	71	6.1	0.3-9.8	46	4.4	0.1-9.0	46	5.7	0.2-8.0
Male	Male	167	214,180	22	11.5	0.3-19.1	69	17.5	10.8-24.2	162	40.3	31.7-48.9	59	7.5	0.4-10.6	37	5.1	0.1-8.8	28	3.4	0.1-0.05
Female	Female	442	358,374	87	26.2	18.4-34.0	69	17.5	10.8-24.2	153	38.9	30.9-46.9	57	7.0	0.4-3.0	35	5.1	0.1-8.4	41	7.0	0.3-3.10
White/Non-Hisp	White/Non-Hisp	462	444,077	113	26.0	18.9-33.1	63	16.1	0.9-32.4	10	4.0	0.0-5.7	9	3.8	0.0-3.0	4	0.5	0.0-0.1	3		
Hispanic	Hispanic	96	61,106																		
45-54	45-54	101	82,919																		
55-64	55-64	151	96,860																		
65+	65+	181	112,817																		
Less Than H.S.	Less Than H.S.	79	73,460																		
H.S. or G.E.D.	H.S. or G.E.D.	169	156,753																		
Some Post-H.S.	Some Post-H.S.	193	172,969																		
College Graduate	College Graduate	168	169,372																		
\$15,000-\$24,999	\$15,000-\$24,999	84	60,283	9	9.5	0.3-18.7	17	15.0	0.5-32.4	8	3.9	0.0-0.8	6	1.5	0.0-0.3	14	8.3	0.2-2.14	4		
\$25,000-\$34,999	\$25,000-\$34,999	108	64,063	56	51,837																
\$35,000-\$49,999	\$35,000-\$49,999	88	79,975																		
\$50,000-\$74,999	\$50,000-\$74,999	70	79,587																		
\$75,000+	\$75,000+	107	143,959																		

NOTE:
¹% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARIZONA MODULE QUESTIONS DATA REPORT, 2007

MODULE 12: ADULT ASTHMA HISTORY
 DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	1-13 times in last 12 months			14-26 times in last 12 months			27-39 times in last 12 months			40-52 times in last 12 months			No times in last 12 months			
		WEIGHTED N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	428	386,879	251	54.5	45.9-63.1	3	2.5	0.0-0.62	1	0.4	0.0-0.12	1	0.0	0.0-0.0	172	42.6	34.2-51.0
Male	115	133,220				1	0.4	0.0-0.12									
Female	313	253,658				2	3.6	0.0-0.93	1	0.6	0.0-0.13	1	0.0	0.0-0.0			
White/Non-Hisp	325	308,678	176	53.2	43.6-62.8	3	3.2	0.0-0.79	1	0.5	0.0-0.15	1	0.0	0.0-0.0	144	43.1	33.7-52.5
55-64	109	73,179				1	2.8	0.0-0.83	1	2.1	0.0-0.62	1	0.1	0.0-0.3			
65+	131	79,262				1	0.7	0.0-0.21									
H.S. or G.E.D.	122	105,194															
Some Post-H.S.	132	117,183				2	2.3	0.0-0.58	1	1.3	0.0-0.38	1	0.1	0.0-0.3			
Less than \$15,000	62	39,475															
\$35,000- 49,999	68	60,611				1	1.0	0.0-0.30									
\$75,000+	71	86,022				1	2.4	0.0-0.71									

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 12: ADULT ASTHMA HISTORY
DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA?

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	TOTAL WEIGHTED	01-10 Days			11-30 Days			31-60 Days			61-100 Days			101-365 Days			% C.I. (95%)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	400	360,292	65	18.8	11.4-26.2	13	3.3	0.0-0.06.6	3	0.7	0.0-0.01.9	67	11.7	0.7-0.16.4	8	0.8	0.0-0.01.6	244	64.8	56.4-73.2
Male	105	124,679	8	7.9	0.6-15.2	3	6.5	0.0-0.15.1	10	1.5	0.1-02.9	3	1.1	0.0-0.02.9	49	10.1	0.5-14.6	7	1.1	0.1-02.1
Female	295	235,613																		
White\Non-Hisp	303	292,065	46	16.8	08.6-25.0	10	3.8	0.0-0.07.7	3	0.9	0.0-0.02.3	47	13.1	07.2-19.0	6	0.7	0.0-0.01.5	191	64.6	55.0-74.2
Hispanic	64	37,145																		
35-44	57	74,840																1	0.5	0.0-01.5
45-54	60	41,594	15	12.1	04.1-20.1	1	1.2	0.0-0.3.6	4	0.9	0.0-0.01.9	1	0.5	0.0-0.01.5	1	0.5	0.0-01.5			
55-64	106	68,517																4	2.7	0.0-06.0
65+	124	77,673	13	8.6	01.0-16.2	4	2.1	0.0-0.05.2	1	0.5	0.0-0.01.5	2	3.2	0.0-0.09.1	22	12.4	02.8-22.0	2	0.4	0.0-01.0
H.S. or G.E.D.	113	96,065																		
Some Post-H.S.	125	106,881																		
College Graduate	113	115,772																		
Less than \$15,000	53	31,473																		
\$15,000-24,999	77	46,280																		
\$35,000-49,999	63	53,308	9	7.5	00.1-14.9	1	4.9	0.0-0.14.3	2	0.4	0.0-0.01.0	10	11.0	01.8-20.2						
\$75,000+	69	85,550																		

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007

MODULE 12: ADULT ASTHMA HISTORY
SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (SYMPTOM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	< Once Week			Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day, But Not All the Time			Every Day All the Time			Not at Any Time				
		N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	410	364	751	82	22.0	14.7-29.3	85	21.0	13.9-28.1	48	13.6	0.7-19.5	47	9.1	0.4-13.6	37	6.4	0.3-10.7	111	27.9	19.7-36.1
Male	105	124	205	21	13.1	0.4-21.7	11	11.5	0.2-20.5	37	14.7	0.7-22.3	29	5.0	0.2-3.07.7	10	10.1	0.1-18.3	27	4.5	0.1-8.07.2
Female	305	240	546	66	26.6	17.4-35.8	64	25.0	15.4-34.6	37	14.7	0.7-22.3	29	5.0	0.2-3.07.7	27	4.5	0.1-8.07.2	82	24.1	14.7-33.5
White/Non-Hisp	314	297	814	66	25.0	16.6-33.4	60	20.3	12.3-28.3	31	12.3	0.5-19.0	39	10.2	0.4-15.5	30	6.2	0.3-1.09.3	88	26.1	17.5-34.7
Hispanic	64	36	893	11	5.9	0.0-11.4							4	2.1	0.0-0.46						
35-44	58	75	582														2	0.4	0.0-01.0		
45-54	66	45	734														7	4.3	0.0-2.08.4		
55-64	107	70	386	19	16.4	0.6-26.0											9	7.4	0.0-14.7		
65+	126	75	382	22	13.3	0.5-21.3	19	13.5	0.4-22.5	8	3.5	0.0-06.8					15	9.5	0.3-0.16.0		
Less Than H.S.	54	45	563	6	7.4	0.0-16.6															
H.S. or G.E.D.	116	98	969																		
Some Post-H.S.	126	107	629																		
College Graduate	114	113	490																		
Less than \$15,000	60	37	714	6	5.4	0.0-11.7										6	9.4	0.0-19.0	9	8.9	0.1-16.7
\$15,000-24,999	74	43	064																		
\$35,000-49,999	64	54	560	9	7.0	0.1-12.5	10	4.9	0.1-2.08.6	3	3.4	0.0-07.5	6	8.5	0.0-18.5	8	9.7	0.0-0.19.7	3	1.6	0.0-04.0
\$75,000+	69	85	550																		

NOTE:
 % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.¹

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007

EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTHITIS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	I can do Everything I would like to			I can do Most Things I would like to			I can do Some Things I would like to			I can Hardly do Anything I would like to					
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	2232	1,688,009	645	34.5	30.2-38.8	978	41.6	37.7-45.5	454	17.5	14.8-20.2	155	6.4	4.4-8.4		
Male	756	777,003	233	41.8	34.4-49.2	328	35.7	29.2-42.2	140	15.8	11.7-19.9	55	6.7	3.2-10.2		
Female	1476	911,006	412	28.2	24.1-32.3	650	46.6	42.1-51.1	314	19.0	15.5-22.5	100	6.2	4.2-8.2		
White/Non-Hisp.	1709	1,319,229	464	33.1	29.0-37.2	783	43.3	39.2-47.4	339	17.0	14.1-19.9	123	6.6	4.2-9.0		
Oth. Race/Non-Hisp.	85	69,081										3	6.3	0.0-14.3		
Hispanic	377	245,554										24	6.2	0.1-11.1		
25-34	92	181,537										5	3.3	0.0-7.2		
35-44	204	269,410										39	18.5	0.9-27.1		
45-54	410	314,992	143	41.4	33.2-49.6	176	41.8	34.0-49.6	63	11.9	7.2-16.6	28	4.9	0.5-7.3		
55-64	564	381,223	157	28.0	21.5-34.5	243	43.9	37.0-50.8	112	19.5	14.0-25.0	52	8.7	0.5-12.2		
65+	922	492,237	207	22.5	18.2-26.8	430	46.8	41.3-52.3	227	24.6	19.7-29.5	58	6.1	0.3-20.0		
Less Than H.S.	255	160,725												36	15.4	0.4-24.4
H.S. or G.E.D.	601	396,655	154	31.7	24.8-38.6	271	39.7	33.2-46.2	129	21.9	16.0-27.8	47	6.6	0.3-9.3		
Some Post-H.S.	711	543,716	210	37.8	30.9-44.7	310	38.4	31.5-45.3	148	19.1	14.2-24.0	43	4.7	0.2-3.7		
College Graduate	662	586,671	205	32.3	26.0-38.6	327	50.0	43.3-56.7	101	12.2	0.8-16.1	29	5.5	0.1-2.9		
Less than \$15,000	269	117,910	45	13.5	07.0-20.0	91	29.4	20.4-38.4	88	16.7	10.0-23.4	37	12.4	0.6-17.9		
\$15,000-24,999	379	261,849										41	10.9	0.5-16.8		
\$25,000-34,999	243	137,938										9	2.6	0.0-2.0		
\$35,000-49,999	359	227,434	111	29.5	22.1-36.9	175	48.4	40.0-56.8	58	17.6	11.3-23.9	15	4.4	0.1-3.7		
\$50,000-74,999	279	276,986										8	3.2	0.0-3.6		
\$75,000+	362	433,154	139	44.3	35.9-52.7	173	41.9	33.7-50.1	40	10.1	0.5-14.8	10	3.7	0.0-0.8		

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007

ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
SECTION 4: EXERCISE
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Yes	No			
	TOTAL	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4727	4,548,952	3501	77.6	75.2-80.0	1226
Male	1719	2,254,343	1302	78.7	75.0-82.4	417
Female	3008	2,294,608	2199	76.5	73.6-79.4	809
White/Non-Hisp	3238	3,052,628	2480	81.3	79.1-83.5	758
Oth. Race/Non-Hisp.	258	324,696	181	73.7	64.3-83.1	77
Hispanic	1072	953,014	717	67.3	60.4-74.2	355
25-34	530	1,031,417	422	82.9	77.4-88.4	108
35-44	634	897,116	493	80.7	75.2-86.2	141
45-54	909	770,923	689	76.5	71.4-81.6	220
55-64	959	612,491	700	70.6	65.5-75.7	259
65+	1482	803,591	1033	72.6	68.7-76.5	449
Less Than H.S.	564	542,628	320	65.8	56.8-74.8	244
H.S. or G.E.D.	1328	1,136,894	900	69.8	64.9-74.7	428
Some Post-H.S.	1396	1,309,136	1052	77.0	72.7-81.3	344
College Graduate	1422	1,537,834	1217	88.8	86.1-91.5	205
Less than \$15,000	481	304,074	275	62.6	53.0-72.2	206
\$15,000- 24,999	762	598,987	484	66.0	58.4-73.6	278
\$25,000- 34,999	539	452,062	400	75.0	65.6-84.4	139
\$35,000- 49,999	721	652,728	557	75.6	69.7-81.5	164
\$50,000- 74,999	642	731,056	527	81.1	75.8-86.4	115
\$75,000+	872	1,244,445	767	91.3	88.6-94.0	105

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 6: HYPERTENSION AWARENESS

ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	No			Yes		
		TOTAL	WEIGHTED	N	%	C.I. (95%)	N
TOTAL	4721	4,542,838	3119	75.2	73.0-77.4	1602	24.8
Male	1718	2,249,145	1088	74.0	70.5-77.5	630	26.0
Female	3003	2,293,693	2031	76.4	73.9-78.9	972	23.6
White/Non-Hisp	3234	3,050,170	2045	71.2	68.5-73.9	1189	28.8
Oth. Race/Non-Hisp.	259	325,254	190	81.9	73.3-90.5	69	18.1
Hispanic	1070	952,939	788	86.0	82.3-89.7	282	14.0
18-24	162	401,208	150	92.1	85.0-99.2	12	7.9
25-34	530	1,031,417	492	93.5	89.8-97.2	38	6.5
35-44	635	893,903	541	86.2	81.9-90.5	94	13.8
45-54	907	770,635	670	76.3	71.4-81.2	237	23.7
55-64	959	612,552	565	53.9	48.2-59.6	394	46.1
65+	1478	801,045	671	46.1	41.8-50.4	807	53.9
Less Than H.S.	565	543,785	350	82.3	77.2-87.4	215	17.7
H.S. or G.E.D.	1321	1,131,261	841	70.6	65.9-75.3	480	29.4
Some Post-H.S.	1398	1,309,536	916	74.8	71.1-78.5	482	25.2
College Graduate	1420	1,535,797	996	76.0	72.3-79.7	424	24.0
Less than \$15,000	481	304,074	272	72.3	64.9-79.7	209	27.7
\$15,000- 24,999	760	598,541	468	71.3	65.0-77.6	292	28.7
\$25,000- 34,999	537	451,785	350	74.2	66.9-81.5	187	25.8
\$35,000- 49,999	721	653,136	488	71.9	66.0-77.8	233	28.1
\$50,000- 74,999	643	731,152	456	79.7	75.0-84.4	187	20.3
\$75,000+	873	1,244,618	648	78.8	74.5-83.1	225	16.9-25.5

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

**SECTION 7: CHOLESTEROL AWARENESS
CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (CHOLCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	Checked			Not Checked			Never Checked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4600	4,409,876	3587	71.9	69.0-74.8	154	3.0	02.0-04.0	859	25.1	22.2-28.0
Male	1674	2,172,569	1291	69.1	64.2-74.0	71	3.7	01.9-05.5	312	27.2	22.3-32.1
Female	2926	2,237,307	2296	74.6	71.3-77.9	83	2.3	01.5-03.1	547	23.1	19.8-26.4
White/Non-Hisp	3159	2,962,516	2677	80.3	77.4-83.2	127	3.6	02.6-04.6	355	16.1	13.4-18.8
Oth. Race/Non-Hisp.	249	317,247	7	7.7	00.0-03.9						
Hispanic	1041	923,117	629	51.6	44.0-59.2	18	0.3	01.1-00.5	394	48.1	40.5-55.7
18-24	147	367,445	1	0.2	00.0-00.6						
25-34	512	986,791	269	50.9	43.1-58.7	18	2.6	00.1-05.1	225	46.5	38.5-54.5
35-44	620	887,466	427	68.1	61.4-74.8	16	3.3	00.9-05.7	177	28.6	22.1-35.1
45-54	885	743,900	686	82.6	78.5-86.7	46	5.1	02.7-07.5	153	12.2	08.5-15.9
55-64	946	609,451	812	88.6	85.1-92.1	41	3.7	01.5-05.9	93	7.7	05.0-10.4
65+	1442	783,798	1301	93.0	91.0-95.0	32	2.0	00.8-03.2	109	5.0	03.4-06.6
Less Than H.S.	541	534,625	313	42.3	32.3-52.3	13	1.0	00.0-02.2	215	56.8	46.8-66.8
H.S. or G.E.D.	1295	1,083,002	975	72.1	67.2-77.0	39	1.9	00.9-02.9	281	26.0	21.1-30.9
Some Post-H.S.	1350	1,258,314	1095	76.1	71.0-81.2	45	3.0	01.4-04.6	210	21.0	16.1-25.9
College Graduate	1399	1,514,421	1192	79.4	74.7-84.1	57	4.6	02.4-06.8	150	16.1	11.6-20.6
Less than \$15,000	467	295,415				16	2.2	00.4-04.0			
\$15,000- 24,999	736	586,563	529	59.2	49.4-69.0	28	2.7	00.9-04.5	179	38.1	28.1-48.1
\$25,000- 34,999	514	425,692				10	1.1	00.0-02.7			
\$35,000- 49,999	715	649,134	552	69.2	61.9-76.5	25	3.3	00.9-05.7	138	27.5	20.2-34.8
\$50,000- 74,999	633	718,374	521	75.2	68.5-81.9	27	4.3	01.9-06.7	85	20.5	14.0-27.0
\$75,000+	861	1,206,357	738	82.6	78.1-87.1	35	3.7	01.2-06.2	88	13.7	09.6-17.8

NOTE:
% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	35566	3,128,253	1970	60.7	57.8-63.6	1586	39.3	36.4-42.2
Male	1277	1,469,463	694	57.9	53.0-62.8	583	42.1	37.2-47.0
Female	2279	1,658,790	1276	63.2	59.9-66.5	1003	36.8	33.5-40.1
White/Non-Hisp	2652	2,341,229	1423	57.5	54.2-60.8	1229	42.5	39.2-45.8
Hispanic	626	475,305	375	70.8	63.7-77.9	251	29.2	22.1-36.3
25-34	269	501,871	211	80.3	72.7-87.9	58	19.7	12.1-27.3
35-44	425	604,443	298	71.7	65.2-78.2	127	28.3	21.8-34.8
45-54	683	610,087	406	61.5	55.2-67.8	277	38.5	32.2-44.8
55-64	806	538,385	387	48.9	42.8-55.0	419	51.1	45.0-57.2
65+	1282	715,677	600	44.8	40.3-49.3	682	55.2	50.7-59.7
H.S. or G.E.D.	966	777,754	519	61.7	56.0-67.4	447	38.3	32.6-44.0
Some Post-H.S.	1084	931,254	616	65.7	61.2-70.2	468	34.3	29.8-38.8
College Graduate	1184	1,190,151	685	58.8	53.9-63.7	499	41.2	36.3-46.1
Less than \$15,000	324	163,645	146	48.3	38.7-57.9	178	51.7	42.1-61.3
\$15,000- 24,999	522	345,159	277	54.2	46.0-62.4	245	45.8	37.6-54.0
\$25,000- 34,999	393	292,060	220	70.4	62.8-78.0	173	29.6	22.0-37.2
\$35,000- 49,999	549	449,012	305	56.9	49.6-64.2	244	43.1	35.8-50.4
\$50,000- 74,999	517	536,649	312	66.2	59.5-72.9	205	33.8	27.1-40.5
\$75,000+	731	966,659	443	62.3	56.4-68.2	288	37.7	31.8-43.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA CALCULATED VARIABLE DATA REPORT, 2007**

SECTION 11: TOBACCO USE
FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER	Smoke everyday			Smoke some days			Former smoker			Never smoked			
		TOTAL	WEIGHTED	N %	C.I. (95%)	N %	C.I. (95%)	N %	C.I. (95%)	N %	C.I. (95%)	N %	C.I. (95%)	
TOTAL	4711	4,537,483	608	13.6	11.4-15.8	231	6.1	04.5-07.7	1368	24.0	21.8-26.2	2504	56.2	53.3-59.1
Male	1716	2,252,657	261	16.9	13.0-20.8	95	6.4	04.0-08.8	593	26.6	22.9-30.3	767	50.1	45.4-54.8
Female	2955	2,284,846	347	10.4	08.4-12.4	136	5.9	03.9-07.9	775	21.5	19.1-23.9	1737	62.2	59.1-65.3
White/Non-Hisp	3228	3,042,320	464	14.6	12.2-17.0	127	4.9	03.3-06.5	1100	26.6	24.1-29.1	1537	53.9	50.8-57.0
Black or Afr. Am./Non-Hisp	77	145,033	84	10.9	07.4-14.4	5	6.7	00.0-15.5						
Oth. Race/Non-Hisp.	257	325,045	26	13.0	04.8-21.2	23	12.8	04.2-21.4	51	19.6	12.0-27.2			
Hispanic	1068	952,181	97	10.2	04.1-16.3	71	7.9	04.0-11.8	176	17.7	11.8-23.6	724	64.2	56.6-71.8
18-24	162	401,208				14	11.1	02.9-19.3	13	6.3	01.4-11.2			
25-34	527	1,027,655	65	13.9	07.6-20.2	48	8.0	04.1-11.9	67	10.2	06.1-14.3	347	67.8	60.4-75.2
35-44	636	838,192	84	10.9	07.4-14.4	38	5.9	03.0-08.8	106	18.7	13.2-24.2	408	64.4	58.1-70.7
45-54	905	766,376	158	14.2	10.7-17.7	45	6.9	03.2-10.6	217	24.8	19.7-29.9	485	54.2	48.5-59.9
55-64	958	611,969	147	16.6	12.3-20.9	44	4.3	02.1-06.5	330	38.0	32.5-43.5	437	41.0	35.5-46.5
65+	1472	799,878	124	7.6	05.2-10.0	41	2.5	01.3-03.7	624	45.8	41.5-50.1	683	44.0	39.7-48.3
Less Than H.S. H.S. or G.E.D.	562	541,834				28	4.9	01.2-08.6	117	16.7	10.6-22.8			
Some Post H.S.	1320	1,132,794	211	15.0	11.5-18.5	79	9.0	05.3-12.7	399	27.3	22.8-31.8	631	48.6	43.1-54.1
College Graduate	1394	1,305,659	179	11.1	08.4-13.8	63	5.2	03.0-07.4	435	24.3	20.2-28.4	717	59.4	54.5-64.3
1419	1,534,824	116	9.5	06.6-12.4	60	5.3	02.9-07.7	412	24.1	20.4-27.8	831	61.0	56.5-65.5	
Less than \$15,000	480	304,060				31	5.9	02.4-09.4	115	19.4	12.7-26.1			
\$15,000-24,999	758	596,259	126	19.7	10.9-28.5	41	6.6	02.5-10.7	209	26.2	18.8-33.6	382	47.5	38.7-56.3
\$25,000-34,999	537	448,926	75	10.9	06.4-15.4	22	6.8	00.7-12.9	167	26.0	18.4-33.6	273	56.3	47.1-65.5
\$35,000-49,999	721	652,136	93	15.5	10.6-20.4	39	9.0	04.3-13.7	225	24.3	19.0-29.6	364	51.2	44.3-58.1
\$50,000-74,999	640	727,624	73	12.3	07.4-17.2	31	4.4	01.7-07.1	197	23.7	18.4-29.0	339	59.6	53.1-66.1
\$75,000+	871	1,243,981	67	9.9	05.8-14.0	39	5.8	03.1-08.5	257	23.5	19.2-27.8	508	60.8	55.1-66.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

Which statement best describes the rules about smoking inside your home?

		Rules about smoking inside your home								Total			
		Smoking is not allowed anywhere		Smoking is allowed in some places or at some times		Smoking is allowed anywhere		There are no rules about smoking					
		Count	Row %	Count	Row %	Count	Row %	Count	Row %				
Total		3708	85.8%	231	5.8%	68	1.2%	423	7.2%	4430	100.0%		
RESPONDENTS SEX	Male	1304	84.4%	85	6.8%	34	1.4%	177	7.5%	1600	100.0%		
	Female	2404	87.2%	146	4.9%	34	1.0%	246	6.9%	2830	100.0%		
IMPUTED AGE IN SIX GROUPS	18 to 24	121	75.4%	11	12.5%	2	.8%	13	11.3%	147	100.0%		
	25 to 34	456	94.6%	13	1.0%	3	.3%	20	4.1%	492	100.0%		
	35 to 44	517	89.2%	33	6.0%	7	1.2%	37	3.6%	594	100.0%		
	45 to 54	709	84.8%	50	7.1%	12	1.1%	78	7.0%	849	100.0%		
	55 to 64	765	80.8%	67	9.6%	15	1.4%	103	8.2%	950	100.0%		
	65+	1140	81.4%	57	4.2%	29	2.4%	172	12.0%	1398	100.0%		
MARITAL STATUS	Married	2220	89.6%	98	4.1%	29	1.0%	174	5.4%	2521	100.0%		
	Divorced	504	75.9%	54	10.1%	13	2.0%	101	12.0%	672	100.0%		
	Widowed	455	77.9%	32	7.0%	16	4.1%	75	11.1%	578	100.0%		
	Separated	85	85.4%	6	2.5%	3	1.4%	11	10.7%	105	100.0%		
	Never married	351	79.2%	28	9.4%	6	.9%	48	10.6%	433	100.0%		
	Unmarried couple	82	86.9%	10	8.6%	1	.1%	12	4.4%	105	100.0%		
	Refused	11	65.0%	3	28.3%	0	.0%	2	6.7%	16	100.0%		
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	411	79.7%	28	8.1%	9	.6%	61	11.6%	509	100.0%		
	High School	999	83.5%	76	6.4%	19	1.1%	142	9.0%	1236	100.0%		
	Some College or TS	1098	86.9%	74	5.5%	25	1.8%	120	5.7%	1317	100.0%		
	College or Technical School	1193	88.7%	52	4.9%	15	.9%	98	5.5%	1358	100.0%		
	DK/NS/Missing	7	66.8%	1	1.1%	0	.0%	2	32.1%	10	100.0%		
Employment Recoded	Employed for wages	1401	88.8%	92	5.1%	17	.7%	119	5.3%	1629	100.0%		
	Self-employed	352	88.3%	24	6.3%	4	.7%	36	4.6%	416	100.0%		
	Out of work	126	73.9%	10	9.8%	7	3.2%	14	13.1%	157	100.0%		
	Homemaker	414	94.1%	15	1.1%	5	.6%	26	4.2%	460	100.0%		
	Student	62	86.3%	5	10.0%	0	.0%	5	3.7%	72	100.0%		
	Retired	1155	80.7%	59	4.1%	28	2.7%	181	12.5%	1423	100.0%		
	Unable to work	187	69.8%	25	20.5%	6	.5%	38	9.2%	256	100.0%		
	Refused	11	64.4%	1	3.5%	1	3.1%	4	29.0%	17	100.0%		
Income Recoded	< \$25K	901	79.6%	80	9.7%	25	1.6%	145	9.1%	1151	100.0%		
	\$25-\$35K	424	82.7%	23	7.4%	5	.5%	57	9.5%	509	100.0%		
	\$35-\$50K	560	84.0%	36	5.7%	14	1.6%	64	8.7%	674	100.0%		
	\$50-\$75K	529	85.6%	37	7.0%	9	2.1%	42	5.2%	617	100.0%		
	\$75K+	751	92.6%	25	3.0%	4	.2%	49	4.2%	829	100.0%		
	DK/NS/Refused	543	85.3%	30	3.4%	11	1.6%	66	9.7%	650	100.0%		
Race recoded for annual report	White only, Non-Hisp	2549	85.8%	166	6.1%	54	1.4%	313	6.7%	3082	100.0%		
	Black only, Non-Hisp	47	64.5%	7	26.1%	1	1.7%	10	7.6%	65	100.0%		
	Other only, Non-Hisp	224	80.1%	17	4.3%	3	.5%	28	15.1%	272	100.0%		
	Hispanic	857	91.8%	38	2.0%	10	.9%	69	5.4%	974	100.0%		
	DK/NS/Refused	31	67.8%	3	18.9%	0	.0%	3	13.3%	37	100.0%		
Veteran Recoded	Yes	543	80.1%	38	6.6%	16	2.0%	90	11.2%	687	100.0%		
	No	3164	86.7%	193	5.7%	52	1.1%	331	6.5%	3740	100.0%		
	DK/NS/Refused	1	70.7%	0	.0%	0	.0%	2	29.3%	3	100.0%		

While working at your job, are you indoors most of the time?

		While at your job, are you indoors most of the time				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		1600	75.3%	423	24.7%	2023	100.0%
RESPONDENTS SEX	Male	527	62.4%	310	37.6%	837	100.0%
	Female	1073	92.1%	113	7.9%	1186	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	61	72.1%	16	27.9%	77	100.0%
	25 to 34	264	76.9%	79	23.1%	343	100.0%
	35 to 44	328	69.5%	94	30.5%	422	100.0%
	45 to 54	494	80.9%	114	19.1%	608	100.0%
	55 to 64	352	75.7%	97	24.3%	449	100.0%
	65+	101	72.6%	23	27.4%	124	100.0%
MARITAL STATUS	Married	951	74.6%	257	25.4%	1208	100.0%
	Divorced	276	81.5%	56	18.5%	332	100.0%
	Widowed	80	76.1%	14	23.9%	94	100.0%
	Separated	43	62.1%	17	37.9%	60	100.0%
	Never married	197	73.8%	61	26.2%	258	100.0%
	Unmarried couple	48	81.7%	11	18.3%	62	100.0%
	Refused	5	83.4%	4	16.6%	9	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	99	45.7%	58	54.3%	157	100.0%
	High School	355	63.0%	143	37.0%	498	100.0%
	Some College or TS	492	74.8%	127	25.2%	619	100.0%
	College or Technical School	652	89.1%	95	10.9%	747	100.0%
	DK/NS/Missing	2	100.0%	0	.0%	2	100.0%
Employment Recoded	Employed for wages	1319	76.7%	295	23.3%	1614	100.0%
	Self-employed	281	68.9%	128	31.1%	409	100.0%
Income Recoded	< \$25K	255	62.0%	99	38.0%	354	100.0%
	\$25-\$35K	193	70.5%	49	29.5%	242	100.0%
	\$35-\$50K	252	67.1%	82	32.9%	334	100.0%
	\$50-\$75K	301	83.2%	65	16.8%	366	100.0%
	\$75K+	478	82.4%	86	17.6%	564	100.0%
	DK/NS/Refused	121	68.3%	42	31.7%	163	100.0%
Race recoded for annual report	White only, Non-Hisp	1079	78.9%	257	21.1%	1336	100.0%
	Black only, Non-Hisp	38	89.2%	5	10.8%	43	100.0%
	Other only, Non-Hisp	108	80.6%	32	19.4%	140	100.0%
	Hispanic	361	59.3%	128	40.7%	489	100.0%
	DK/NS/Refused	14	69.0%	1	31.0%	15	100.0%
Veteran Recoded	Yes	174	69.9%	83	30.1%	257	100.0%
	No	1424	76.0%	340	24.0%	1764	100.0%
	DK/NS/Refused	2	100.0%	0	.0%	2	100.0%

Which of the following best describes your place of work's official smoking policy for indoor public or common areas, such as lobbies, rest rooms, and lunch rooms?

		Place of work's official smoking policy for indoor public or common areas								Total	
		Not allowed in any public areas		Allowed in some public areas		Allowed in all public areas		No official policy			
		Count	Row %	Count	Row %	Count	Row %	Count	Row %	Count	Row %
Total		1322	81.5%	176	13.9%	23	1.7%	64	2.9%	1585	100.0%
RESPONDENTS SEX	Male	413	78.3%	70	18.1%	11	1.5%	24	2.1%	518	100.0%
	Female	909	84.4%	106	10.1%	12	1.8%	40	3.6%	1067	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	47	71.4%	6	21.8%	2	.7%	5	6.2%	60	100.0%
	25 to 34	203	77.8%	41	15.8%	6	3.3%	12	3.1%	262	100.0%
	35 to 44	276	83.7%	35	13.5%	4	1.1%	10	1.8%	325	100.0%
	45 to 54	418	85.8%	54	11.7%	5	1.5%	13	1.0%	490	100.0%
	55 to 64	291	83.3%	34	12.4%	4	.6%	20	3.8%	349	100.0%
	65+	87	82.5%	6	1.6%	2	.4%	4	15.5%	99	100.0%
MARITAL STATUS	Married	805	84.1%	93	11.4%	13	1.8%	34	2.7%	945	100.0%
	Divorced	214	74.4%	41	17.7%	3	1.4%	14	6.5%	272	100.0%
	Widowed	66	82.6%	9	14.6%	1	.9%	3	1.9%	79	100.0%
	Separated	36	91.8%	4	6.8%	0	.0%	2	1.3%	42	100.0%
	Never married	159	75.3%	22	21.0%	3	.4%	11	3.4%	195	100.0%
	Unmarried couple	38	77.9%	6	16.8%	3	5.4%	0	.0%	47	100.0%
	Refused	4	84.7%	1	15.3%	0	.0%	0	.0%	5	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	77	83.3%	14	12.4%	2	1.3%	6	3.0%	99	100.0%
	High School	276	76.0%	53	17.5%	4	3.1%	19	3.4%	352	100.0%
	Some College or TS	403	81.6%	54	14.6%	9	1.2%	18	2.6%	484	100.0%
	College or Technical School	565	83.5%	54	12.1%	8	1.5%	21	3.0%	648	100.0%
	DK/NS/Missing	1	3.5%	1	96.5%	0	.0%	0	.0%	2	100.0%
Employment Recoded	Employed for wages	1094	80.6%	161	15.7%	19	1.9%	36	1.8%	1310	100.0%
	Self-employed	228	86.3%	15	3.9%	4	.6%	28	9.2%	275	100.0%
Income Recoded	< \$25K	195	79.3%	38	13.3%	2	.3%	17	7.1%	252	100.0%
	\$25-\$35K	155	79.8%	22	8.6%	5	3.4%	8	8.2%	190	100.0%
	\$35-\$50K	197	71.9%	39	23.8%	4	1.4%	10	2.9%	250	100.0%
	\$50-\$75K	252	82.0%	31	13.1%	5	4.0%	9	.9%	297	100.0%
	\$75K+	427	85.4%	32	12.2%	4	.6%	14	1.8%	477	100.0%
	DK/NS/Refused	96	81.7%	14	15.1%	3	1.0%	6	2.1%	119	100.0%
Race recoded for annual report	White only, Non-Hisp	908	84.4%	108	12.3%	11	1.1%	40	2.1%	1067	100.0%
	Black only, Non-Hisp	29	83.5%	8	16.0%	1	.5%	0	.0%	38	100.0%
	Other only, Non-Hisp	81	66.9%	14	23.8%	2	4.6%	10	4.8%	107	100.0%
	Hispanic	293	75.5%	44	15.2%	8	2.9%	14	6.4%	359	100.0%
	DK/NS/Refused	11	95.4%	2	2.9%	1	1.6%	0	.0%	14	100.0%
Veteran Recoded	Yes	142	84.7%	21	12.1%	4	.4%	5	2.8%	172	100.0%
	No	1180	81.2%	153	14.0%	19	1.9%	59	2.9%	1411	100.0%
	DK/NS/Refused	0	.0%	2	100.0%	0	.0%	0	.0%	2	100.0%

Which of the following best describes your place of work's official smoking policy for work areas?

		Place of work's official smoking policy for work areas								Total	
		Not allowed in any work areas		Allowed in some work areas		Allowed in all work areas		No official policy			
		Count	Row %	Count	Row %	Count	Row %	Count	Row %	Count	Row %
Total		1413	89.8%	86	6.9%	17	.8%	59	2.4%	1575	100.0%
RESPONDENTS SEX	Male	452	90.8%	34	6.8%	7	.4%	23	1.9%	516	100.0%
	Female	961	88.9%	52	7.0%	10	1.1%	36	2.9%	1059	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	48	86.5%	5	11.2%	3	.7%	1	1.6%	57	100.0%
	25 to 34	231	93.1%	18	4.3%	4	1.2%	9	1.4%	262	100.0%
	35 to 44	289	87.9%	21	8.9%	1	.3%	14	2.8%	325	100.0%
	45 to 54	442	88.8%	28	8.0%	2	.5%	15	2.7%	487	100.0%
	55 to 64	312	89.1%	10	5.6%	6	1.5%	17	3.8%	345	100.0%
	65+	91	91.2%	4	4.5%	1	.1%	3	4.2%	99	100.0%
MARITAL STATUS	Married	850	90.9%	48	6.1%	7	.8%	36	2.2%	941	100.0%
	Divorced	240	84.9%	13	6.7%	4	2.2%	11	6.2%	268	100.0%
	Widowed	67	81.0%	7	15.5%	0	.0%	4	3.5%	78	100.0%
	Separated	41	98.9%	1	1.1%	0	.0%	0	.0%	42	100.0%
	Never married	170	90.0%	11	7.4%	5	.6%	8	2.1%	194	100.0%
	Unmarried couple	41	87.6%	5	12.2%	1	.2%	0	.0%	47	100.0%
	Refused	4	84.7%	1	15.3%	0	.0%	0	.0%	5	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	76	79.7%	12	16.7%	2	.9%	5	2.7%	95	100.0%
	High School	307	87.9%	29	8.2%	4	2.2%	12	1.6%	352	100.0%
	Some College or TS	430	89.6%	25	6.1%	8	1.0%	19	3.2%	482	100.0%
	College or Technical School	599	91.9%	19	5.7%	3	.1%	23	2.3%	644	100.0%
	DK/NS/Missing	1	3.5%	1	96.5%	0	.0%	0	.0%	2	100.0%
Employment Recoded	Employed for wages	1176	90.1%	77	7.1%	14	.8%	35	2.0%	1302	100.0%
	Self-employed	237	88.5%	9	6.1%	3	.6%	24	4.8%	273	100.0%
Income Recoded	< \$25K	207	85.7%	23	8.6%	4	1.1%	12	4.6%	246	100.0%
	\$25-\$35K	172	82.4%	12	15.7%	1	.0%	6	1.9%	191	100.0%
	\$35-\$50K	214	81.2%	21	13.9%	6	1.9%	9	3.0%	250	100.0%
	\$50-\$75K	270	93.1%	11	2.8%	2	1.5%	12	2.6%	295	100.0%
	\$75K+	446	93.8%	13	4.2%	1	.2%	16	1.8%	476	100.0%
	DK/NS/Refused	104	90.3%	6	7.5%	3	.7%	4	1.5%	117	100.0%
Race recoded for annual report	White only, Non-Hisp	975	91.8%	41	5.0%	11	.9%	36	2.3%	1063	100.0%
	Black only, Non-Hisp	34	87.6%	2	10.9%	1	.5%	1	1.0%	38	100.0%
	Other only, Non-Hisp	89	87.5%	8	6.9%	1	1.2%	8	4.4%	106	100.0%
	Hispanic	304	82.7%	33	14.7%	3	.3%	14	2.2%	354	100.0%
	DK/NS/Refused	11	94.5%	2	3.8%	1	1.6%	0	.0%	14	100.0%
Veteran Recoded	Yes	151	86.3%	10	9.7%	3	.2%	7	3.8%	171	100.0%
	No	1260	90.2%	76	6.6%	14	.9%	52	2.3%	1402	100.0%
	DK/NS/Refused	2	100.0%	0	.0%	0	.0%	0	.0%	2	100.0%

Is your home heated with a furnace or boiler that burns oil, gas, coal, or other fuel?

		Is home heated with a furnace or boiler that burns oil, gas, coal, or other fuel				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		2313	46.5%	2012	53.5%	4325	100.0%
RESPONDENTS SEX	Male	888	49.2%	702	50.8%	1590	100.0%
	Female	1425	43.8%	1310	56.2%	2735	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	56	47.5%	82	52.5%	138	100.0%
	25 to 34	222	43.4%	240	56.6%	462	100.0%
	35 to 44	285	43.6%	292	56.4%	577	100.0%
	45 to 54	456	48.5%	376	51.5%	832	100.0%
	55 to 64	507	46.5%	430	53.5%	937	100.0%
	65+	787	50.9%	592	49.1%	1379	100.0%
MARITAL STATUS	Married	1359	48.2%	1113	51.8%	2472	100.0%
	Divorced	354	46.5%	302	53.5%	656	100.0%
	Widowed	301	41.2%	265	58.8%	566	100.0%
	Separated	43	27.4%	59	72.6%	102	100.0%
	Never married	195	42.6%	219	57.4%	414	100.0%
	Unmarried couple	54	45.6%	46	54.4%	100	100.0%
	Refused	7	82.3%	8	17.7%	15	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	238	44.1%	254	55.9%	492	100.0%
	High School	633	48.3%	577	51.7%	1210	100.0%
	Some College or TS	685	46.1%	596	53.9%	1281	100.0%
	College or Technical School	751	46.3%	582	53.7%	1333	100.0%
	DK/NS/Missing	6	80.0%	3	20.0%	9	100.0%
Employment Recoded	Employed for wages	820	46.2%	766	53.8%	1586	100.0%
	Self-employed	237	43.8%	171	56.2%	408	100.0%
	Out of work	78	41.8%	74	58.2%	152	100.0%
	Homemaker	237	48.0%	204	52.0%	441	100.0%
	Student	28	35.6%	41	64.4%	69	100.0%
	Retired	784	50.7%	621	49.3%	1405	100.0%
	Unable to work	121	47.3%	126	52.7%	247	100.0%
	Refused	8	46.5%	9	53.5%	17	100.0%
Income Recoded	< \$25K	557	42.4%	565	57.6%	1122	100.0%
	\$25-\$35K	266	44.3%	229	55.7%	495	100.0%
	\$35-\$50K	353	44.4%	313	55.6%	666	100.0%
	\$50-\$75K	361	51.1%	246	48.9%	607	100.0%
	\$75K+	433	49.5%	384	50.5%	817	100.0%
	DK/NS/Refused	343	43.7%	275	56.3%	618	100.0%
Race recoded for annual report	White only, Non-Hisp	1647	48.0%	1379	52.0%	3026	100.0%
	Black only, Non-Hisp	21	24.8%	43	75.2%	64	100.0%
	Other only, Non-Hisp	137	41.9%	122	58.1%	259	100.0%
	Hispanic	488	45.6%	451	54.4%	939	100.0%
	DK/NS/Refused	20	62.1%	17	37.9%	37	100.0%
Veteran Recoded	Yes	388	51.7%	295	48.3%	683	100.0%
	No	1924	45.7%	1715	54.3%	3639	100.0%
	DK/NS/Refused	1	24.0%	2	76.0%	3	100.0%

Does your home have any of the following appliances powered by natural gas: a stove, an oven, a water heater, or a clothes dryer?

		Does home have any of the following appliances powered by natural gas				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		2589	53.8%	1804	46.2%	4393	100.0%
RESPONDENTS SEX	Male	977	57.6%	621	42.4%	1598	100.0%
	Female	1612	50.2%	1183	49.8%	2795	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	84	44.6%	59	55.4%	143	100.0%
	25 to 34	282	50.1%	205	49.9%	487	100.0%
	35 to 44	349	58.8%	237	41.2%	586	100.0%
	45 to 54	531	60.8%	311	39.2%	842	100.0%
	55 to 64	567	52.4%	377	47.6%	944	100.0%
	65+	776	52.2%	615	47.8%	1391	100.0%
MARITAL STATUS	Married	1495	55.1%	1006	44.9%	2501	100.0%
	Divorced	394	52.3%	271	47.7%	665	100.0%
	Widowed	305	47.0%	269	53.0%	574	100.0%
	Separated	64	42.6%	40	57.4%	104	100.0%
	Never married	260	54.2%	169	45.8%	429	100.0%
	Unmarried couple	62	53.9%	42	46.1%	104	100.0%
	Refused	9	33.7%	7	66.3%	16	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	312	46.3%	192	53.7%	504	100.0%
	High School	693	52.1%	533	47.9%	1226	100.0%
	Some College or TS	751	57.7%	552	42.3%	1303	100.0%
	College or Technical School	826	54.5%	524	45.5%	1350	100.0%
	DK/NS/Missing	7	58.9%	3	41.1%	10	100.0%
Employment Recoded	Employed for wages	975	56.7%	639	43.3%	1614	100.0%
	Self-employed	257	51.8%	156	48.2%	413	100.0%
	Out of work	94	44.3%	63	55.7%	157	100.0%
	Homemaker	268	48.1%	186	51.9%	454	100.0%
	Student	44	48.8%	25	51.2%	69	100.0%
	Retired	797	53.9%	617	46.1%	1414	100.0%
	Unable to work	144	54.8%	111	45.2%	255	100.0%
	Refused	10	56.5%	7	43.5%	17	100.0%
Income Recoded	< \$25K	668	48.9%	473	51.1%	1141	100.0%
	\$25-\$35K	294	60.8%	211	39.2%	505	100.0%
	\$35-\$50K	384	49.7%	291	50.3%	675	100.0%
	\$50-\$75K	377	52.4%	237	47.6%	614	100.0%
	\$75K+	505	60.5%	318	39.5%	823	100.0%
	DK/NS/Refused	361	47.8%	274	52.2%	635	100.0%
Race recoded for annual report	White only, Non-Hisp	1744	53.6%	1318	46.4%	3062	100.0%
	Black only, Non-Hisp	35	39.0%	29	61.0%	64	100.0%
	Other only, Non-Hisp	157	53.4%	107	46.6%	264	100.0%
	Hispanic	631	56.4%	335	43.6%	966	100.0%
	DK/NS/Refused	22	69.7%	15	30.3%	37	100.0%
Veteran Recoded	Yes	420	59.5%	267	40.5%	687	100.0%
	No	2167	53.0%	1537	47.0%	3704	100.0%
	DK/NS/Refused	2	100.0%	0	.0%	2	100.0%

Do you have a CO detector in your home?

		Do you have a CO detector in your home				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		1390	31.4%	2950	68.6%	4340	100.0%
RESPONDENTS SEX	Male	500	30.4%	1075	69.6%	1575	100.0%
	Female	890	32.5%	1875	67.5%	2765	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	45	31.7%	96	68.3%	141	100.0%
	25 to 34	170	33.8%	308	66.2%	478	100.0%
	35 to 44	205	35.2%	373	64.8%	578	100.0%
	45 to 54	253	30.2%	580	69.8%	833	100.0%
	55 to 64	273	27.7%	666	72.3%	939	100.0%
	65+	444	28.7%	927	71.3%	1371	100.0%
MARITAL STATUS	Married	859	34.8%	1613	65.2%	2472	100.0%
	Divorced	166	23.1%	491	76.9%	657	100.0%
	Widowed	180	24.7%	390	75.3%	570	100.0%
	Separated	28	19.6%	73	80.4%	101	100.0%
	Never married	119	23.2%	301	76.8%	420	100.0%
	Unmarried couple	37	41.2%	67	58.8%	104	100.0%
	Refused	1	20.3%	15	79.7%	16	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	115	18.7%	377	81.3%	492	100.0%
	High School	345	25.7%	872	74.3%	1217	100.0%
	Some College or TS	463	37.7%	828	62.3%	1291	100.0%
	College or Technical School	466	34.5%	864	65.5%	1330	100.0%
	DK/NS/Missing	1	2.4%	9	97.6%	10	100.0%
Employment Recoded	Employed for wages	505	33.6%	1090	66.4%	1595	100.0%
	Self-employed	137	33.2%	277	66.8%	414	100.0%
	Out of work	37	14.6%	113	85.4%	150	100.0%
	Homemaker	135	30.0%	313	70.0%	448	100.0%
	Student	20	39.3%	50	60.7%	70	100.0%
	Retired	482	30.5%	915	69.5%	1397	100.0%
	Unable to work	71	26.9%	181	73.1%	252	100.0%
	Refused	3	6.6%	11	93.4%	14	100.0%
Income Recoded	< \$25K	298	24.5%	833	75.5%	1131	100.0%
	\$25-\$35K	147	27.6%	355	72.4%	502	100.0%
	\$35-\$50K	218	28.5%	447	71.5%	665	100.0%
	\$50-\$75K	211	36.1%	391	63.9%	602	100.0%
	\$75K+	296	35.8%	521	64.2%	817	100.0%
	DK/NS/Refused	220	32.0%	403	68.0%	623	100.0%
Race recoded for annual report	White only, Non-Hisp	1024	33.9%	2008	66.1%	3032	100.0%
	Black only, Non-Hisp	22	16.5%	43	83.5%	65	100.0%
	Other only, Non-Hisp	86	36.3%	175	63.7%	261	100.0%
	Hispanic	248	22.8%	697	77.2%	945	100.0%
	DK/NS/Refused	10	29.0%	27	71.0%	37	100.0%
Veteran Recoded	Yes	231	33.1%	450	66.9%	681	100.0%
	No	1159	31.2%	2497	68.8%	3656	100.0%
	DK/NS/Refused	0	.0%	3	100.0%	3	100.0%

Do you currently have mold in your home on an area greater than the size of a dollar bill?

		Do you currently have mold in your home				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		150	2.6%	4152	97.4%	4302	100.0%
RESPONDENTS SEX	Male	51	2.5%	1507	97.5%	1558	100.0%
	Female	99	2.7%	2645	97.3%	2744	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	4	.8%	135	99.2%	139	100.0%
	25 to 34	17	2.0%	462	98.0%	479	100.0%
	35 to 44	27	3.7%	550	96.3%	577	100.0%
	45 to 54	43	4.1%	777	95.9%	820	100.0%
	55 to 64	37	3.9%	892	96.1%	929	100.0%
	65+	22	.7%	1336	99.3%	1358	100.0%
MARITAL STATUS	Married	77	2.5%	2385	97.5%	2462	100.0%
	Divorced	35	4.3%	615	95.7%	650	100.0%
	Widowed	10	2.2%	550	97.8%	560	100.0%
	Separated	12	9.7%	90	90.3%	102	100.0%
	Never married	14	1.7%	400	98.3%	414	100.0%
	Unmarried couple	2	1.8%	99	98.2%	101	100.0%
	Refused	0	.0%	13	100.0%	13	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	29	5.5%	455	94.5%	484	100.0%
	High School	30	2.0%	1171	98.0%	1201	100.0%
	Some College or TS	55	3.3%	1225	96.7%	1280	100.0%
	College or Technical School	35	1.6%	1293	98.4%	1328	100.0%
	DK/NS/Missing	1	3.3%	8	96.7%	9	100.0%
Employment Recoded	Employed for wages	55	2.1%	1528	97.9%	1583	100.0%
	Self-employed	12	2.5%	396	97.5%	408	100.0%
	Out of work	15	6.1%	134	93.9%	149	100.0%
	Homemaker	16	2.6%	429	97.4%	445	100.0%
	Student	3	1.0%	64	99.0%	67	100.0%
	Retired	26	1.4%	1360	98.6%	1386	100.0%
	Unable to work	23	11.4%	224	88.6%	247	100.0%
	Refused	0	.0%	17	100.0%	17	100.0%
Income Recoded	< \$25K	50	3.7%	1066	96.3%	1116	100.0%
	\$25-\$35K	16	3.5%	474	96.5%	490	100.0%
	\$35-\$50K	27	3.8%	635	96.2%	662	100.0%
	\$50-\$75K	19	2.4%	585	97.6%	604	100.0%
	\$75K+	17	1.5%	800	98.5%	817	100.0%
	DK/NS/Refused	21	1.7%	592	98.3%	613	100.0%
Race recoded for annual report	White only, Non-Hisp	84	2.4%	2923	97.6%	3007	100.0%
	Black only, Non-Hisp	1	.7%	63	99.3%	64	100.0%
	Other only, Non-Hisp	17	4.5%	239	95.5%	256	100.0%
	Hispanic	47	3.2%	894	96.8%	941	100.0%
	DK/NS/Refused	1	1.7%	33	98.3%	34	100.0%
Veteran Recoded	Yes	12	1.3%	659	98.7%	671	100.0%
	No	138	2.9%	3490	97.1%	3628	100.0%
	DK/NS/Refused	0	.0%	3	100.0%	3	100.0%

Do you have any kind of insurance coverage that pays for some or all of your routine dental care?

		Do you have any kind of insurance coverage that pays for some or all of your routine dental care				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		2313	63.7%	2051	36.3%	4364	100.0%
RESPONDENTS SEX	Male	861	63.1%	717	36.9%	1578	100.0%
	Female	1452	64.2%	1334	35.8%	2786	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	82	62.2%	61	37.8%	143	100.0%
	25 to 34	303	66.0%	185	34.0%	488	100.0%
	35 to 44	385	71.4%	195	28.6%	580	100.0%
	45 to 54	522	74.4%	316	25.6%	838	100.0%
	55 to 64	527	64.1%	416	35.9%	943	100.0%
	65+	494	42.7%	878	57.3%	1372	100.0%
MARITAL STATUS	Married	1416	68.4%	1076	31.6%	2492	100.0%
	Divorced	320	57.3%	337	42.7%	657	100.0%
	Widowed	203	43.0%	364	57.0%	567	100.0%
	Separated	62	60.9%	43	39.1%	105	100.0%
	Never married	252	62.6%	176	37.4%	428	100.0%
	Unmarried couple	52	41.1%	50	58.9%	102	100.0%
	Refused	8	94.3%	5	5.7%	13	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	193	34.2%	305	65.8%	498	100.0%
	High School	543	56.9%	667	43.1%	1210	100.0%
	Some College or TS	724	67.2%	573	32.8%	1297	100.0%
	College or Technical School	847	75.5%	502	24.5%	1349	100.0%
	DK/NS/Missing	6	76.3%	4	23.7%	10	100.0%
Employment Recoded	Employed for wages	1173	76.6%	438	23.4%	1611	100.0%
	Self-employed	166	47.4%	250	52.6%	416	100.0%
	Out of work	62	44.5%	91	55.5%	153	100.0%
	Homemaker	210	60.0%	241	40.0%	451	100.0%
	Student	42	83.3%	27	16.7%	69	100.0%
	Retired	545	45.7%	855	54.3%	1400	100.0%
	Unable to work	107	57.1%	140	42.9%	247	100.0%
	Refused	8	39.0%	9	61.0%	17	100.0%
Income Recoded	< \$25K	396	37.5%	731	62.5%	1127	100.0%
	\$25-\$35K	255	52.1%	249	47.9%	504	100.0%
	\$35-\$50K	353	63.9%	318	36.1%	671	100.0%
	\$50-\$75K	426	78.6%	188	21.4%	614	100.0%
	\$75K+	607	79.4%	216	20.6%	823	100.0%
	DK/NS/Refused	276	57.0%	349	43.0%	625	100.0%
Race recoded for annual report	White only, Non-Hisp	1625	67.8%	1424	32.2%	3049	100.0%
	Black only, Non-Hisp	54	67.3%	11	32.7%	65	100.0%
	Other only, Non-Hisp	161	65.0%	99	35.0%	260	100.0%
	Hispanic	455	48.7%	498	51.3%	953	100.0%
	DK/NS/Refused	18	51.0%	19	49.0%	37	100.0%
Veteran Recoded	Yes	368	60.6%	311	39.4%	679	100.0%
	No	1943	64.1%	1739	35.9%	3682	100.0%
	DK/NS/Refused	2	76.0%	1	24.0%	3	100.0%

Have you ever had dental work done in another country?

		Have you ever had dental work done in another country				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		875	14.2%	3535	85.8%	4410	100.0%
RESPONDENTS SEX	Male	317	14.2%	1280	85.8%	1597	100.0%
	Female	558	14.1%	2255	85.9%	2813	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	22	9.3%	123	90.7%	145	100.0%
	25 to 34	122	19.8%	369	80.2%	491	100.0%
	35 to 44	115	15.3%	471	84.7%	586	100.0%
	45 to 54	152	11.0%	690	89.0%	842	100.0%
	55 to 64	195	13.1%	753	86.9%	948	100.0%
	65+	269	12.2%	1129	87.8%	1398	100.0%
MARITAL STATUS	Married	560	16.0%	1946	84.0%	2506	100.0%
	Divorced	123	9.7%	546	90.3%	669	100.0%
	Widowed	94	9.9%	484	90.1%	578	100.0%
	Separated	25	15.2%	80	84.8%	105	100.0%
	Never married	57	10.5%	375	89.5%	432	100.0%
	Unmarried couple	15	16.2%	89	83.8%	104	100.0%
	Refused	1	.9%	15	99.1%	16	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	133	23.2%	375	76.8%	508	100.0%
	High School	244	12.9%	985	87.1%	1229	100.0%
	Some College or TS	260	13.3%	1050	86.7%	1310	100.0%
	College or Technical School	234	12.6%	1119	87.4%	1353	100.0%
	DK/NS/Missing	4	23.7%	6	76.3%	10	100.0%
Employment Recoded	Employed for wages	269	12.6%	1346	87.4%	1615	100.0%
	Self-employed	101	16.5%	315	83.5%	416	100.0%
	Out of work	45	22.9%	112	77.1%	157	100.0%
	Homemaker	125	22.4%	334	77.6%	459	100.0%
	Student	14	9.4%	57	90.6%	71	100.0%
	Retired	276	11.4%	1144	88.6%	1420	100.0%
	Unable to work	41	12.9%	214	87.1%	255	100.0%
	Refused	4	16.5%	13	83.5%	17	100.0%
Income Recoded	< \$25K	280	16.6%	866	83.4%	1146	100.0%
	\$25-\$35K	114	24.8%	394	75.2%	508	100.0%
	\$35-\$50K	132	13.4%	542	86.6%	674	100.0%
	\$50-\$75K	107	12.1%	505	87.9%	612	100.0%
	\$75K+	119	10.2%	707	89.8%	826	100.0%
	DK/NS/Refused	123	14.7%	521	85.3%	644	100.0%
Race recoded for annual report	White only, Non-Hisp	477	9.7%	2600	90.3%	3077	100.0%
	Black only, Non-Hisp	5	25.6%	59	74.4%	64	100.0%
	Other only, Non-Hisp	38	16.0%	228	84.0%	266	100.0%
	Hispanic	349	27.5%	617	72.5%	966	100.0%
	DK/NS/Refused	6	9.0%	31	91.0%	37	100.0%
Veteran Recoded	Yes	122	11.5%	566	88.5%	688	100.0%
	No	753	14.6%	2966	85.4%	3719	100.0%
	DK/NS/Refused	0	.0%	3	100.0%	3	100.0%

In what country/countries did you have the dental work done?

		In what country/countries did you have the dental work done						Total	
		Canada		Mexico		Other country/countries		Count	Row %
		Count	Row %	Count	Row %	Count	Row %		
Total		30	4.1%	696	62.0%	143	33.9%	869	100.0%
RESPONDENTS SEX	Male	12	3.2%	244	60.9%	55	36.0%	311	100.0%
	Female	18	5.0%	452	63.1%	88	31.9%	558	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	0	.0%	19	32.5%	3	67.5%	22	100.0%
	25 to 34	2	.5%	100	60.2%	20	39.2%	122	100.0%
	35 to 44	2	3.7%	95	72.7%	18	23.5%	115	100.0%
	45 to 54	5	3.7%	112	45.4%	32	50.9%	149	100.0%
	55 to 64	9	4.3%	158	73.9%	26	21.8%	193	100.0%
	65+	12	13.4%	212	65.8%	44	20.8%	268	100.0%
MARITAL STATUS	Married	25	5.3%	439	64.5%	91	30.2%	555	100.0%
	Divorced	2	3.3%	101	68.5%	19	28.2%	122	100.0%
	Widowed	2	2.0%	74	76.9%	18	21.0%	94	100.0%
	Separated	0	.0%	24	99.0%	1	1.0%	25	100.0%
	Never married	1	.4%	46	43.5%	10	56.1%	57	100.0%
	Unmarried couple	0	.0%	11	31.6%	4	68.4%	15	100.0%
	Refused	0	.0%	1	100.0%	0	.0%	1	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	6	4.5%	120	76.7%	7	18.7%	133	100.0%
	High School	6	2.5%	215	81.9%	21	15.6%	242	100.0%
	Some College or TS	8	3.7%	208	72.3%	42	24.1%	258	100.0%
	College or Technical School	9	5.0%	150	29.1%	73	65.9%	232	100.0%
	DK/NS/Missing	1	75.0%	3	25.0%	0	.0%	4	100.0%
Employment Recoded	Employed for wages	7	1.8%	210	57.0%	50	41.2%	267	100.0%
	Self-employed	3	3.1%	82	68.2%	15	28.7%	100	100.0%
	Out of work	1	3.3%	37	54.1%	7	42.6%	45	100.0%
	Homemaker	2	1.5%	98	69.5%	25	29.0%	125	100.0%
	Student	0	.0%	11	40.4%	3	59.6%	14	100.0%
	Retired	16	14.7%	219	67.5%	39	17.8%	274	100.0%
	Unable to work	1	4.4%	36	73.5%	3	22.0%	40	100.0%
	Refused	0	.0%	3	68.6%	1	31.4%	4	100.0%
Income Recoded	< \$25K	9	3.0%	246	72.5%	23	24.5%	278	100.0%
	\$25-\$35K	5	5.1%	99	79.1%	10	15.8%	114	100.0%
	\$35-\$50K	3	1.1%	110	74.2%	19	24.7%	132	100.0%
	\$50-\$75K	4	3.7%	81	43.6%	22	52.7%	107	100.0%
	\$75K+	6	8.4%	68	38.9%	43	52.7%	117	100.0%
	DK/NS/Refused	3	1.6%	92	64.5%	26	33.9%	121	100.0%
Race recoded for annual report	White only, Non-Hisp	28	8.2%	336	52.0%	108	39.9%	472	100.0%
	Black only, Non-Hisp	0	.0%	2	2.2%	3	97.8%	5	100.0%
	Other only, Non-Hisp	0	.0%	18	31.9%	19	68.1%	37	100.0%
	Hispanic	2	.7%	336	89.0%	11	10.3%	349	100.0%
	DK/NS/Refused	0	.0%	4	60.0%	2	40.0%	6	100.0%
Veteran Recoded	Yes	3	1.9%	96	74.4%	21	23.7%	120	100.0%
	No	27	4.4%	600	60.5%	122	35.1%	749	100.0%

In what country/countries did you have the dental work done (second part)?

		In what country/countries did you have the dental work done				Total	
		Mexico		Other country/countries		Count	Row %
		Count	Row %	Count	Row %		
Total		3	15.1%	10	84.9%	13	100.0%
RESPONDENTS SEX	Male	0	.0%	7	100.0%	7	100.0%
	Female	3	69.9%	3	30.1%	6	100.0%
IMPUTED AGE IN SIX GROUPS	45 to 54	1	49.5%	1	50.5%	2	100.0%
	55 to 64	1	11.2%	3	88.8%	4	100.0%
	65+	1	12.2%	6	87.8%	7	100.0%
MARITAL STATUS	Married	3	15.8%	8	84.2%	11	100.0%
	Widowed	0	.0%	2	100.0%	2	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	High School	1	7.4%	3	92.6%	4	100.0%
	Some College or TS	2	71.1%	1	28.9%	3	100.0%
	College or Technical School	0	.0%	5	100.0%	5	100.0%
	DK/NS/Missing	0	.0%	1	100.0%	1	100.0%
Employment Recoded	Employed for wages	0	.0%	3	100.0%	3	100.0%
	Homemaker	1	100.0%	0	.0%	1	100.0%
	Retired	2	17.9%	7	82.1%	9	100.0%
Income Recoded	< \$25K	1	20.9%	1	79.1%	2	100.0%
	\$25-\$35K	1	51.6%	2	48.4%	3	100.0%
	\$35-\$50K	0	.0%	2	100.0%	2	100.0%
	\$50-\$75K	1	100.0%	0	.0%	1	100.0%
	\$75K+	0	.0%	4	100.0%	4	100.0%
	DK/NS/Refused	0	.0%	1	100.0%	1	100.0%
Race recoded for annual report	White only, Non-Hisp	3	21.6%	9	78.4%	12	100.0%
	Other only, Non-Hisp	0	.0%	1	100.0%	1	100.0%
Veteran Recoded	Yes	0	.0%	4	100.0%	4	100.0%
	No	3	30.5%	6	69.5%	9	100.0%

After you left the hospital following your heart attack did you go to any kind of outpatient rehabilitation?

		After you left the hospital following your heart attack did you go to any kind of outpatient rehab				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		64	27.3%	201	72.7%	265	100.0%
RESPONDENTS SEX	Male	39	37.4%	94	62.6%	133	100.0%
	Female	25	11.4%	107	88.6%	132	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	0	.0%	1	100.0%	1	100.0%
	25 to 34	0	.0%	1	100.0%	1	100.0%
	35 to 44	2	29.1%	7	70.9%	9	100.0%
	45 to 54	4	7.4%	22	92.6%	26	100.0%
	55 to 64	12	21.6%	53	78.4%	65	100.0%
	65+	46	37.8%	117	62.2%	163	100.0%
MARITAL STATUS	Married	36	27.8%	99	72.2%	135	100.0%
	Divorced	8	33.9%	35	66.1%	43	100.0%
	Widowed	17	29.9%	46	70.1%	63	100.0%
	Separated	1	6.2%	3	93.8%	4	100.0%
	Never married	2	27.2%	10	72.8%	12	100.0%
	Unmarried couple	0	.0%	7	100.0%	7	100.0%
	Refused	0	.0%	1	100.0%	1	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	7	43.5%	26	56.5%	33	100.0%
	High School	20	13.5%	70	86.5%	90	100.0%
	Some College or TS	13	9.6%	66	90.4%	79	100.0%
	College or Technical School	24	57.5%	39	42.5%	63	100.0%
Employment Recoded	Employed for wages	4	21.7%	31	78.3%	35	100.0%
	Self-employed	3	7.5%	9	92.5%	12	100.0%
	Out of work	3	8.4%	10	91.6%	13	100.0%
	Homemaker	1	1.9%	12	98.1%	13	100.0%
	Retired	45	37.4%	110	62.6%	155	100.0%
	Unable to work	7	17.5%	28	82.5%	35	100.0%
	Refused	1	72.1%	1	27.9%	2	100.0%
Income Recoded	< \$25K	24	22.3%	81	77.7%	105	100.0%
	\$25-\$35K	9	21.1%	18	78.9%	27	100.0%
	\$35-\$50K	9	13.7%	31	86.3%	40	100.0%
	\$50-\$75K	4	20.5%	16	79.5%	20	100.0%
	\$75K+	7	53.5%	12	46.5%	19	100.0%
	DK/NS/Refused	11	42.2%	43	57.8%	54	100.0%
Race recoded for annual report	White only, Non-Hisp	61	30.4%	153	69.6%	214	100.0%
	Black only, Non-Hisp	0	.0%	2	100.0%	2	100.0%
	Other only, Non-Hisp	0	.0%	8	100.0%	8	100.0%
	Hispanic	3	14.7%	37	85.3%	40	100.0%
	DK/NS/Refused	0	.0%	1	100.0%	1	100.0%
Veteran Recoded	Yes	18	37.9%	50	62.1%	68	100.0%
	No	46	23.1%	150	76.9%	196	100.0%
	DK/NS/Refused	0	.0%	1	100.0%	1	100.0%

After you left the hospital following your stroke did you go to any kind of outpatient rehabilitation?

		After you left the hospital following your stroke did you go to any kind of outpatient rehab				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		42	28.7%	126	71.3%	168	100.0%
RESPONDENTS SEX	Male	21	35.9%	44	64.1%	65	100.0%
	Female	21	22.6%	82	77.4%	103	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	0	.0%	1	100.0%	1	100.0%
	25 to 34	1	16.6%	1	83.4%	2	100.0%
	35 to 44	0	.0%	4	100.0%	4	100.0%
	45 to 54	1	4.5%	11	95.5%	12	100.0%
	55 to 64	12	40.3%	22	59.7%	34	100.0%
	65+	28	29.9%	87	70.1%	115	100.0%
MARITAL STATUS	Married	19	31.5%	61	68.5%	80	100.0%
	Divorced	11	34.2%	16	65.8%	27	100.0%
	Widowed	9	21.7%	41	78.3%	50	100.0%
	Separated	1	56.7%	3	43.3%	4	100.0%
	Never married	2	8.9%	4	91.1%	6	100.0%
	Unmarried couple	0	.0%	1	100.0%	1	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	4	8.4%	20	91.6%	24	100.0%
	High School	8	15.7%	41	84.3%	49	100.0%
	Some College or TS	17	30.9%	43	69.1%	60	100.0%
	College or Technical School	13	48.4%	22	51.6%	35	100.0%
Employment Recoded	Employed for wages	1	1.3%	11	98.7%	12	100.0%
	Self-employed	0	.0%	7	100.0%	7	100.0%
	Out of work	1	8.6%	6	91.4%	7	100.0%
	Homemaker	2	7.9%	16	92.1%	18	100.0%
	Retired	30	34.9%	70	65.1%	100	100.0%
	Unable to work	8	32.9%	16	67.1%	24	100.0%
Income Recoded	< \$25K	19	26.1%	50	73.9%	69	100.0%
	\$25-\$35K	5	29.4%	18	70.6%	23	100.0%
	\$35-\$50K	4	52.5%	11	47.5%	15	100.0%
	\$50-\$75K	0	.0%	10	100.0%	10	100.0%
	\$75K+	3	35.5%	12	64.5%	15	100.0%
	DK/NS/Refused	11	38.3%	25	61.7%	36	100.0%
Race recoded for annual report	White only, Non-Hisp	33	26.5%	103	73.5%	136	100.0%
	Black only, Non-Hisp	1	43.5%	1	56.5%	2	100.0%
	Other only, Non-Hisp	1	48.4%	5	51.6%	6	100.0%
	Hispanic	6	38.4%	17	61.6%	23	100.0%
	DK/NS/Refused	1	100.0%	0	.0%	1	100.0%
Veteran Recoded	Yes	13	31.0%	25	69.0%	38	100.0%
	No	29	28.0%	101	72.0%	130	100.0%

(Do you think) sudden confusion or trouble speaking (are symptoms of a stroke?)

		Do you think sudden confusion or trouble speaking are symptoms of a stroke				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		3320	82.1%	697	17.9%	4017	100.0%
RESPONDENTS SEX	Male	1136	78.9%	300	21.1%	1436	100.0%
	Female	2184	85.1%	397	14.9%	2581	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	88	59.7%	34	40.3%	122	100.0%
	25 to 34	351	84.0%	89	16.0%	440	100.0%
	35 to 44	450	81.9%	94	18.1%	544	100.0%
	45 to 54	684	88.8%	94	11.2%	778	100.0%
	55 to 64	760	86.1%	120	13.9%	880	100.0%
	65+	987	80.6%	266	19.4%	1253	100.0%
MARITAL STATUS	Married	1954	85.2%	352	14.8%	2306	100.0%
	Divorced	522	85.9%	98	14.1%	620	100.0%
	Widowed	382	78.9%	123	21.1%	505	100.0%
	Separated	65	73.5%	28	26.5%	93	100.0%
	Never married	307	69.0%	75	31.0%	382	100.0%
	Unmarried couple	79	81.7%	17	18.3%	96	100.0%
	Refused	11	46.7%	4	53.3%	15	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	235	55.1%	171	44.9%	406	100.0%
	High School	868	78.5%	224	21.5%	1092	100.0%
	Some College or TS	1052	85.1%	176	14.9%	1228	100.0%
	College or Technical School	1159	89.0%	123	11.0%	1282	100.0%
	DK/NS/Missing	6	90.1%	3	9.9%	9	100.0%
Employment Recoded	Employed for wages	1313	85.5%	193	14.5%	1506	100.0%
	Self-employed	326	86.7%	54	13.3%	380	100.0%
	Out of work	90	55.3%	42	44.7%	132	100.0%
	Homemaker	314	78.3%	86	21.7%	400	100.0%
	Student	53	76.9%	13	23.1%	66	100.0%
	Retired	1030	81.0%	261	19.0%	1291	100.0%
	Unable to work	180	81.0%	47	19.0%	227	100.0%
	Refused	14	99.7%	1	.3%	15	100.0%
Income Recoded	< \$25K	733	70.1%	268	29.9%	1001	100.0%
	\$25-\$35K	382	77.9%	81	22.1%	463	100.0%
	\$35-\$50K	527	79.5%	99	20.5%	626	100.0%
	\$50-\$75K	516	86.5%	68	13.5%	584	100.0%
	\$75K+	737	90.7%	55	9.3%	792	100.0%
	DK/NS/Refused	425	78.6%	126	21.4%	551	100.0%
Race recoded for annual report	White only, Non-Hisp	2535	87.8%	351	12.2%	2886	100.0%
	Black only, Non-Hisp	47	76.0%	8	24.0%	55	100.0%
	Other only, Non-Hisp	167	69.7%	68	30.3%	235	100.0%
	Hispanic	544	64.6%	266	35.4%	810	100.0%
	DK/NS/Refused	27	92.3%	4	7.7%	31	100.0%
Veteran Recoded	Yes	510	88.3%	110	11.7%	620	100.0%
	No	2807	81.2%	587	18.8%	3394	100.0%
	DK/NS/Refused	3	100.0%	0	.0%	3	100.0%

(Do you think) sudden numbness or weakness of face, arm, or leg, especially on one side, (are symptoms of a stroke?)

		Do you think sudden numbness or weakness of face, arm, or leg, especially on one side, are symptoms of a stroke				Total	
		Yes		No			
		Count	Row %	Count	Row %	Count	Row %
Total		3716	89.8%	464	10.2%	4180	100.0%
RESPONDENTS SEX	Male	1316	89.6%	196	10.4%	1512	100.0%
	Female	2400	90.0%	268	10.0%	2668	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	112	85.2%	21	14.8%	133	100.0%
	25 to 34	419	88.5%	47	11.5%	466	100.0%
	35 to 44	513	90.6%	52	9.4%	565	100.0%
	45 to 54	739	94.0%	62	6.0%	801	100.0%
	55 to 64	832	94.1%	78	5.9%	910	100.0%
	65+	1101	85.6%	204	14.4%	1305	100.0%
MARITAL STATUS	Married	2180	92.0%	218	8.0%	2398	100.0%
	Divorced	571	91.4%	66	8.6%	637	100.0%
	Widowed	428	83.2%	94	16.8%	522	100.0%
	Separated	83	87.4%	16	12.6%	99	100.0%
	Never married	356	84.1%	55	15.9%	411	100.0%
	Unmarried couple	86	83.1%	14	16.9%	100	100.0%
	Refused	12	95.0%	1	5.0%	13	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	322	75.6%	111	24.4%	433	100.0%
	High School	1001	88.4%	158	11.6%	1159	100.0%
	Some College or TS	1156	92.6%	108	7.4%	1264	100.0%
	College or Technical School	1231	92.9%	84	7.1%	1315	100.0%
	DK/NS/Missing	6	88.1%	3	11.9%	9	100.0%
Employment Recoded	Employed for wages	1445	91.1%	114	8.9%	1559	100.0%
	Self-employed	362	95.2%	33	4.8%	395	100.0%
	Out of work	120	83.5%	27	16.5%	147	100.0%
	Homemaker	370	90.5%	49	9.5%	419	100.0%
	Student	55	82.4%	9	17.6%	64	100.0%
	Retired	1147	87.2%	195	12.8%	1342	100.0%
	Unable to work	202	85.4%	36	14.6%	238	100.0%
	Refused	15	99.7%	1	.3%	16	100.0%
Income Recoded	< \$25K	882	79.5%	167	20.5%	1049	100.0%
	\$25-\$35K	432	89.1%	59	10.9%	491	100.0%
	\$35-\$50K	585	86.9%	64	13.1%	649	100.0%
	\$50-\$75K	554	94.5%	42	5.5%	596	100.0%
	\$75K+	780	96.7%	31	3.3%	811	100.0%
	DK/NS/Refused	483	87.2%	101	12.8%	584	100.0%
Race recoded for annual report	White only, Non-Hisp	2728	92.7%	241	7.3%	2969	100.0%
	Black only, Non-Hisp	55	97.7%	3	2.3%	58	100.0%
	Other only, Non-Hisp	193	83.2%	58	16.8%	251	100.0%
	Hispanic	710	81.1%	159	18.9%	869	100.0%
	DK/NS/Refused	30	80.4%	3	19.6%	33	100.0%
Veteran Recoded	Yes	574	91.8%	78	8.2%	652	100.0%
	No	3140	89.5%	385	10.5%	3525	100.0%
	DK/NS/Refused	2	76.0%	1	24.0%	3	100.0%

(Do you think) sudden trouble seeing in one or both eyes (are symptoms of a stroke?)

		Do you think sudden trouble seeing in one or both eyes is a symptom of a stroke				Total	
		Yes		No			
		Count	Row %	Count	Row %	Count	Row %
Total		2642	77.2%	833	22.8%	3475	100.0%
RESPONDENTS SEX	Male	945	76.1%	337	23.9%	1282	100.0%
	Female	1697	78.2%	496	21.8%	2193	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	70	62.0%	43	38.0%	113	100.0%
	25 to 34	285	79.2%	96	20.8%	381	100.0%
	35 to 44	361	77.4%	102	22.6%	463	100.0%
	45 to 54	547	83.9%	132	16.1%	679	100.0%
	55 to 64	622	80.8%	139	19.2%	761	100.0%
	65+	757	72.7%	321	27.3%	1078	100.0%
MARITAL STATUS	Married	1566	79.7%	434	20.3%	2000	100.0%
	Divorced	417	78.5%	117	21.5%	534	100.0%
	Widowed	295	71.9%	131	28.1%	426	100.0%
	Separated	58	73.3%	24	26.7%	82	100.0%
	Never married	232	70.1%	106	29.9%	338	100.0%
	Unmarried couple	61	66.4%	20	33.6%	81	100.0%
	Refused	13	98.9%	1	1.1%	14	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	200	69.9%	158	30.1%	358	100.0%
	High School	667	68.6%	297	31.4%	964	100.0%
	Some College or TS	839	79.3%	201	20.7%	1040	100.0%
	College or Technical School	930	83.1%	174	16.9%	1104	100.0%
	DK/NS/Missing	6	82.2%	3	17.8%	9	100.0%
Employment Recoded	Employed for wages	1051	80.7%	259	19.3%	1310	100.0%
	Self-employed	259	77.2%	67	22.8%	326	100.0%
	Out of work	79	60.0%	38	40.0%	117	100.0%
	Homemaker	251	76.0%	95	24.0%	346	100.0%
	Student	41	69.0%	13	31.0%	54	100.0%
	Retired	804	74.2%	303	25.8%	1107	100.0%
	Unable to work	145	80.1%	55	19.9%	200	100.0%
	Refused	12	81.7%	3	18.3%	15	100.0%
Income Recoded	< \$25K	590	68.8%	279	31.2%	869	100.0%
	\$25-\$35K	308	77.5%	110	22.5%	418	100.0%
	\$35-\$50K	427	80.1%	104	19.9%	531	100.0%
	\$50-\$75K	408	76.0%	94	24.0%	502	100.0%
	\$75K+	597	85.1%	79	14.9%	676	100.0%
	DK/NS/Refused	312	67.8%	167	32.2%	479	100.0%
Race recoded for annual report	White only, Non-Hisp	1961	80.4%	487	19.6%	2448	100.0%
	Black only, Non-Hisp	37	84.8%	7	15.2%	44	100.0%
	Other only, Non-Hisp	132	59.7%	80	40.3%	212	100.0%
	Hispanic	488	70.2%	257	29.8%	745	100.0%
	DK/NS/Refused	24	96.2%	2	3.8%	26	100.0%
Veteran Recoded	Yes	426	80.1%	127	19.9%	553	100.0%
	No	2213	76.7%	706	23.3%	2919	100.0%
	DK/NS/Refused	3	100.0%	0	.0%	3	100.0%

(Do you think) sudden chest pain or discomfort (are symptoms of a stroke?)

		Do you think sudden chest pain or discomfort are symptoms of a stroke				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		1830	49.4%	1914	50.6%	3744	100.0%
RESPONDENTS SEX	Male	686	53.5%	676	46.5%	1362	100.0%
	Female	1144	45.4%	1238	54.6%	2382	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	75	70.5%	49	29.5%	124	100.0%
	25 to 34	223	48.8%	201	51.2%	424	100.0%
	35 to 44	259	45.4%	255	54.6%	514	100.0%
	45 to 54	391	53.4%	352	46.6%	743	100.0%
	55 to 64	356	40.0%	452	60.0%	808	100.0%
	65+	526	47.1%	605	52.9%	1131	100.0%
MARITAL STATUS	Married	1016	47.2%	1125	52.8%	2141	100.0%
	Divorced	279	46.5%	289	53.5%	568	100.0%
	Widowed	229	49.4%	226	50.6%	455	100.0%
	Separated	45	49.0%	43	51.0%	88	100.0%
	Never married	207	59.2%	179	40.8%	386	100.0%
	Unmarried couple	46	50.7%	47	49.3%	93	100.0%
	Refused	8	74.3%	5	25.7%	13	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	196	51.9%	213	48.1%	409	100.0%
	High School	536	56.5%	492	43.5%	1028	100.0%
	Some College or TS	579	51.1%	543	48.9%	1122	100.0%
	College or Technical School	515	42.2%	661	57.8%	1176	100.0%
	DK/NS/Missing	4	78.7%	5	21.3%	9	100.0%
Employment Recoded	Employed for wages	724	47.7%	704	52.3%	1428	100.0%
	Self-employed	171	52.8%	181	47.2%	352	100.0%
	Out of work	74	61.4%	53	38.6%	127	100.0%
	Homemaker	180	51.9%	206	48.1%	386	100.0%
	Student	28	59.7%	31	40.3%	59	100.0%
	Retired	540	46.5%	619	53.5%	1159	100.0%
	Unable to work	109	46.4%	111	53.6%	220	100.0%
	Refused	4	32.5%	9	67.5%	13	100.0%
Income Recoded	< \$25K	509	53.9%	451	46.1%	960	100.0%
	\$25-\$35K	220	51.8%	209	48.2%	429	100.0%
	\$35-\$50K	305	50.7%	281	49.3%	586	100.0%
	\$50-\$75K	241	49.3%	288	50.7%	529	100.0%
	\$75K+	322	45.7%	404	54.3%	726	100.0%
	DK/NS/Refused	233	47.2%	281	52.8%	514	100.0%
Race recoded for annual report	White only, Non-Hisp	1165	46.2%	1433	53.8%	2598	100.0%
	Black only, Non-Hisp	32	61.9%	23	38.1%	55	100.0%
	Other only, Non-Hisp	131	58.3%	98	41.7%	229	100.0%
	Hispanic	485	55.6%	345	44.4%	830	100.0%
	DK/NS/Refused	17	39.2%	15	60.8%	32	100.0%
Veteran Recoded	Yes	297	54.4%	280	45.6%	577	100.0%
	No	1532	48.6%	1632	51.4%	3164	100.0%
	DK/NS/Refused	1	5.3%	2	94.7%	3	100.0%

(Do you think) sudden trouble walking, dizziness, or loss of balance (are symptoms of a stroke?)

		Do you think sudden trouble walking, dizziness, or loss of balance are symptoms of a stroke				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		3301	83.4%	656	16.6%	3957	100.0%
RESPONDENTS SEX	Male	1168	82.3%	268	17.7%	1436	100.0%
	Female	2133	84.4%	388	15.6%	2521	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	99	74.8%	27	25.2%	126	100.0%
	25 to 34	352	82.6%	74	17.4%	426	100.0%
	35 to 44	455	83.7%	78	16.3%	533	100.0%
	45 to 54	670	90.0%	95	10.0%	765	100.0%
	55 to 64	772	88.0%	101	12.0%	873	100.0%
	65+	953	78.2%	281	21.8%	1234	100.0%
MARITAL STATUS	Married	1936	85.0%	341	15.0%	2277	100.0%
	Divorced	506	84.1%	90	15.9%	596	100.0%
	Widowed	387	78.9%	108	21.1%	495	100.0%
	Separated	71	72.4%	26	27.6%	97	100.0%
	Never married	310	80.6%	73	19.4%	383	100.0%
	Unmarried couple	77	77.2%	17	22.8%	94	100.0%
	Refused	14	99.0%	1	1.0%	15	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	258	70.1%	146	29.9%	404	100.0%
	High School	845	78.8%	237	21.2%	1082	100.0%
	Some College or TS	1052	84.7%	150	15.3%	1202	100.0%
	College or Technical School	1142	89.2%	118	10.8%	1260	100.0%
	DK/NS/Missing	4	83.9%	5	16.1%	9	100.0%
Employment Recoded	Employed for wages	1293	85.6%	188	14.4%	1481	100.0%
	Self-employed	325	86.2%	49	13.8%	374	100.0%
	Out of work	100	64.1%	32	35.9%	132	100.0%
	Homemaker	317	82.9%	80	17.1%	397	100.0%
	Student	55	84.3%	9	15.7%	64	100.0%
	Retired	1016	81.4%	252	18.6%	1268	100.0%
	Unable to work	183	83.5%	43	16.5%	226	100.0%
	Refused	12	83.3%	3	16.7%	15	100.0%
Income Recoded	< \$25K	757	77.3%	226	22.7%	983	100.0%
	\$25-\$35K	384	84.3%	68	15.7%	452	100.0%
	\$35-\$50K	531	83.6%	87	16.4%	618	100.0%
	\$50-\$75K	499	82.5%	74	17.5%	573	100.0%
	\$75K+	720	90.6%	59	9.4%	779	100.0%
	DK/NS/Refused	410	75.1%	142	24.9%	552	100.0%
Race recoded for annual report	White only, Non-Hisp	2453	87.7%	366	12.3%	2819	100.0%
	Black only, Non-Hisp	49	85.7%	8	14.3%	57	100.0%
	Other only, Non-Hisp	172	64.7%	65	35.3%	237	100.0%
	Hispanic	601	73.8%	211	26.2%	812	100.0%
	DK/NS/Refused	26	86.9%	6	13.1%	32	100.0%
Veteran Recoded	Yes	512	87.0%	102	13.0%	614	100.0%
	No	2786	82.8%	554	17.2%	3340	100.0%
	DK/NS/Refused	3	100.0%	0	.0%	3	100.0%

(Do you think) severe headache with no known cause (are symptoms of a stroke?)

		Do you think severe headache with no known cause is a symptom of a stroke				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		2349	65.9%	1183	34.1%	3532	100.0%
RESPONDENTS SEX	Male	791	65.5%	490	34.5%	1281	100.0%
	Female	1558	66.3%	693	33.7%	2251	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	64	55.0%	54	45.0%	118	100.0%
	25 to 34	255	64.9%	148	35.1%	403	100.0%
	35 to 44	313	67.3%	154	32.7%	467	100.0%
	45 to 54	493	69.3%	206	30.7%	699	100.0%
	55 to 64	549	75.2%	219	24.8%	768	100.0%
	65+	675	60.6%	402	39.4%	1077	100.0%
MARITAL STATUS	Married	1378	67.3%	657	32.7%	2035	100.0%
	Divorced	357	69.9%	162	30.1%	519	100.0%
	Widowed	284	67.3%	149	32.7%	433	100.0%
	Separated	49	61.3%	36	38.7%	85	100.0%
	Never married	214	57.4%	146	42.6%	360	100.0%
	Unmarried couple	58	67.8%	29	32.2%	87	100.0%
	Refused	9	41.4%	4	58.6%	13	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	217	66.4%	177	33.6%	394	100.0%
	High School	582	60.2%	370	39.8%	952	100.0%
	Some College or TS	723	64.6%	332	35.4%	1055	100.0%
	College or Technical School	823	70.8%	301	29.2%	1124	100.0%
	DK/NS/Missing	4	67.2%	3	32.8%	7	100.0%
Employment Recoded	Employed for wages	929	68.6%	413	31.4%	1342	100.0%
	Self-employed	221	60.3%	109	39.7%	330	100.0%
	Out of work	76	55.5%	46	44.5%	122	100.0%
	Homemaker	220	64.1%	132	35.9%	352	100.0%
	Student	40	73.4%	17	26.6%	57	100.0%
	Retired	719	63.5%	394	36.5%	1113	100.0%
	Unable to work	138	69.1%	66	30.9%	204	100.0%
	Refused	6	35.0%	6	65.0%	12	100.0%
Income Recoded	< \$25K	562	67.2%	315	32.8%	877	100.0%
	\$25-\$35K	268	66.7%	142	33.3%	410	100.0%
	\$35-\$50K	381	68.4%	171	31.6%	552	100.0%
	\$50-\$75K	340	56.1%	159	43.9%	499	100.0%
	\$75K+	503	70.9%	187	29.1%	690	100.0%
	DK/NS/Refused	295	62.0%	209	38.0%	504	100.0%
Race recoded for annual report	White only, Non-Hisp	1677	65.9%	776	34.1%	2453	100.0%
	Black only, Non-Hisp	28	72.7%	18	27.3%	46	100.0%
	Other only, Non-Hisp	120	51.4%	94	48.6%	214	100.0%
	Hispanic	506	69.9%	285	30.1%	791	100.0%
	DK/NS/Refused	18	84.2%	10	15.8%	28	100.0%
Veteran Recoded	Yes	339	65.1%	194	34.9%	533	100.0%
	No	2008	66.0%	988	34.0%	2996	100.0%
	DK/NS/Refused	2	76.0%	1	24.0%	3	100.0%

If you thought someone was having a heart attack or a stroke, what is the first thing you would do?

		If you thought someone was having a heart attack or a stroke, what is the first thing you would do										Total	
		Take them to the hospital		Tell them to call their doctor		Call 911		Call their spouse or a family member		Do something else			
		Count	Row %	Count	Row %	Count	Row %	Count	Row %	Count	Row %	Count	Row %
Total		266	5.8%	35	.8%	3827	88.8%	35	.4%	187	4.3%	4350	100.0%
RESPONDENTS SEX	Male	113	7.1%	15	.6%	1340	87.0%	11	.4%	90	4.8%	1569	100.0%
	Female	153	4.4%	20	.9%	2487	90.5%	24	.4%	97	3.8%	2781	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	10	5.6%	1	.1%	126	91.6%	2	.3%	3	2.4%	142	100.0%
	25 to 34	37	6.2%	7	.6%	425	87.7%	2	.0%	12	5.5%	483	100.0%
	35 to 44	30	5.3%	2	.9%	525	90.9%	5	.2%	17	2.8%	579	100.0%
	45 to 54	53	7.1%	6	.7%	726	87.4%	4	.2%	43	4.6%	832	100.0%
	55 to 64	49	4.1%	6	.7%	824	88.6%	5	.6%	55	5.9%	939	100.0%
	65+	87	5.9%	13	1.3%	1201	88.1%	17	1.0%	57	3.7%	1375	100.0%
MARITAL STATUS	Married	158	6.0%	17	.8%	2187	90.0%	17	.3%	95	2.9%	2474	100.0%
	Divorced	39	6.3%	5	.7%	574	86.2%	5	.2%	37	6.7%	660	100.0%
	Widowed	29	5.1%	5	.3%	503	88.5%	6	1.9%	23	4.1%	566	100.0%
	Separated	5	3.3%	2	.5%	88	83.1%	2	.1%	7	12.9%	104	100.0%
	Never married	29	5.0%	6	1.1%	374	88.9%	3	.1%	17	4.8%	429	100.0%
	Unmarried couple	6	6.0%	0	.0%	87	78.7%	2	.4%	8	14.9%	103	100.0%
	Refused	0	.0%	0	.0%	14	100.0%	0	.0%	0	.0%	14	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	42	6.2%	11	1.4%	414	84.4%	11	.4%	15	7.5%	493	100.0%
	High School	70	5.4%	9	.9%	1070	89.2%	12	.6%	49	3.9%	1210	100.0%
	Some College or TS	71	5.7%	9	.5%	1155	89.4%	7	.5%	57	3.9%	1299	100.0%
	College or Technical School	82	5.9%	6	.7%	1179	89.5%	5	.1%	66	3.7%	1338	100.0%
	DK/NS/Missing	1	6.0%	0	.0%	9	94.0%	0	.0%	0	.0%	10	100.0%
Employment Recoded	Employed for wages	97	5.1%	9	.8%	1412	88.8%	9	.3%	72	5.0%	1599	100.0%
	Self-employed	31	9.0%	5	1.0%	353	86.6%	2	.2%	18	3.2%	409	100.0%
	Out of work	12	10.2%	3	.6%	130	87.9%	2	.2%	5	1.1%	152	100.0%
	Homemaker	33	7.0%	4	.3%	396	90.3%	7	.3%	6	2.1%	446	100.0%
	Student	3	1.2%	0	.0%	66	98.6%	0	.0%	1	.1%	70	100.0%
	Retired	78	5.5%	12	1.2%	1238	88.8%	13	.8%	63	3.6%	1404	100.0%
	Unable to work	12	2.6%	2	.1%	216	84.5%	2	.2%	21	12.6%	253	100.0%
	Refused	0	.0%	0	.0%	16	96.5%	0	.0%	1	3.5%	17	100.0%
Income Recoded	< \$25K	67	4.8%	10	1.2%	978	85.2%	18	.8%	58	8.0%	1131	100.0%
	\$25-\$35K	30	5.2%	8	1.3%	450	90.9%	3	.5%	14	2.1%	505	100.0%
	\$35-\$50K	49	7.3%	5	.7%	581	87.5%	2	.4%	32	4.1%	669	100.0%
	\$50-\$75K	40	7.5%	2	.1%	542	89.2%	2	.1%	22	3.0%	608	100.0%
	\$75K+	48	4.9%	2	.1%	735	91.4%	2	.1%	30	3.6%	817	100.0%
	DK/NS/Refused	32	5.4%	8	2.2%	541	87.9%	8	.6%	31	3.8%	620	100.0%
Race recoded for annual report	White only, Non-Hisp	173	5.1%	20	1.0%	2689	89.6%	18	.4%	143	3.9%	3043	100.0%
	Black only, Non-Hisp	3	5.6%	0	.0%	58	93.5%	0	.0%	3	.9%	64	100.0%
	Other only, Non-Hisp	20	12.5%	3	.8%	220	81.9%	3	.3%	15	4.5%	261	100.0%
	Hispanic	69	5.5%	12	.3%	825	87.8%	14	.3%	25	6.1%	945	100.0%
	DK/NS/Refused	1	1.9%	0	.0%	35	97.1%	0	.0%	1	1.0%	37	100.0%
Veteran Recoded	Yes	40	4.0%	5	1.2%	589	90.5%	1	.1%	43	4.3%	678	100.0%
	No	226	6.0%	30	.7%	3235	88.6%	34	.4%	144	4.3%	3669	100.0%
	DK/NS/Refused	0	.0%	0	.0%	3	100.0%	0	.0%	0	.0%	3	100.0%

Do you currently take any multivitamins or supplements that contain folic acid?

		Do you currently take any multivitamins or supplements that contain folic acid				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		1888	43.9%	2014	56.1%	3902	100.0%
RESPONDENTS SEX	Male	525	34.1%	844	65.9%	1369	100.0%
	Female	1363	52.6%	1170	47.4%	2533	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	49	33.0%	83	67.0%	132	100.0%
	25 to 34	195	39.8%	262	60.2%	457	100.0%
	35 to 44	230	37.8%	318	62.2%	548	100.0%
	45 to 54	360	48.2%	384	51.8%	744	100.0%
	55 to 64	420	51.6%	426	48.4%	846	100.0%
	65+	634	51.7%	541	48.3%	1175	100.0%
MARITAL STATUS	Married	1102	46.9%	1120	53.1%	2222	100.0%
	Divorced	296	46.2%	293	53.8%	589	100.0%
	Widowed	259	49.9%	237	50.1%	496	100.0%
	Separated	38	35.5%	60	64.5%	98	100.0%
	Never married	144	29.4%	246	70.6%	390	100.0%
	Unmarried couple	43	38.4%	51	61.6%	94	100.0%
	Refused	6	9.3%	7	90.7%	13	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	128	22.1%	326	77.9%	454	100.0%
	High School	467	38.6%	619	61.4%	1086	100.0%
	Some College or TS	589	45.3%	563	54.7%	1152	100.0%
	College or Technical School	701	54.3%	502	45.7%	1203	100.0%
	DK/NS/Missing	3	47.7%	4	52.3%	7	100.0%
Employment Recoded	Employed for wages	678	42.8%	783	57.2%	1461	100.0%
	Self-employed	179	40.5%	185	59.5%	364	100.0%
	Out of work	44	23.8%	93	76.2%	137	100.0%
	Homemaker	209	49.3%	207	50.7%	416	100.0%
	Student	24	37.8%	40	62.2%	64	100.0%
	Retired	649	52.2%	562	47.8%	1211	100.0%
	Unable to work	98	41.4%	137	58.6%	235	100.0%
	Refused	7	56.6%	7	43.4%	14	100.0%
Income Recoded	< \$25K	395	26.9%	637	73.1%	1032	100.0%
	\$25-\$35K	228	41.8%	233	58.2%	461	100.0%
	\$35-\$50K	292	40.0%	298	60.0%	590	100.0%
	\$50-\$75K	289	48.0%	252	52.0%	541	100.0%
	\$75K+	417	55.8%	315	44.2%	732	100.0%
	DK/NS/Refused	267	45.8%	279	54.2%	546	100.0%
Race recoded for annual report	White only, Non-Hisp	1451	50.9%	1229	49.1%	2680	100.0%
	Black only, Non-Hisp	23	16.6%	37	83.4%	60	100.0%
	Other only, Non-Hisp	93	40.6%	150	59.4%	243	100.0%
	Hispanic	309	28.0%	577	72.0%	886	100.0%
	DK/NS/Refused	12	25.6%	21	74.4%	33	100.0%
Veteran Recoded	Yes	261	41.4%	329	58.6%	590	100.0%
	No	1625	44.2%	1685	55.8%	3310	100.0%
	DK/NS/Refused	2	100.0%	0	.0%	2	100.0%

Some health experts recommend that women take 400 micrograms of the B-vitamin folic acid every day. They recommend this for which one of the following reasons?

		Folic acid is recommended for which one of the following reasons								Total	
		Make strong bones		Prevent birth defects		Prevent high blood pressure		Some other reason		Count	Row %
		Count	Row %	Count	Row %	Count	Row %	Count	Row %		
Total		804	26.2%	1023	41.0%	208	7.5%	727	25.3%	2762	100.0%
RESPONDENTS SEX	Male	275	29.4%	203	30.1%	78	10.3%	279	30.2%	835	100.0%
	Female	529	23.6%	820	49.8%	130	5.1%	448	21.4%	1927	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	30	24.5%	51	38.1%	11	12.3%	24	25.2%	116	100.0%
	25 to 34	66	22.4%	221	56.8%	22	5.5%	53	15.3%	362	100.0%
	35 to 44	117	23.8%	198	46.5%	34	6.5%	91	23.2%	440	100.0%
	45 to 54	164	27.7%	229	37.4%	34	7.4%	140	27.5%	567	100.0%
	55 to 64	181	29.4%	191	30.9%	35	6.6%	169	33.1%	576	100.0%
	65+	246	33.8%	133	17.9%	72	10.2%	250	38.1%	701	100.0%
	Married	444	26.5%	645	45.3%	105	6.2%	398	22.0%	1592	100.0%
MARITAL STATUS	Divorced	130	30.4%	139	30.3%	35	7.1%	120	32.1%	424	100.0%
	Widowed	105	27.1%	75	29.3%	34	11.7%	93	31.9%	307	100.0%
	Separated	26	36.4%	23	36.9%	4	1.8%	19	24.9%	72	100.0%
	Never married	81	22.0%	109	36.6%	25	11.9%	82	29.6%	297	100.0%
	Unmarried couple	15	24.9%	30	31.6%	5	8.2%	14	35.3%	64	100.0%
	Refused	3	8.4%	2	30.8%	0	.0%	1	60.8%	6	100.0%
	< High School	127	30.0%	68	34.9%	25	11.1%	68	24.0%	288	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	High School	234	31.7%	219	33.9%	50	7.9%	210	26.5%	713	100.0%
	Some College or TS	235	25.7%	295	36.8%	70	7.8%	241	29.6%	841	100.0%
	College or Technical School	206	22.0%	441	50.3%	63	5.8%	207	21.8%	917	100.0%
	DK/NS/Missing	2	91.3%	0	.0%	0	.0%	1	8.7%	3	100.0%
	Employed for wages	294	23.4%	495	48.1%	83	7.1%	238	21.4%	1110	100.0%
Employment Recoded	Self-employed	84	34.7%	93	35.8%	21	6.4%	75	23.1%	273	100.0%
	Out of work	30	25.7%	34	17.5%	8	19.8%	26	37.1%	98	100.0%
	Homemaker	89	22.1%	158	54.2%	17	1.7%	56	22.0%	320	100.0%
	Student	13	23.1%	35	62.0%	3	1.8%	7	13.1%	58	100.0%
	Retired	240	33.2%	165	20.7%	63	8.0%	269	38.1%	737	100.0%
	Unable to work	50	24.8%	42	24.8%	11	15.8%	54	34.6%	157	100.0%
	Refused	4	57.0%	1	4.0%	2	1.3%	2	37.8%	9	100.0%
	< \$25K	242	30.2%	209	33.2%	65	10.4%	190	26.2%	706	100.0%
Income Recoded	\$25-\$35K	105	31.2%	106	37.3%	18	5.5%	94	26.0%	323	100.0%
	\$35-\$50K	134	31.3%	169	37.8%	29	10.7%	105	20.2%	437	100.0%
	\$50-\$75K	98	25.7%	183	43.6%	31	6.5%	99	24.2%	411	100.0%
	\$75K+	120	21.0%	243	46.9%	34	4.6%	150	27.5%	547	100.0%
	DK/NS/Refused	105	23.0%	113	41.8%	31	8.9%	89	26.3%	338	100.0%
	White only, Non-Hisp	466	23.0%	726	44.7%	155	7.9%	528	24.4%	1875	100.0%
Race recoded for annual report	Black only, Non-Hisp	12	15.6%	11	18.9%	2	22.6%	14	43.0%	39	100.0%
	Other only, Non-Hisp	57	32.5%	40	26.0%	8	6.1%	54	35.5%	159	100.0%
	Hispanic	258	35.8%	241	37.1%	42	4.3%	125	22.8%	666	100.0%
	DK/NS/Refused	11	53.7%	5	19.9%	1	1.0%	6	25.4%	23	100.0%
	Yes	111	37.5%	68	24.3%	26	8.7%	115	29.5%	320	100.0%
Veteran Recoded	No	692	25.0%	953	42.8%	182	7.3%	612	24.9%	2439	100.0%
	DK/NS/Refused	1	5.3%	2	94.7%	0	.0%	0	.0%	3	100.0%

Have you EVER been told by a doctor, nurse, or other health professional that you have osteoporosis?

		Have you EVER been told that you have osteoporosis				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		416	5.0%	3912	95.0%	4328	100.0%
RESPONDENTS SEX	Male	38	1.6%	1525	98.4%	1563	100.0%
	Female	378	8.3%	2387	91.7%	2765	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	1	.0%	142	100.0%	143	100.0%
	25 to 34	0	.0%	481	100.0%	481	100.0%
	35 to 44	11	1.4%	570	98.6%	581	100.0%
	45 to 54	40	2.9%	793	97.1%	833	100.0%
	55 to 64	95	8.0%	836	92.0%	931	100.0%
	65+	269	17.2%	1090	82.8%	1359	100.0%
MARITAL STATUS	Married	178	3.9%	2281	96.1%	2459	100.0%
	Divorced	85	10.5%	571	89.5%	656	100.0%
	Widowed	119	18.5%	445	81.5%	564	100.0%
	Separated	5	3.0%	99	97.0%	104	100.0%
	Never married	22	2.0%	408	98.0%	430	100.0%
	Unmarried couple	6	.6%	95	99.4%	101	100.0%
	Refused	1	3.1%	13	96.9%	14	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	40	3.3%	455	96.7%	495	100.0%
	High School	128	6.5%	1079	93.5%	1207	100.0%
	Some College or TS	146	5.6%	1143	94.4%	1289	100.0%
	College or Technical School	101	4.0%	1228	96.0%	1329	100.0%
	DK/NS/Missing	1	29.1%	7	70.9%	8	100.0%
Employment Recoded	Employed for wages	54	1.8%	1541	98.2%	1595	100.0%
	Self-employed	20	1.7%	391	98.3%	411	100.0%
	Out of work	8	1.3%	147	98.7%	155	100.0%
	Homemaker	40	4.2%	408	95.8%	448	100.0%
	Student	0	.0%	70	100.0%	70	100.0%
	Retired	251	15.2%	1133	84.8%	1384	100.0%
	Unable to work	41	11.3%	207	88.7%	248	100.0%
	Refused	2	12.4%	15	87.6%	17	100.0%
Income Recoded	< \$25K	139	7.2%	987	92.8%	1126	100.0%
	\$25-\$35K	62	6.0%	440	94.0%	502	100.0%
	\$35-\$50K	53	5.6%	611	94.4%	664	100.0%
	\$50-\$75K	33	3.3%	570	96.7%	603	100.0%
	\$75K+	43	2.0%	773	98.0%	816	100.0%
	DK/NS/Refused	86	9.1%	531	90.9%	617	100.0%
Race recoded for annual report	White only, Non-Hisp	338	6.2%	2687	93.8%	3025	100.0%
	Black only, Non-Hisp	2	2.7%	62	97.3%	64	100.0%
	Other only, Non-Hisp	17	2.5%	243	97.5%	260	100.0%
	Hispanic	57	2.0%	886	98.0%	943	100.0%
	DK/NS/Refused	2	4.6%	34	95.4%	36	100.0%
Veteran Recoded	Yes	34	4.4%	637	95.6%	671	100.0%
	No	382	5.1%	3272	94.9%	3654	100.0%
	DK/NS/Refused	0	.0%	3	100.0%	3	100.0%

Have you had a test for high blood sugar or diabetes within the past three years?

		Have you had a test for high blood sugar or diabetes within the past three years				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		2129	51.4%	1621	48.6%	3750	100.0%
RESPONDENTS SEX	Male	721	48.5%	609	51.5%	1330	100.0%
	Female	1408	54.1%	1012	45.9%	2420	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	51	39.9%	88	60.1%	139	100.0%
	25 to 34	216	39.8%	247	60.2%	463	100.0%
	35 to 44	276	47.8%	268	52.2%	544	100.0%
	45 to 54	386	56.2%	334	43.8%	720	100.0%
	55 to 64	482	61.7%	304	38.3%	786	100.0%
	65+	718	67.4%	380	32.6%	1098	100.0%
MARITAL STATUS	Married	1264	54.6%	898	45.4%	2162	100.0%
	Divorced	313	58.2%	236	41.8%	549	100.0%
	Widowed	292	56.9%	166	43.1%	458	100.0%
	Separated	39	41.6%	51	58.4%	90	100.0%
	Never married	171	40.1%	216	59.9%	387	100.0%
	Unmarried couple	45	27.9%	50	72.1%	95	100.0%
	Refused	5	72.8%	4	27.2%	9	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	176	32.5%	218	67.5%	394	100.0%
	High School	539	47.8%	497	52.2%	1036	100.0%
	Some College or TS	684	57.6%	435	42.4%	1119	100.0%
	College or Technical School	726	55.1%	468	44.9%	1194	100.0%
	DK/NS/Missing	4	11.8%	3	88.2%	7	100.0%
Employment Recoded	Employed for wages	767	48.8%	678	51.2%	1445	100.0%
	Self-employed	183	44.0%	206	56.0%	389	100.0%
	Out of work	68	43.0%	61	57.0%	129	100.0%
	Homemaker	233	50.9%	174	49.1%	407	100.0%
	Student	33	45.3%	35	54.7%	68	100.0%
	Retired	721	66.5%	394	33.5%	1115	100.0%
	Unable to work	118	58.3%	65	41.7%	183	100.0%
	Refused	6	41.0%	8	59.0%	14	100.0%
Income Recoded	< \$25K	462	38.7%	456	61.3%	918	100.0%
	\$25-\$35K	260	54.9%	174	45.1%	434	100.0%
	\$35-\$50K	336	48.9%	254	51.1%	590	100.0%
	\$50-\$75K	341	56.9%	205	43.1%	546	100.0%
	\$75K+	438	55.2%	309	44.8%	747	100.0%
	DK/NS/Refused	292	54.2%	223	45.8%	515	100.0%
Race recoded for annual report	White only, Non-Hisp	1562	54.9%	1094	45.1%	2656	100.0%
	Black only, Non-Hisp	33	64.5%	19	35.5%	52	100.0%
	Other only, Non-Hisp	86	36.6%	121	63.4%	207	100.0%
	Hispanic	429	43.9%	373	56.1%	802	100.0%
	DK/NS/Refused	19	32.5%	14	67.5%	33	100.0%
Veteran Recoded	Yes	349	62.3%	197	37.7%	546	100.0%
	No	1779	49.9%	1423	50.1%	3202	100.0%
	DK/NS/Refused	1	74.7%	1	25.3%	2	100.0%

Have you ever been told by a doctor or other health professional that you have prediabetes or borderline diabetes?

		Have you ever been told that you have prediabetes or borderline diabetes				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		252	5.1%	3576	94.9%	3828	100.0%
RESPONDENTS SEX	Male	84	3.8%	1274	96.2%	1358	100.0%
	Female	168	6.3%	2302	93.7%	2470	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	2	.7%	138	99.3%	140	100.0%
	25 to 34	18	2.2%	449	97.8%	467	100.0%
	35 to 44	34	5.0%	519	95.0%	553	100.0%
	45 to 54	50	7.0%	692	93.0%	742	100.0%
	55 to 64	59	6.6%	734	93.4%	793	100.0%
	65+	89	8.7%	1044	91.3%	1133	100.0%
MARITAL STATUS	Married	148	5.6%	2058	94.4%	2206	100.0%
	Divorced	43	7.8%	517	92.2%	560	100.0%
	Widowed	38	6.1%	432	93.9%	470	100.0%
	Separated	4	2.0%	88	98.0%	92	100.0%
	Never married	13	2.2%	382	97.8%	395	100.0%
	Unmarried couple	6	2.6%	89	97.4%	95	100.0%
	Refused	0	.0%	10	100.0%	10	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	24	4.8%	370	95.2%	394	100.0%
	High School	81	6.8%	977	93.2%	1058	100.0%
	Some College or TS	74	4.6%	1079	95.4%	1153	100.0%
	College or Technical School	73	4.4%	1142	95.6%	1215	100.0%
	DK/NS/Missing	0	.0%	8	100.0%	8	100.0%
Employment Recoded	Employed for wages	85	3.4%	1395	96.6%	1480	100.0%
	Self-employed	16	2.7%	374	97.3%	390	100.0%
	Out of work	17	5.4%	114	94.6%	131	100.0%
	Homemaker	27	8.6%	381	91.4%	408	100.0%
	Student	1	.6%	67	99.4%	68	100.0%
	Retired	92	8.9%	1060	91.1%	1152	100.0%
	Unable to work	14	10.8%	170	89.2%	184	100.0%
	Refused	0	.0%	15	100.0%	15	100.0%
Income Recoded	< \$25K	63	4.9%	866	95.1%	929	100.0%
	\$25-\$35K	30	3.1%	417	96.9%	447	100.0%
	\$35-\$50K	35	5.7%	568	94.3%	603	100.0%
	\$50-\$75K	41	6.2%	516	93.8%	557	100.0%
	\$75K+	46	3.3%	717	96.7%	763	100.0%
	DK/NS/Refused	37	8.8%	492	91.2%	529	100.0%
Race recoded for annual report	White only, Non-Hisp	178	5.6%	2540	94.4%	2718	100.0%
	Black only, Non-Hisp	6	1.7%	51	98.3%	57	100.0%
	Other only, Non-Hisp	14	3.6%	195	96.4%	209	100.0%
	Hispanic	50	4.3%	759	95.7%	809	100.0%
	DK/NS/Refused	4	7.6%	31	92.4%	35	100.0%
Veteran Recoded	Yes	45	6.4%	517	93.6%	562	100.0%
	No	207	4.9%	3057	95.1%	3264	100.0%
	DK/NS/Refused	0	.0%	2	100.0%	2	100.0%

Has anyone EVER had sex with you after you said or showed that you didn't want them to or without your consent?

		Has anyone EVER had sex with you after you said or showed that you didn't want them to or without your consent				Total	
		Yes		No			
		Count	Row %	Count	Row %	Count	Row %
Total		377	7.5%	3615	92.5%	3992	100.0%
RESPONDENTS SEX	Male	31	1.9%	1411	98.1%	1442	100.0%
	Female	346	12.7%	2204	87.3%	2550	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	11	5.6%	119	94.4%	130	100.0%
	25 to 34	49	7.3%	403	92.7%	452	100.0%
	35 to 44	71	10.4%	479	89.6%	550	100.0%
	45 to 54	95	7.3%	671	92.7%	766	100.0%
	55 to 64	95	9.2%	766	90.8%	861	100.0%
	65+	56	4.2%	1177	95.8%	1233	100.0%
MARITAL STATUS	Married	155	5.3%	2122	94.7%	2277	100.0%
	Divorced	112	18.3%	493	81.7%	605	100.0%
	Widowed	33	7.7%	484	92.3%	517	100.0%
	Separated	24	17.6%	72	82.4%	96	100.0%
	Never married	41	8.7%	348	91.3%	389	100.0%
	Unmarried couple	11	10.8%	84	89.2%	95	100.0%
	Refused	1	.6%	12	99.4%	13	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	38	6.2%	383	93.8%	421	100.0%
	High School	80	7.5%	1022	92.5%	1102	100.0%
	Some College or TS	133	7.9%	1070	92.1%	1203	100.0%
	College or Technical School	124	7.6%	1135	92.4%	1259	100.0%
	DK/NS/Missing	2	8.6%	5	91.4%	7	100.0%
Employment Recoded	Employed for wages	159	7.6%	1331	92.4%	1490	100.0%
	Self-employed	44	7.5%	340	92.5%	384	100.0%
	Out of work	23	12.2%	113	87.8%	136	100.0%
	Homemaker	26	6.5%	376	93.5%	402	100.0%
	Student	5	2.2%	60	97.8%	65	100.0%
	Retired	67	4.5%	1198	95.5%	1265	100.0%
	Unable to work	49	18.3%	186	81.7%	235	100.0%
	Refused	4	16.5%	11	83.5%	15	100.0%
Income Recoded	< \$25K	142	12.9%	873	87.1%	1015	100.0%
	\$25-\$35K	46	8.0%	425	92.0%	471	100.0%
	\$35-\$50K	45	7.7%	571	92.3%	616	100.0%
	\$50-\$75K	45	4.7%	532	95.3%	577	100.0%
	\$75K+	62	6.1%	721	93.9%	783	100.0%
	DK/NS/Refused	37	5.8%	493	94.2%	530	100.0%
Race recoded for annual report	White only, Non-Hisp	272	8.0%	2572	92.0%	2844	100.0%
	Black only, Non-Hisp	5	5.5%	53	94.5%	58	100.0%
	Other only, Non-Hisp	26	6.3%	208	93.7%	234	100.0%
	Hispanic	70	6.5%	756	93.5%	826	100.0%
	DK/NS/Refused	4	9.1%	26	90.9%	30	100.0%
Veteran Recoded	Yes	26	3.8%	599	96.2%	625	100.0%
	No	349	8.0%	3015	92.0%	3364	100.0%
	DK/NS/Refused	2	76.0%	1	24.0%	3	100.0%

Has anyone EVER ATTEMPTED to have sex with you after you said or showed that you didn't want to or without your consent, BUT SEX DID NOT OCCUR?

		Has anyone EVER ATTEMPTED to have sex with you after you said or showed that you didn't want to or without your consent, BUT SEX DID NOT OCCUR				Total			
		Yes		No					
		Count	Row %	Count	Row %				
Total		438	8.8%	3535	91.2%	3973	100.0%		
RESPONDENTS SEX	Male	53	3.9%	1385	96.1%	1438	100.0%		
	Female	385	13.5%	2150	86.5%	2535	100.0%		
IMPUTED AGE IN SIX GROUPS	18 to 24	26	11.0%	104	89.0%	130	100.0%		
	25 to 34	65	9.7%	387	90.3%	452	100.0%		
	35 to 44	69	9.5%	479	90.5%	548	100.0%		
	45 to 54	109	9.6%	654	90.4%	763	100.0%		
	55 to 64	98	9.1%	757	90.9%	855	100.0%		
	65+	71	5.2%	1154	94.8%	1225	100.0%		
MARITAL STATUS	Married	164	5.5%	2104	94.5%	2268	100.0%		
	Divorced	119	20.8%	478	79.2%	597	100.0%		
	Widowed	46	9.7%	469	90.3%	515	100.0%		
	Separated	23	24.1%	72	75.9%	95	100.0%		
	Never married	67	12.9%	323	87.1%	390	100.0%		
	Unmarried couple	17	13.5%	78	86.5%	95	100.0%		
	Refused	2	13.5%	11	86.5%	13	100.0%		
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	37	5.9%	385	94.1%	422	100.0%		
	High School	101	7.0%	1000	93.0%	1101	100.0%		
	Some College or TS	139	8.7%	1057	91.3%	1196	100.0%		
	College or Technical School	159	11.2%	1088	88.8%	1247	100.0%		
	DK/NS/Missing	2	8.6%	5	91.4%	7	100.0%		
Employment Recoded	Employed for wages	197	10.5%	1290	89.5%	1487	100.0%		
	Self-employed	44	9.2%	332	90.8%	376	100.0%		
	Out of work	22	11.2%	115	88.8%	137	100.0%		
	Homemaker	29	4.4%	372	95.6%	401	100.0%		
	Student	7	3.4%	58	96.6%	65	100.0%		
	Retired	94	6.3%	1164	93.7%	1258	100.0%		
	Unable to work	42	11.7%	192	88.3%	234	100.0%		
	Refused	3	12.6%	12	87.4%	15	100.0%		
Income Recoded	< \$25K	154	13.0%	859	87.0%	1013	100.0%		
	\$25-\$35K	41	5.8%	429	94.2%	470	100.0%		
	\$35-\$50K	62	7.7%	553	92.3%	615	100.0%		
	\$50-\$75K	57	6.9%	516	93.1%	573	100.0%		
	\$75K+	77	8.8%	702	91.2%	779	100.0%		
	DK/NS/Refused	47	9.3%	476	90.7%	523	100.0%		
Race recoded for annual report	White only, Non-Hisp	325	10.0%	2502	90.0%	2827	100.0%		
	Black only, Non-Hisp	7	6.9%	50	93.1%	57	100.0%		
	Other only, Non-Hisp	32	7.2%	206	92.8%	238	100.0%		
	Hispanic	71	5.6%	750	94.4%	821	100.0%		
	DK/NS/Refused	3	8.8%	27	91.2%	30	100.0%		
Veteran Recoded	Yes	39	6.1%	583	93.9%	622	100.0%		
	No	399	9.3%	2950	90.7%	3349	100.0%		
	DK/NS/Refused	0	.0%	2	100.0%	2	100.0%		

Has an intimate partner EVER THREATENED you with physical violence?

		Has an intimate partner EVER THREATENED you with physical violence				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		464	10.1%	3540	89.9%	4004	100.0%
RESPONDENTS SEX	Male	76	5.5%	1370	94.5%	1446	100.0%
	Female	388	14.3%	2170	85.7%	2558	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	18	15.6%	112	84.4%	130	100.0%
	25 to 34	48	8.2%	404	91.8%	452	100.0%
	35 to 44	89	12.4%	464	87.6%	553	100.0%
	45 to 54	130	12.7%	638	87.3%	768	100.0%
	55 to 64	106	9.8%	757	90.2%	863	100.0%
	65+	73	4.9%	1165	95.1%	1238	100.0%
MARITAL STATUS	Married	167	6.5%	2111	93.5%	2278	100.0%
	Divorced	167	29.7%	444	70.3%	611	100.0%
	Widowed	38	7.4%	481	92.6%	519	100.0%
	Separated	20	9.5%	76	90.5%	96	100.0%
	Never married	55	16.9%	336	83.1%	391	100.0%
	Unmarried couple	16	5.0%	80	95.0%	96	100.0%
	Refused	1	6.4%	12	93.6%	13	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	37	11.9%	385	88.1%	422	100.0%
	High School	121	11.3%	983	88.7%	1104	100.0%
	Some College or TS	173	10.0%	1036	90.0%	1209	100.0%
	College or Technical School	130	8.5%	1132	91.5%	1262	100.0%
	DK/NS/Missing	3	59.4%	4	40.6%	7	100.0%
Employment Recoded	Employed for wages	197	9.5%	1298	90.5%	1495	100.0%
	Self-employed	65	14.3%	318	85.7%	383	100.0%
	Out of work	24	15.4%	113	84.6%	137	100.0%
	Homemaker	29	9.1%	375	90.9%	404	100.0%
	Student	7	12.7%	58	87.3%	65	100.0%
	Retired	85	5.4%	1185	94.6%	1270	100.0%
	Unable to work	54	18.6%	181	81.4%	235	100.0%
	Refused	3	12.0%	12	88.0%	15	100.0%
Income Recoded	< \$25K	159	13.0%	862	87.0%	1021	100.0%
	\$25-\$35K	60	11.9%	411	88.1%	471	100.0%
	\$35-\$50K	60	9.3%	559	90.7%	619	100.0%
	\$50-\$75K	63	9.4%	515	90.6%	578	100.0%
	\$75K+	70	9.1%	714	90.9%	784	100.0%
	DK/NS/Refused	52	8.1%	479	91.9%	531	100.0%
Race recoded for annual report	White only, Non-Hisp	334	10.0%	2515	90.0%	2849	100.0%
	Black only, Non-Hisp	6	15.2%	51	84.8%	57	100.0%
	Other only, Non-Hisp	29	8.2%	210	91.8%	239	100.0%
	Hispanic	90	9.7%	737	90.3%	827	100.0%
	DK/NS/Refused	5	26.3%	27	73.7%	32	100.0%
Veteran Recoded	Yes	31	4.3%	596	95.7%	627	100.0%
	No	433	10.9%	2941	89.1%	3374	100.0%
	DK/NS/Refused	0	.0%	3	100.0%	3	100.0%

Has an intimate partner EVER ATTEMPTED physical violence against you?

		Has an intimate partner EVER ATTEMPTED physical violence against you				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		452	10.3%	3543	89.7%	3995	100.0%
RESPONDENTS SEX	Male	100	7.8%	1340	92.2%	1440	100.0%
	Female	352	12.6%	2203	87.4%	2555	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	17	12.6%	113	87.4%	130	100.0%
	25 to 34	56	10.1%	395	89.9%	451	100.0%
	35 to 44	78	12.8%	472	87.2%	550	100.0%
	45 to 54	126	13.1%	639	86.9%	765	100.0%
	55 to 64	103	10.5%	760	89.5%	863	100.0%
	65+	72	3.8%	1164	96.2%	1236	100.0%
MARITAL STATUS	Married	175	7.1%	2099	92.9%	2274	100.0%
	Divorced	149	27.0%	461	73.0%	610	100.0%
	Widowed	36	6.4%	483	93.6%	519	100.0%
	Separated	26	22.4%	70	77.6%	96	100.0%
	Never married	48	14.7%	340	85.3%	388	100.0%
	Unmarried couple	18	10.0%	78	90.0%	96	100.0%
	Refused	0	.0%	12	100.0%	12	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	43	12.6%	379	87.4%	422	100.0%
	High School	115	10.6%	985	89.4%	1100	100.0%
	Some College or TS	170	11.2%	1035	88.8%	1205	100.0%
	College or Technical School	123	8.6%	1138	91.4%	1261	100.0%
	DK/NS/Missing	1	4.0%	6	96.0%	7	100.0%
Employment Recoded	Employed for wages	203	10.5%	1289	89.5%	1492	100.0%
	Self-employed	59	18.0%	322	82.0%	381	100.0%
	Out of work	19	11.8%	118	88.2%	137	100.0%
	Homemaker	24	5.0%	379	95.0%	403	100.0%
	Student	8	12.8%	57	87.2%	65	100.0%
	Retired	82	4.5%	1186	95.5%	1268	100.0%
	Unable to work	53	20.8%	181	79.2%	234	100.0%
	Refused	4	16.5%	11	83.5%	15	100.0%
Income Recoded	< \$25K	154	13.1%	865	86.9%	1019	100.0%
	\$25-\$35K	61	13.6%	408	86.4%	469	100.0%
	\$35-\$50K	62	8.5%	557	91.5%	619	100.0%
	\$50-\$75K	59	8.0%	520	92.0%	579	100.0%
	\$75K+	65	8.8%	717	91.2%	782	100.0%
	DK/NS/Refused	51	12.5%	476	87.5%	527	100.0%
Race recoded for annual report	White only, Non-Hisp	313	9.9%	2533	90.1%	2846	100.0%
	Black only, Non-Hisp	8	27.4%	49	72.6%	57	100.0%
	Other only, Non-Hisp	31	9.2%	207	90.8%	238	100.0%
	Hispanic	95	8.8%	728	91.2%	823	100.0%
	DK/NS/Refused	5	31.4%	26	68.6%	31	100.0%
Veteran Recoded	Yes	34	4.4%	590	95.6%	624	100.0%
	No	418	11.2%	2950	88.8%	3368	100.0%
	DK/NS/Refused	0	.0%	3	100.0%	3	100.0%

Has an intimate partner EVER hit, slapped, pushed, kicked, or hurt you in any way?

		Has an intimate partner EVER hit, slapped, pushed, kicked, or hurt you in any way				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		569	12.7%	3423	87.3%	3992	100.0%
RESPONDENTS SEX	Male	107	8.2%	1331	91.8%	1438	100.0%
	Female	462	17.0%	2092	83.0%	2554	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	16	13.7%	114	86.3%	130	100.0%
	25 to 34	65	12.5%	385	87.5%	450	100.0%
	35 to 44	104	16.7%	446	83.3%	550	100.0%
	45 to 54	163	15.6%	604	84.4%	767	100.0%
	55 to 64	125	12.7%	735	87.3%	860	100.0%
	65+	96	5.4%	1139	94.6%	1235	100.0%
MARITAL STATUS	Married	221	8.6%	2051	91.4%	2272	100.0%
	Divorced	191	35.3%	419	64.7%	610	100.0%
	Widowed	49	8.0%	467	92.0%	516	100.0%
	Separated	28	25.1%	68	74.9%	96	100.0%
	Never married	57	17.5%	332	82.5%	389	100.0%
	Unmarried couple	20	12.3%	76	87.7%	96	100.0%
	Refused	3	32.2%	10	67.8%	13	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	46	14.7%	373	85.3%	419	100.0%
	High School	134	11.3%	968	88.7%	1102	100.0%
	Some College or TS	224	14.5%	981	85.5%	1205	100.0%
	College or Technical School	162	11.6%	1097	88.4%	1259	100.0%
	DK/NS/Missing	3	59.4%	4	40.6%	7	100.0%
Employment Recoded	Employed for wages	252	13.6%	1239	86.4%	1491	100.0%
	Self-employed	77	18.9%	305	81.1%	382	100.0%
	Out of work	26	13.5%	111	86.5%	137	100.0%
	Homemaker	33	9.1%	369	90.9%	402	100.0%
	Student	8	13.1%	57	86.9%	65	100.0%
	Retired	107	5.8%	1159	94.2%	1266	100.0%
	Unable to work	61	24.1%	173	75.9%	234	100.0%
	Refused	5	18.1%	10	81.9%	15	100.0%
Income Recoded	< \$25K	182	15.5%	836	84.5%	1018	100.0%
	\$25-\$35K	76	13.7%	394	86.3%	470	100.0%
	\$35-\$50K	70	11.5%	546	88.5%	616	100.0%
	\$50-\$75K	81	11.1%	496	88.9%	577	100.0%
	\$75K+	91	11.5%	690	88.5%	781	100.0%
	DK/NS/Refused	69	14.8%	461	85.2%	530	100.0%
Race recoded for annual report	White only, Non-Hisp	409	12.9%	2433	87.1%	2842	100.0%
	Black only, Non-Hisp	12	30.9%	45	69.1%	57	100.0%
	Other only, Non-Hisp	38	8.3%	198	91.7%	236	100.0%
	Hispanic	104	10.8%	722	89.2%	826	100.0%
	DK/NS/Refused	6	26.3%	25	73.7%	31	100.0%
Veteran Recoded	Yes	43	6.4%	579	93.6%	622	100.0%
	No	526	13.7%	2841	86.3%	3367	100.0%
	DK/NS/Refused	0	.0%	3	100.0%	3	100.0%

Have you EVER experienced any unwanted sex by a current or former intimate partner?

		Have you EVER experienced any unwanted sex by a current or former intimate partner				Total	
		Yes		No		Count	Row %
		Count	Row %	Count	Row %		
Total		288	5.6%	3699	94.4%	3987	100.0%
RESPONDENTS SEX	Male	29	1.8%	1408	98.2%	1437	100.0%
	Female	259	9.3%	2291	90.7%	2550	100.0%
IMPUTED AGE IN SIX GROUPS	18 to 24	8	2.3%	122	97.7%	130	100.0%
	25 to 34	33	4.3%	418	95.7%	451	100.0%
	35 to 44	50	7.6%	499	92.4%	549	100.0%
	45 to 54	74	7.2%	692	92.8%	766	100.0%
	55 to 64	73	7.5%	788	92.5%	861	100.0%
	65+	50	3.8%	1180	96.2%	1230	100.0%
MARITAL STATUS	Married	113	4.4%	2158	95.6%	2271	100.0%
	Divorced	89	15.8%	519	84.2%	608	100.0%
	Widowed	31	3.5%	485	96.5%	516	100.0%
	Separated	18	15.2%	78	84.8%	96	100.0%
	Never married	26	4.3%	362	95.7%	388	100.0%
	Unmarried couple	11	6.9%	85	93.1%	96	100.0%
	Refused	0	.0%	12	100.0%	12	100.0%
COMPUTED LEVEL OF EDUCATION COMPLETED CATEGORIES	< High School	27	5.2%	392	94.8%	419	100.0%
	High School	65	4.1%	1034	95.9%	1099	100.0%
	Some College or TS	92	5.2%	1108	94.8%	1200	100.0%
	College or Technical School	102	7.1%	1160	92.9%	1262	100.0%
	DK/NS/Missing	2	8.6%	5	91.4%	7	100.0%
Employment Recoded	Employed for wages	113	5.5%	1379	94.5%	1492	100.0%
	Self-employed	40	6.8%	341	93.2%	381	100.0%
	Out of work	14	5.2%	123	94.8%	137	100.0%
	Homemaker	16	3.8%	387	96.2%	403	100.0%
	Student	3	1.2%	61	98.8%	64	100.0%
	Retired	58	4.4%	1203	95.6%	1261	100.0%
	Unable to work	40	15.5%	194	84.5%	234	100.0%
	Refused	4	16.5%	11	83.5%	15	100.0%
Income Recoded	< \$25K	102	7.7%	914	92.3%	1016	100.0%
	\$25-\$35K	38	6.5%	432	93.5%	470	100.0%
	\$35-\$50K	35	4.8%	582	95.2%	617	100.0%
	\$50-\$75K	39	3.9%	538	96.1%	577	100.0%
	\$75K+	46	5.1%	736	94.9%	782	100.0%
	DK/NS/Refused	28	6.4%	497	93.6%	525	100.0%
Race recoded for annual report	White only, Non-Hisp	210	5.9%	2630	94.1%	2840	100.0%
	Black only, Non-Hisp	5	9.0%	52	91.0%	57	100.0%
	Other only, Non-Hisp	24	6.1%	213	93.9%	237	100.0%
	Hispanic	46	3.7%	776	96.3%	822	100.0%
	DK/NS/Refused	3	8.8%	28	91.2%	31	100.0%
Veteran Recoded	Yes	18	1.9%	605	98.1%	623	100.0%
	No	270	6.2%	3091	93.8%	3361	100.0%
	DK/NS/Refused	0	.0%	3	100.0%	3	100.0%

2007 ARIZONA BRFSS QUESTIONS LISTING

CORE SECTIONS

- 1: Health Status
- 2: Healthy Days – Health-Related Quality of Life
- 3: Health Care Access
- 4: Exercise
- 5: Diabetes
- 6: Hypertension Awareness
- 7: Cholesterol Awareness
- 8: Cardiovascular Disease Prevalence
- 9: Asthma
- 10: Immunization
- 11: Tobacco Use
- 12: Demographics
- 13: Alcohol Consumption
- 14: Disability
- 15: Arthritis Burden
- 16: Fruits and Vegetables
- 17: Physical Activity
- 18: HIV/AIDS
- 19: Emotional Support and Life Satisfaction
- 20: Gastrointestinal Disease

OPTIONAL MODULES

- 1: Random Child Selection
- 2: Childhood Asthma Prevalence
- 3: Diabetes
- 11: Colorectal Cancer Screening
- 12: Adult Asthma History
- 13: Arthritis Management

STATE ADDED QUESTIONS

- 1: Secondhand Smoke Policy
- 2: Indoor Air Quality
- 3: Oral Health
- 4: Cardiovascular Health
- 5: Heart Attack and Stroke
- 6: Folic Acid
- 7: Osteoporosis
- 8: Pre-Diabetes
- 9: Violence

2007 ARIZONA QUESTIONNAIRE

Section 1: Health Status																															
1.1. Would you say that in general your health is:		3.4. About how long has it been since you last visited a doctor for a routine checkup? A routine checkup is a general physical exam, not an exam for a specific injury, illness or condition.																													
<table style="width: 100%; border-collapse: collapse;"> <tr><td>Excellent</td><td style="text-align: right;">1</td></tr> <tr><td>Very good</td><td style="text-align: right;">2</td></tr> <tr><td>Good</td><td style="text-align: right;">3</td></tr> <tr><td>Fair</td><td style="text-align: right;">4</td></tr> <tr><td>Poor</td><td style="text-align: right;">5</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>		Excellent	1	Very good	2	Good	3	Fair	4	Poor	5	Don't know/Not sure	7	Refused	9	<table style="width: 100%; border-collapse: collapse;"> <tr><td>Within past yr (1-12 months ago)</td><td style="text-align: right;">1</td></tr> <tr><td>Within past 2 yrs (1-2 yrs ago)</td><td style="text-align: right;">2</td></tr> <tr><td>Within past 5 yrs (2-5 yrs ago)</td><td style="text-align: right;">3</td></tr> <tr><td>5 or more years ago</td><td style="text-align: right;">4</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Never</td><td style="text-align: right;">8</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>		Within past yr (1-12 months ago)	1	Within past 2 yrs (1-2 yrs ago)	2	Within past 5 yrs (2-5 yrs ago)	3	5 or more years ago	4	Don't know/Not sure	7	Never	8	Refused	9
Excellent	1																														
Very good	2																														
Good	3																														
Fair	4																														
Poor	5																														
Don't know/Not sure	7																														
Refused	9																														
Within past yr (1-12 months ago)	1																														
Within past 2 yrs (1-2 yrs ago)	2																														
Within past 5 yrs (2-5 yrs ago)	3																														
5 or more years ago	4																														
Don't know/Not sure	7																														
Never	8																														
Refused	9																														
Section 2: Healthy Days		Section 4: Exercise																													
2.1. Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?		4.1. During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?																													
<table style="width: 100%; border-collapse: collapse;"> <tr><td>Number of days</td><td style="text-align: right;">— —</td></tr> <tr><td>None</td><td style="text-align: right;">8 8</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7 7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9 9</td></tr> </table>		Number of days	— —	None	8 8	Don't know/Not sure	7 7	Refused	9 9	<table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>		Yes	1	No	2	Don't know/Not sure	7	Refused	9												
Number of days	— —																														
None	8 8																														
Don't know/Not sure	7 7																														
Refused	9 9																														
Yes	1																														
No	2																														
Don't know/Not sure	7																														
Refused	9																														
2.2. Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?		Section 5: Diabetes																													
<table style="width: 100%; border-collapse: collapse;"> <tr><td>Number of days</td><td style="text-align: right;">— —</td></tr> <tr><td>None</td><td style="text-align: right;">8 8</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7 7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9 9</td></tr> </table>		Number of days	— —	None	8 8	Don't know/Not sure	7 7	Refused	9 9	<table style="width: 100%; border-collapse: collapse;"> <tr><td>5.1. Have you ever been told by a doctor that you have diabetes?</td><td></td></tr> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>Yes, only during pregnancy</td><td style="text-align: right;">2</td></tr> <tr><td>No</td><td style="text-align: right;">3</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>		5.1. Have you ever been told by a doctor that you have diabetes?		Yes	1	Yes, only during pregnancy	2	No	3	Don't know/Not sure	7	Refused	9								
Number of days	— —																														
None	8 8																														
Don't know/Not sure	7 7																														
Refused	9 9																														
5.1. Have you ever been told by a doctor that you have diabetes?																															
Yes	1																														
Yes, only during pregnancy	2																														
No	3																														
Don't know/Not sure	7																														
Refused	9																														
2.3. During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?		Section 6: Hypertension Awareness																													
<table style="width: 100%; border-collapse: collapse;"> <tr><td>Number of days</td><td style="text-align: right;">— —</td></tr> <tr><td>None</td><td style="text-align: right;">8 8</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7 7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9 9</td></tr> </table>		Number of days	— —	None	8 8	Don't know/Not sure	7 7	Refused	9 9	<table style="width: 100%; border-collapse: collapse;"> <tr><td>6.1. Have you EVER been told by a doctor, nurse, or other health professional that you have high blood pressure?</td><td></td></tr> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>Yes, only during pregnancy</td><td style="text-align: right;">2</td></tr> <tr><td>No</td><td style="text-align: right;">3</td></tr> <tr><td>Told borderline/pre-hypertensive</td><td style="text-align: right;">4</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>		6.1. Have you EVER been told by a doctor, nurse, or other health professional that you have high blood pressure?		Yes	1	Yes, only during pregnancy	2	No	3	Told borderline/pre-hypertensive	4	Don't know/Not sure	7	Refused	9						
Number of days	— —																														
None	8 8																														
Don't know/Not sure	7 7																														
Refused	9 9																														
6.1. Have you EVER been told by a doctor, nurse, or other health professional that you have high blood pressure?																															
Yes	1																														
Yes, only during pregnancy	2																														
No	3																														
Told borderline/pre-hypertensive	4																														
Don't know/Not sure	7																														
Refused	9																														
Section 3: Health Care Access		6.2. Are you currently taking medicine for your high blood pressure?																													
3.1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?		<table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>		Yes	1	No	2	Don't know/Not sure	7	Refused	9																				
Yes	1																														
No	2																														
Don't know/Not sure	7																														
Refused	9																														
3.2. Do you have one person you think of as your personal doctor or health care provider?		Section 7: Cholesterol Awareness																													
<table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes, only one</td><td style="text-align: right;">1</td></tr> <tr><td>More than one</td><td style="text-align: right;">2</td></tr> <tr><td>No</td><td style="text-align: right;">3</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>		Yes, only one	1	More than one	2	No	3	Don't know/Not sure	7	Refused	9	<table style="width: 100%; border-collapse: collapse;"> <tr><td>7.1. Have you EVER had your blood cholesterol checked?</td><td></td></tr> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>		7.1. Have you EVER had your blood cholesterol checked?		Yes	1	No	2	Don't know/Not sure	7	Refused	9								
Yes, only one	1																														
More than one	2																														
No	3																														
Don't know/Not sure	7																														
Refused	9																														
7.1. Have you EVER had your blood cholesterol checked?																															
Yes	1																														
No	2																														
Don't know/Not sure	7																														
Refused	9																														
3.3. Was there a time in the past 12 months when you needed to see a doctor but could not because of the cost?		7.2. About how long has it been since you last had your blood cholesterol checked?																													
<table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>		Yes	1	No	2	Don't know/Not sure	7	Refused	9	<table style="width: 100%; border-collapse: collapse;"> <tr><td>Within past year</td><td style="text-align: right;">1</td></tr> <tr><td>Within the past 2 years</td><td style="text-align: right;">2</td></tr> <tr><td>Within the past 5 years</td><td style="text-align: right;">3</td></tr> <tr><td>5 or more years</td><td style="text-align: right;">4</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>		Within past year	1	Within the past 2 years	2	Within the past 5 years	3	5 or more years	4	Don't know/Not sure	7	Refused	9								
Yes	1																														
No	2																														
Don't know/Not sure	7																														
Refused	9																														
Within past year	1																														
Within the past 2 years	2																														
Within the past 5 years	3																														
5 or more years	4																														
Don't know/Not sure	7																														
Refused	9																														

2007 ARIZONA QUESTIONNAIRE

<p>7.3. Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>10.4. Have you EVER received the hepatitis B vaccine?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
<p>Section 8: Cardiovascular Disease Prevalence</p> <p>8.1. Ever told you had a heart attack?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>10.5. Please tell me if ANY of these statements is true for YOU.</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes, at least one statement is true</td><td style="width: 15%;">1</td></tr> <tr><td>No, none of these statements is true</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes, at least one statement is true	1	No, none of these statements is true	2	Don't know/Not sure	7	Refused	9								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
Yes, at least one statement is true	1																								
No, none of these statements is true	2																								
Don't know/Not sure	7																								
Refused	9																								
<p>8.2. Ever told you had angina or coronary heart disease?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>Section 11: Tobacco Use</p> <p>11.1. Have you smoked at least 100 cigarettes in your entire life?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
<p>8.3. Ever told you had had a stroke?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>11.2. Do you now smoke cigarettes every day, some days, or not at all?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Every day</td><td style="width: 15%;">1</td></tr> <tr><td>Some days</td><td>2</td></tr> <tr><td>Not at all</td><td>3</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Every day	1	Some days	2	Not at all	3	Don't know/Not sure	7	Refused	9						
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
Every day	1																								
Some days	2																								
Not at all	3																								
Don't know/Not sure	7																								
Refused	9																								
<p>Section 9: Asthma</p> <p>9.1. Have you ever been told by a doctor, nurse, or other health professional that you had asthma?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>11.3. During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
<p>9.2. Do you still have asthma?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>Section 12: Demographics</p> <p>12.1. What is your age</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Code age in years</td><td style="width: 15%; text-align: right;">0 <u> </u> 7</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">0 <u> </u> 9</td></tr> <tr><td>Refused</td><td style="text-align: right;">0 <u> </u> 9</td></tr> </table>	Code age in years	0 <u> </u> 7	Don't know/Not sure	0 <u> </u> 9	Refused	0 <u> </u> 9										
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
Code age in years	0 <u> </u> 7																								
Don't know/Not sure	0 <u> </u> 9																								
Refused	0 <u> </u> 9																								
<p>Section 10: Immunization</p> <p>10.1. During the past 12 months, have you had a flu shot?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>12.2. Are you Hispanic or Latino?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
<p>10.2. During the past 12 months, have you had a flu vaccine that was sprayed in your nose?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>12.3. Which one or more of the following would you say is your race?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">White</td><td style="width: 15%;">1</td></tr> <tr><td>Black/African American</td><td>2</td></tr> <tr><td>Asian</td><td>3</td></tr> <tr><td>Native Hawaiian/Other Pacific Islander</td><td>4</td></tr> <tr><td>American Indian, Alaska Native</td><td>5</td></tr> <tr><td>Other</td><td>6</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	White	1	Black/African American	2	Asian	3	Native Hawaiian/Other Pacific Islander	4	American Indian, Alaska Native	5	Other	6	Don't know/Not sure	7	Refused	9
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
White	1																								
Black/African American	2																								
Asian	3																								
Native Hawaiian/Other Pacific Islander	4																								
American Indian, Alaska Native	5																								
Other	6																								
Don't know/Not sure	7																								
Refused	9																								
<p>10.3. Have you ever had a pneumonia shot?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 15%;">Yes</td><td style="width: 15%;">1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9																	
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								

2007 ARIZONA QUESTIONNAIRE

<p>12.4. Which one of these groups would you say best represents your race?</p> <table> <tbody> <tr><td>White</td><td>1</td></tr> <tr><td>Black/African American</td><td>2</td></tr> <tr><td>Asian</td><td>3</td></tr> <tr><td>Native Hawaiian/Other Pacific Islander</td><td>4</td></tr> <tr><td>American Indian, Alaska Native</td><td>5</td></tr> <tr><td>Other</td><td>6</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </tbody> </table>	White	1	Black/African American	2	Asian	3	Native Hawaiian/Other Pacific Islander	4	American Indian, Alaska Native	5	Other	6	Don't know/Not sure	7	Refused	9	<p>12.11. About how much do you weigh without shoes?</p> <table> <tbody> <tr><td>Weight</td><td>—</td><td>—</td><td>—</td><td>pounds</td></tr> <tr><td>Don't know/Not sure</td><td>7</td><td>7</td><td>7</td><td></td></tr> <tr><td>Refused</td><td>9</td><td>9</td><td>9</td><td></td></tr> </tbody> </table>	Weight	—	—	—	pounds	Don't know/Not sure	7	7	7		Refused	9	9	9						
White	1																																				
Black/African American	2																																				
Asian	3																																				
Native Hawaiian/Other Pacific Islander	4																																				
American Indian, Alaska Native	5																																				
Other	6																																				
Don't know/Not sure	7																																				
Refused	9																																				
Weight	—	—	—	pounds																																	
Don't know/Not sure	7	7	7																																		
Refused	9	9	9																																		
<p>12.5. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?</p> <table> <tbody> <tr><td>Yes</td><td>1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </tbody> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>12.12. About how tall are you without shoes?</p> <table> <tbody> <tr><td>Height</td><td>—</td><td>/</td><td>—</td><td>ft/inches</td></tr> <tr><td>Don't know/Not sure</td><td>7</td><td>7</td><td>7</td><td></td></tr> <tr><td>Refused</td><td>9</td><td>9</td><td>9</td><td></td></tr> </tbody> </table>	Height	—	/	—	ft/inches	Don't know/Not sure	7	7	7		Refused	9	9	9														
Yes	1																																				
No	2																																				
Don't know/Not sure	7																																				
Refused	9																																				
Height	—	/	—	ft/inches																																	
Don't know/Not sure	7	7	7																																		
Refused	9	9	9																																		
<p>12.6. Are you:</p> <table> <tbody> <tr><td>Married</td><td>1</td></tr> <tr><td>Divorced</td><td>2</td></tr> <tr><td>Widowed</td><td>3</td></tr> <tr><td>Separated</td><td>4</td></tr> <tr><td>Never been married</td><td>5</td></tr> <tr><td>Member of an unmarried couple</td><td>6</td></tr> <tr><td>Refused</td><td>9</td></tr> </tbody> </table>	Married	1	Divorced	2	Widowed	3	Separated	4	Never been married	5	Member of an unmarried couple	6	Refused	9	<p>12.13. How much did you weigh a year ago?</p> <table> <tbody> <tr><td>Weight</td><td>—</td><td>—</td><td>—</td><td>pounds</td></tr> <tr><td>Don't know/Not sure</td><td>7</td><td>7</td><td>7</td><td></td></tr> <tr><td>Refused</td><td>9</td><td>9</td><td>9</td><td></td></tr> </tbody> </table>	Weight	—	—	—	pounds	Don't know/Not sure	7	7	7		Refused	9	9	9								
Married	1																																				
Divorced	2																																				
Widowed	3																																				
Separated	4																																				
Never been married	5																																				
Member of an unmarried couple	6																																				
Refused	9																																				
Weight	—	—	—	pounds																																	
Don't know/Not sure	7	7	7																																		
Refused	9	9	9																																		
<p>12.7. How many children less than 18 years of age live in your household?</p> <table> <tbody> <tr><td>Number of children</td><td>—</td><td>—</td></tr> <tr><td>None</td><td>8</td><td>8</td></tr> <tr><td>Refused</td><td>9</td><td>9</td></tr> </tbody> </table>	Number of children	—	—	None	8	8	Refused	9	9	<p>12.14. Was the change between your current weight and your weight a year ago intentional?</p> <table> <tbody> <tr><td>Yes</td><td>1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </tbody> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9																			
Number of children	—	—																																			
None	8	8																																			
Refused	9	9																																			
Yes	1																																				
No	2																																				
Don't know/Not sure	7																																				
Refused	9																																				
<p>12.8. What is the highest grade or year of school you completed?</p> <table> <tbody> <tr><td>≤ Kindergarten</td><td>1</td></tr> <tr><td>Elementary</td><td>2</td></tr> <tr><td>Some high school</td><td>3</td></tr> <tr><td>High school graduate</td><td>4</td></tr> <tr><td>Some college/tech school</td><td>5</td></tr> <tr><td>College graduate</td><td>6</td></tr> <tr><td>Refused</td><td>9</td></tr> </tbody> </table>	≤ Kindergarten	1	Elementary	2	Some high school	3	High school graduate	4	Some college/tech school	5	College graduate	6	Refused	9	<p>12.15. What county do you live in?</p> <table> <tbody> <tr><td>FIPS county code</td><td>—</td><td>—</td><td>—</td></tr> <tr><td>Don't know/Not sure</td><td>7</td><td>7</td><td>7</td></tr> <tr><td>Refused</td><td>9</td><td>9</td><td>9</td></tr> </tbody> </table>	FIPS county code	—	—	—	Don't know/Not sure	7	7	7	Refused	9	9	9										
≤ Kindergarten	1																																				
Elementary	2																																				
Some high school	3																																				
High school graduate	4																																				
Some college/tech school	5																																				
College graduate	6																																				
Refused	9																																				
FIPS county code	—	—	—																																		
Don't know/Not sure	7	7	7																																		
Refused	9	9	9																																		
<p>12.9. Are you currently:</p> <table> <tbody> <tr><td>Employed for wages</td><td>1</td></tr> <tr><td>Self-employed</td><td>2</td></tr> <tr><td>Out of work for more than 1 year</td><td>3</td></tr> <tr><td>Out of work for less than 1 year</td><td>4</td></tr> <tr><td>Homemaker</td><td>5</td></tr> <tr><td>Student</td><td>6</td></tr> <tr><td>Retired</td><td>7</td></tr> <tr><td>Unable to work</td><td>8</td></tr> <tr><td>Refused</td><td>9</td></tr> </tbody> </table>	Employed for wages	1	Self-employed	2	Out of work for more than 1 year	3	Out of work for less than 1 year	4	Homemaker	5	Student	6	Retired	7	Unable to work	8	Refused	9	<p>12.16. What is your ZIP Code where you live?</p> <table> <tbody> <tr><td>ZIP Code</td><td>—</td><td>—</td><td>—</td><td>—</td><td>—</td></tr> <tr><td>Don't know/Not sure</td><td>7</td><td>7</td><td>7</td><td>7</td><td>7</td></tr> <tr><td>Refused</td><td>9</td><td>9</td><td>9</td><td>9</td><td>9</td></tr> </tbody> </table>	ZIP Code	—	—	—	—	—	Don't know/Not sure	7	7	7	7	7	Refused	9	9	9	9	9
Employed for wages	1																																				
Self-employed	2																																				
Out of work for more than 1 year	3																																				
Out of work for less than 1 year	4																																				
Homemaker	5																																				
Student	6																																				
Retired	7																																				
Unable to work	8																																				
Refused	9																																				
ZIP Code	—	—	—	—	—																																
Don't know/Not sure	7	7	7	7	7																																
Refused	9	9	9	9	9																																
<p>12.10. Is your annual household income from all sources:</p> <table> <tbody> <tr><td>< \$10,000</td><td>1</td></tr> <tr><td>\$10,000 to < \$15,000</td><td>2</td></tr> <tr><td>\$15,000 to < \$20,000</td><td>3</td></tr> <tr><td>\$20,000 to < \$25,000</td><td>4</td></tr> <tr><td>\$25,000 to < \$35,000</td><td>5</td></tr> <tr><td>\$35,000 to < \$50,000</td><td>6</td></tr> <tr><td>\$50,000 to < \$75,000</td><td>7</td></tr> <tr><td>≤ \$75,000</td><td>8</td></tr> <tr><td>Don't know/Not sure</td><td>77</td></tr> <tr><td>Refused</td><td>99</td></tr> </tbody> </table>	< \$10,000	1	\$10,000 to < \$15,000	2	\$15,000 to < \$20,000	3	\$20,000 to < \$25,000	4	\$25,000 to < \$35,000	5	\$35,000 to < \$50,000	6	\$50,000 to < \$75,000	7	≤ \$75,000	8	Don't know/Not sure	77	Refused	99	<p>12.17. Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.</p> <table> <tbody> <tr><td>Yes</td><td>1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </tbody> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9								
< \$10,000	1																																				
\$10,000 to < \$15,000	2																																				
\$15,000 to < \$20,000	3																																				
\$20,000 to < \$25,000	4																																				
\$25,000 to < \$35,000	5																																				
\$35,000 to < \$50,000	6																																				
\$50,000 to < \$75,000	7																																				
≤ \$75,000	8																																				
Don't know/Not sure	77																																				
Refused	99																																				
Yes	1																																				
No	2																																				
Don't know/Not sure	7																																				
Refused	9																																				

2007 ARIZONA QUESTIONNAIRE

<p>12.18. How many of these are residential numbers?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Residential phone numbers</td> <td style="width: 10%; text-align: right;"><u> </u></td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9</td> </tr> </table>	Residential phone numbers	<u> </u>	Don't know/Not sure	7	Refused	9													
Residential phone numbers	<u> </u>																		
Don't know/Not sure	7																		
Refused	9																		
<p>12.19. During the past 12 months, has your household been without telephone service for 1 week or more?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Yes</td> <td style="width: 10%; text-align: right;">1</td> </tr> <tr> <td>No</td> <td style="text-align: right;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>Section 14: Disability</p> <p>14.1. Are you limited in any way in any activities because of physical, mental, or emotional problems?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Yes</td> <td style="width: 10%; text-align: right;">1</td> </tr> <tr> <td>No</td> <td style="text-align: right;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9		
Yes	1																		
No	2																		
Don't know/Not sure	7																		
Refused	9																		
Yes	1																		
No	2																		
Don't know/Not sure	7																		
Refused	9																		
<p>12.20. Indicate sex of respondent</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Male</td> <td style="width: 10%; text-align: right;">1</td> </tr> <tr> <td>Female</td> <td style="text-align: right;">2</td> </tr> </table>	Male	1	Female	2	<p>14.2. Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Yes</td> <td style="width: 10%; text-align: right;">1</td> </tr> <tr> <td>No</td> <td style="text-align: right;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9						
Male	1																		
Female	2																		
Yes	1																		
No	2																		
Don't know/Not sure	7																		
Refused	9																		
<p>12.21. To your knowledge, are you now pregnant?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Yes</td> <td style="width: 10%; text-align: right;">1</td> </tr> <tr> <td>No</td> <td style="text-align: right;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>Section 15: Alcohol Consumption</p> <p>15.1. During the past 30 days, have you had symptoms of pain, aching, or stiffness in or around a joint?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Yes</td> <td style="width: 10%; text-align: right;">1</td> </tr> <tr> <td>No</td> <td style="text-align: right;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9		
Yes	1																		
No	2																		
Don't know/Not sure	7																		
Refused	9																		
Yes	1																		
No	2																		
Don't know/Not sure	7																		
Refused	9																		
<p>Section 13: Alcohol Consumption</p> <p>13.1. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Yes</td> <td style="width: 10%; text-align: right;">1</td> </tr> <tr> <td>No</td> <td style="text-align: right;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>15.2. Did your joint symptoms first begin more than 3 months ago?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Yes</td> <td style="width: 10%; text-align: right;">1</td> </tr> <tr> <td>No</td> <td style="text-align: right;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9		
Yes	1																		
No	2																		
Don't know/Not sure	7																		
Refused	9																		
Yes	1																		
No	2																		
Don't know/Not sure	7																		
Refused	9																		
<p>13.2. During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Days per week</td> <td style="width: 10%; text-align: right;">1 <u> </u></td> </tr> <tr> <td>Days in past 30 days</td> <td style="text-align: right;">2 <u> </u></td> </tr> <tr> <td>No drinks in past 30 days</td> <td style="text-align: right;">8 <u> </u> 8</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7 <u> </u> 7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9 <u> </u> 9</td> </tr> </table>	Days per week	1 <u> </u>	Days in past 30 days	2 <u> </u>	No drinks in past 30 days	8 <u> </u> 8	Don't know/Not sure	7 <u> </u> 7	Refused	9 <u> </u> 9	<p>15.3. Have you ever seen a doctor or other health professional for these joint symptoms?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Yes</td> <td style="width: 10%; text-align: right;">1</td> </tr> <tr> <td>No</td> <td style="text-align: right;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9
Days per week	1 <u> </u>																		
Days in past 30 days	2 <u> </u>																		
No drinks in past 30 days	8 <u> </u> 8																		
Don't know/Not sure	7 <u> </u> 7																		
Refused	9 <u> </u> 9																		
Yes	1																		
No	2																		
Don't know/Not sure	7																		
Refused	9																		
<p>13.3. One drink is equivalent to a 12 ounce beer, a 5 ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Number of drinks</td> <td style="width: 10%; text-align: right;"><u> </u></td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7 <u> </u> 7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9 <u> </u> 9</td> </tr> </table>	Number of drinks	<u> </u>	Don't know/Not sure	7 <u> </u> 7	Refused	9 <u> </u> 9	<p>15.4. Have you ever been told by a doctor or other health professional that you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Yes</td> <td style="width: 10%; text-align: right;">1</td> </tr> <tr> <td>No</td> <td style="text-align: right;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9				
Number of drinks	<u> </u>																		
Don't know/Not sure	7 <u> </u> 7																		
Refused	9 <u> </u> 9																		
Yes	1																		
No	2																		
Don't know/Not sure	7																		
Refused	9																		
<p>13.4. Considering all types of alcoholic beverages, how many times during the past 30 days did you have X [X = 5 for men, X = 4 for women] or more drinks on an occasion?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Number of times</td> <td style="width: 10%; text-align: right;"><u> </u></td> </tr> <tr> <td>None</td> <td style="text-align: right;">8 <u> </u> 8</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7 <u> </u> 7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9 <u> </u> 9</td> </tr> </table>	Number of times	<u> </u>	None	8 <u> </u> 8	Don't know/Not sure	7 <u> </u> 7	Refused	9 <u> </u> 9	<p>15.5. Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Yes</td> <td style="width: 10%; text-align: right;">1</td> </tr> <tr> <td>No</td> <td style="text-align: right;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9		
Number of times	<u> </u>																		
None	8 <u> </u> 8																		
Don't know/Not sure	7 <u> </u> 7																		
Refused	9 <u> </u> 9																		
Yes	1																		
No	2																		
Don't know/Not sure	7																		
Refused	9																		
<p>13.5. During the past 30 days, what is the largest number of drinks you had on any occasion?</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Number of drinks</td> <td style="width: 10%; text-align: right;"><u> </u></td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: right;">7 <u> </u> 7</td> </tr> <tr> <td>Refused</td> <td style="text-align: right;">9 <u> </u> 9</td> </tr> </table>	Number of drinks	<u> </u>	Don't know/Not sure	7 <u> </u> 7	Refused	9 <u> </u> 9													
Number of drinks	<u> </u>																		
Don't know/Not sure	7 <u> </u> 7																		
Refused	9 <u> </u> 9																		

2007 ARIZONA QUESTIONNAIRE

Section 16: Fruits & Vegetables	
16.1. How often do you drink fruit juices such as orange, grapefruit, or tomato?	
Per day	1 ——
Per week	2 ——
Per month	3 ——
Per year	4 ——
Never	5 5 5
Don't know/Not sure	7 7 7
Refused	9 9 9
16.2. Not counting juice, how often do you eat fruit?	
Per day	1 ——
Per week	2 ——
Per month	3 ——
Per year	4 ——
Never	5 5 5
Don't know/Not sure	7 7 7
Refused	9 9 9
16.3. How often do you eat green salad?	
Per day	1 ——
Per week	2 ——
Per month	3 ——
Per year	4 ——
Never	5 5 5
Don't know/Not sure	7 7 7
Refused	9 9 9
16.4. How often do you eat potatoes not including French fries, fried potatoes, or potato chips?	
Per day	1 ——
Per week	2 ——
Per month	3 ——
Per year	4 ——
Never	5 5 5
Don't know/Not sure	7 7 7
Refused	9 9 9
16.5. How often do you eat carrots?	
Per day	1 ——
Per week	2 ——
Per month	3 ——
Per year	4 ——
Never	5 5 5
Don't know/Not sure	7 7 7
Refused	9 9 9
16.6. Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat?	
Per day	1 ——
Per week	2 ——
Per month	3 ——
Per year	4 ——
Never	5 5 5
Don't know/Not sure	7 7 7
Refused	9 9 9
Section 17: Physical Activity	
17.1. When you are at work, which of the following best describes what you do? Would you say	
Mostly sitting or standing	1
Mostly walking	2
Mostly heavy labor/physically demanding work	3
Don't know/Not sure	7
Refused	9
Section 18: HIV/AIDS	
18.1. Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.	
Yes	1
No	2
Don't know/Not sure	7
Refused	9

2007 ARIZONA QUESTIONNAIRE

<p>18.2. Not including blood donations, in what month and year was your last HIV test?</p> <p>Code month and year / Don't know/Not sure 7 7 7 7 7 7 Refused 9 9 9 9 9 9</p>	<p>20.3. When you visited your health care professional, did you provide a stool sample for testing?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>Yes</td><td>1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9												
Yes	1																				
No	2																				
Don't know/Not sure	7																				
Refused	9																				
<p>18.3. Where did you have your last HIV test—at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at home, or somewhere else?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>Private doctor or HMO</td><td>01</td></tr> <tr><td>Counseling and testing site</td><td>02</td></tr> <tr><td>Hospital</td><td>03</td></tr> <tr><td>Clinic</td><td>04</td></tr> <tr><td>Jail or prison</td><td>05</td></tr> <tr><td>Drug treatment facility</td><td>06</td></tr> <tr><td>Home</td><td>07</td></tr> <tr><td>Somewhere else</td><td>08</td></tr> <tr><td>Don't know/Not sure</td><td>77</td></tr> <tr><td>Refused</td><td>99</td></tr> </table>	Private doctor or HMO	01	Counseling and testing site	02	Hospital	03	Clinic	04	Jail or prison	05	Drug treatment facility	06	Home	07	Somewhere else	08	Don't know/Not sure	77	Refused	99	<p>Module 1: Random Child Selection</p> <p>MOD1.1. What is the birth month and year of the “Xth” child?</p> <p>Code month and year / Don't know/Not sure 7 7 7 7 7 7 Refused 9 9 9 9 9 9</p>
Private doctor or HMO	01																				
Counseling and testing site	02																				
Hospital	03																				
Clinic	04																				
Jail or prison	05																				
Drug treatment facility	06																				
Home	07																				
Somewhere else	08																				
Don't know/Not sure	77																				
Refused	99																				
<p>18.4. Was it a rapid test where you could get your results within a couple of hours?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>Yes</td><td>1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>MOD1.2. Is the child a boy or a girl?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>Boy</td><td>1</td></tr> <tr><td>Girl</td><td>2</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>	Boy	1	Girl	2	Refused	9						
Yes	1																				
No	2																				
Don't know/Not sure	7																				
Refused	9																				
Boy	1																				
Girl	2																				
Refused	9																				
<p>Section 19: Emotional Support & Life Satisfaction</p> <p>19.1. How often do you get the social and emotional support you need?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>Always</td><td>1</td></tr> <tr><td>Usually</td><td>2</td></tr> <tr><td>Sometimes</td><td>3</td></tr> <tr><td>Rarely</td><td>4</td></tr> <tr><td>Never</td><td>5</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>		Always	1	Usually	2	Sometimes	3	Rarely	4	Never	5	Don't know/Not sure	7	Refused	9						
Always	1																				
Usually	2																				
Sometimes	3																				
Rarely	4																				
Never	5																				
Don't know/Not sure	7																				
Refused	9																				
<p>19.2. In general, how satisfied are you with your life?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>Very satisfied</td><td>1</td></tr> <tr><td>Satisfied</td><td>2</td></tr> <tr><td>Dissatisfied</td><td>3</td></tr> <tr><td>Very dissatisfied</td><td>4</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>		Very satisfied	1	Satisfied	2	Dissatisfied	3	Very dissatisfied	4	Don't know/Not sure	7	Refused	9								
Very satisfied	1																				
Satisfied	2																				
Dissatisfied	3																				
Very dissatisfied	4																				
Don't know/Not sure	7																				
Refused	9																				
<p>Section 20: Gastrointestinal Disease</p> <p>20.1. In the past 30 days, did you have diarrhea that began within the 30 day period?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>Yes</td><td>1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>		Yes	1	No	2	Don't know/Not sure	7	Refused	9												
Yes	1																				
No	2																				
Don't know/Not sure	7																				
Refused	9																				
<p>20.2. Did you visit a doctor, nurse or other health professional for this diarrheal illness?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>Yes</td><td>1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>		Yes	1	No	2	Don't know/Not sure	7	Refused	9												
Yes	1																				
No	2																				
Don't know/Not sure	7																				
Refused	9																				
<p>MOD1_3. Is the child Hispanic or Latino?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>Yes</td><td>1</td></tr> <tr><td>No</td><td>2</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>		Yes	1	No	2	Don't know/Not sure	7	Refused	9												
Yes	1																				
No	2																				
Don't know/Not sure	7																				
Refused	9																				
<p>MOD1_4. Which one or more of the following would you say is the race of the child?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>White</td><td>1</td></tr> <tr><td>Black/African American</td><td>2</td></tr> <tr><td>Asian</td><td>3</td></tr> <tr><td>Native Hawaiian/Other Pacific Islander</td><td>4</td></tr> <tr><td>American Indian, Alaska Native</td><td>5</td></tr> <tr><td>Other</td><td>6</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>		White	1	Black/African American	2	Asian	3	Native Hawaiian/Other Pacific Islander	4	American Indian, Alaska Native	5	Other	6	Don't know/Not sure	7	Refused	9				
White	1																				
Black/African American	2																				
Asian	3																				
Native Hawaiian/Other Pacific Islander	4																				
American Indian, Alaska Native	5																				
Other	6																				
Don't know/Not sure	7																				
Refused	9																				
<p>MOD1_5. Which one of these groups would you say best represents the child's race?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>White</td><td>1</td></tr> <tr><td>Black/African American</td><td>2</td></tr> <tr><td>Asian</td><td>3</td></tr> <tr><td>Native Hawaiian/Other Pacific Islander</td><td>4</td></tr> <tr><td>American Indian, Alaska Native</td><td>5</td></tr> <tr><td>Other</td><td>6</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>		White	1	Black/African American	2	Asian	3	Native Hawaiian/Other Pacific Islander	4	American Indian, Alaska Native	5	Other	6	Don't know/Not sure	7	Refused	9				
White	1																				
Black/African American	2																				
Asian	3																				
Native Hawaiian/Other Pacific Islander	4																				
American Indian, Alaska Native	5																				
Other	6																				
Don't know/Not sure	7																				
Refused	9																				
<p>MOD1_6. How are you related to the child?</p> <table style="margin-left: 20px; border-collapse: collapse;"> <tr><td>Parent</td><td>1</td></tr> <tr><td>Grandparent</td><td>2</td></tr> <tr><td>Foster parent or guardian</td><td>3</td></tr> <tr><td>Sibling</td><td>4</td></tr> <tr><td>Other relative</td><td>5</td></tr> <tr><td>Not related in any way</td><td>6</td></tr> <tr><td>Don't know/Not sure</td><td>7</td></tr> <tr><td>Refused</td><td>9</td></tr> </table>		Parent	1	Grandparent	2	Foster parent or guardian	3	Sibling	4	Other relative	5	Not related in any way	6	Don't know/Not sure	7	Refused	9				
Parent	1																				
Grandparent	2																				
Foster parent or guardian	3																				
Sibling	4																				
Other relative	5																				
Not related in any way	6																				
Don't know/Not sure	7																				
Refused	9																				

2007 ARIZONA QUESTIONNAIRE

Module 2: Childhood Asthma Prevalence		MOD3_7. About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?
MOD2_1. Has a doctor, nurse or other health professional EVER said that the child has asthma?		
Yes	1	Number of times
No	2	None 8 8
Don't know/Not sure	7	Don't know/Not sure 7 7
Refused	9	Refused 9 9
MOD2_2. Does the child still have asthma?		MOD3_8. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?
Yes	1	Number of times
No	2	None 8 8
Don't know/Not sure	7	Never heard of "A one C" test 9 8
Refused	9	Don't know/Not sure 7 7
		Refused 9 9
Module 3: Diabetes		MOD3_9. About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?
MOD3_1. Has a doctor, nurse or other health professional EVER said that the child has asthma?		Number of times
Code age in years	--	None 8 8
Don't know/Not sure	9 8	Don't know/Not sure 7 7
Refused	9 9	Refused 9 9
MOD3_2. Are you now taking insulin?		MOD3_10. When was the last time you had an eye exam in which the pupils were dilated?
Yes	1	< 1 month 1
No	2	1 month but < 12 months 2
Don't know/Not sure	7	1 year but < 2 years 3
Refused	9	2 or more years 4
		Don't know/Not sure 7
		Never 8
		Refused 9
MOD3_3. Are you now taking diabetes pills?		MOD3_11. Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?
Yes	1	Yes 1
No	2	No 2
Don't know/Not sure	7	Don't know/Not sure 7
Refused	9	Refused 9
MOD3_4. About how often do you check your blood for glucose or sugar?		MOD3_12. Have you ever taken a course or class in how to manage your diabetes yourself?
Per day	1 --	Yes 1
Per week	2 --	No 2
Per month	3 --	Don't know/Not sure 7
Per year	4 --	Refused 9
Never	8 8 8	
Don't know/Not sure	7 7 7	
Refused	9 9 9	
MOD3_5. About how often do you check your feet for any sores or irritations?		Module 11: Colorectal Cancer Screening
Per day	1 --	MOD11.1. A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood.
Per week	2 --	Have you ever had this test using a home kit?
Per month	3 --	Yes 1
Per year	4 --	No 2
No feet	5 5 5	Don't know/Not sure 7
Never	8 8 8	Refused 9
Don't know/Not sure	7 7 7	
Refused	9 9 9	
MOD3_6. Have you ever had any sores or irritations on your feet that took more than four weeks to heal?		MOD11.2. How long has it been since you had your last blood stool test using a home kit?
Yes	1	Within past year 1
No	2	Within past 2 years 2
Don't know/Not sure	7	Within past 5 years 4
Refused	9	5+ years ago 5
		Don't know/Not sure 7
		Refused 9

2007 ARIZONA QUESTIONNAIRE

<p>MOD11.3. Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>MOD12_5. During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Number of visits</td><td style="text-align: right;"><u> </u><u> </u></td></tr> <tr><td>None</td><td style="text-align: right;"><u> </u><u> </u></td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">9 8</td></tr> <tr><td>Refused</td><td style="text-align: right;">9 9</td></tr> </table>	Number of visits	<u> </u> <u> </u>	None	<u> </u> <u> </u>	Don't know/Not sure	9 8	Refused	9 9														
Yes	1																														
No	2																														
Don't know/Not sure	7																														
Refused	9																														
Number of visits	<u> </u> <u> </u>																														
None	<u> </u> <u> </u>																														
Don't know/Not sure	9 8																														
Refused	9 9																														
<p>MOD11.4. Was your MOST RECENT examination called a sigmoidoscopy or a colonoscopy?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Sigmoidoscopy</td><td style="text-align: right;">1</td></tr> <tr><td>Colonoscopy</td><td style="text-align: right;">2</td></tr> <tr><td>Something else</td><td style="text-align: right;">3</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Sigmoidoscopy	1	Colonoscopy	2	Something else	3	Don't know/Not sure	7	Refused	9	<p>MOD12_6. During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Number of days</td><td style="text-align: right;"><u> </u><u> </u><u> </u></td></tr> <tr><td>None</td><td style="text-align: right;"><u> </u><u> </u><u> </u></td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7 7 7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9 9 9</td></tr> </table>	Number of days	<u> </u> <u> </u> <u> </u>	None	<u> </u> <u> </u> <u> </u>	Don't know/Not sure	7 7 7	Refused	9 9 9												
Sigmoidoscopy	1																														
Colonoscopy	2																														
Something else	3																														
Don't know/Not sure	7																														
Refused	9																														
Number of days	<u> </u> <u> </u> <u> </u>																														
None	<u> </u> <u> </u> <u> </u>																														
Don't know/Not sure	7 7 7																														
Refused	9 9 9																														
<p>MOD11.5. How long has it been since you had your last sigmoidoscopy or colonoscopy?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Within past year</td><td style="text-align: right;">1</td></tr> <tr><td>Within past 2 years</td><td style="text-align: right;">2</td></tr> <tr><td>Within past 5 years</td><td style="text-align: right;">3</td></tr> <tr><td>Within past 10 years</td><td style="text-align: right;">4</td></tr> <tr><td>10+ years ago</td><td style="text-align: right;">5</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Within past year	1	Within past 2 years	2	Within past 5 years	3	Within past 10 years	4	10+ years ago	5	Don't know/Not sure	7	Refused	9	<p>MOD12.7. During the past 30 days, how often did you have any symptoms of asthma?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Not at any time</td><td style="text-align: right;">8</td></tr> <tr><td>< once a week</td><td style="text-align: right;">1</td></tr> <tr><td>Once or twice a week</td><td style="text-align: right;">2</td></tr> <tr><td>More than 2 times a week, but not every day</td><td style="text-align: right;">3</td></tr> <tr><td>Every day, but not all the time</td><td style="text-align: right;">4</td></tr> <tr><td>Every day, all the time</td><td style="text-align: right;">5</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Not at any time	8	< once a week	1	Once or twice a week	2	More than 2 times a week, but not every day	3	Every day, but not all the time	4	Every day, all the time	5	Don't know/Not sure	7	Refused	9
Within past year	1																														
Within past 2 years	2																														
Within past 5 years	3																														
Within past 10 years	4																														
10+ years ago	5																														
Don't know/Not sure	7																														
Refused	9																														
Not at any time	8																														
< once a week	1																														
Once or twice a week	2																														
More than 2 times a week, but not every day	3																														
Every day, but not all the time	4																														
Every day, all the time	5																														
Don't know/Not sure	7																														
Refused	9																														
<p>Module 12: Adult Asthma History</p> <p>MOD12_1. How old were you when you were first told by a doctor, nurse, or other health professional that you had asthma?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Age in years 11 or older</td><td style="text-align: right;">1</td></tr> <tr><td>Age 10 or younger</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">3</td></tr> <tr><td>Refused</td><td style="text-align: right;">4</td></tr> </table>	Age in years 11 or older	1	Age 10 or younger	2	Don't know/Not sure	3	Refused	4	<p>MOD12.8. During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>None</td><td style="text-align: right;">8</td></tr> <tr><td>One or two</td><td style="text-align: right;">1</td></tr> <tr><td>Three to four</td><td style="text-align: right;">2</td></tr> <tr><td>Five</td><td style="text-align: right;">3</td></tr> <tr><td>Six to ten</td><td style="text-align: right;">4</td></tr> <tr><td>More than ten</td><td style="text-align: right;">5</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	None	8	One or two	1	Three to four	2	Five	3	Six to ten	4	More than ten	5	Don't know/Not sure	7	Refused	9						
Age in years 11 or older	1																														
Age 10 or younger	2																														
Don't know/Not sure	3																														
Refused	4																														
None	8																														
One or two	1																														
Three to four	2																														
Five	3																														
Six to ten	4																														
More than ten	5																														
Don't know/Not sure	7																														
Refused	9																														
<p>MOD12.2. During the past 12 months, have you had an episode of asthma or an asthma attack?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>MOD12.9. During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Never</td><td style="text-align: right;">8</td></tr> <tr><td>1 to 14 days</td><td style="text-align: right;">1</td></tr> <tr><td>15 to 24 days</td><td style="text-align: right;">2</td></tr> <tr><td>25 to 30 days</td><td style="text-align: right;">3</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Never	8	1 to 14 days	1	15 to 24 days	2	25 to 30 days	3	Don't know/Not sure	7	Refused	9										
Yes	1																														
No	2																														
Don't know/Not sure	7																														
Refused	9																														
Never	8																														
1 to 14 days	1																														
15 to 24 days	2																														
25 to 30 days	3																														
Don't know/Not sure	7																														
Refused	9																														
<p>MOD12_3. During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Number of visits</td><td style="text-align: right;"><u> </u><u> </u></td></tr> <tr><td>None</td><td style="text-align: right;"><u> </u><u> </u></td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">9 8</td></tr> <tr><td>Refused</td><td style="text-align: right;">9 9</td></tr> </table>	Number of visits	<u> </u> <u> </u>	None	<u> </u> <u> </u>	Don't know/Not sure	9 8	Refused	9 9	<p>MOD12.10. During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Never</td><td style="text-align: right;">8</td></tr> <tr><td>1 to 4 times</td><td style="text-align: right;">1</td></tr> <tr><td>5 to 14 times</td><td style="text-align: right;">2</td></tr> <tr><td>15 to 29 times</td><td style="text-align: right;">3</td></tr> <tr><td>30 to 59 times</td><td style="text-align: right;">4</td></tr> <tr><td>60 to 99 times</td><td style="text-align: right;">5</td></tr> <tr><td>100 or more times</td><td style="text-align: right;">6</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Never	8	1 to 4 times	1	5 to 14 times	2	15 to 29 times	3	30 to 59 times	4	60 to 99 times	5	100 or more times	6	Don't know/Not sure	7	Refused	9				
Number of visits	<u> </u> <u> </u>																														
None	<u> </u> <u> </u>																														
Don't know/Not sure	9 8																														
Refused	9 9																														
Never	8																														
1 to 4 times	1																														
5 to 14 times	2																														
15 to 29 times	3																														
30 to 59 times	4																														
60 to 99 times	5																														
100 or more times	6																														
Don't know/Not sure	7																														
Refused	9																														
<p>MOD12_4. During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Number of visits</td><td style="text-align: right;"><u> </u><u> </u></td></tr> <tr><td>None</td><td style="text-align: right;"><u> </u><u> </u></td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">9 8</td></tr> <tr><td>Refused</td><td style="text-align: right;">9 9</td></tr> </table>	Number of visits	<u> </u> <u> </u>	None	<u> </u> <u> </u>	Don't know/Not sure	9 8	Refused	9 9																							
Number of visits	<u> </u> <u> </u>																														
None	<u> </u> <u> </u>																														
Don't know/Not sure	9 8																														
Refused	9 9																														

2007 ARIZONA QUESTIONNAIRE

Module 13: Arthritis Management MOD13.1. Thinking about your arthritis or joint symptoms, which of the following best describes you today? <table style="width: 100%; border-collapse: collapse;"> <tr><td>I can do everything I would like to do</td><td style="text-align: right;">1</td></tr> <tr><td>I can do most things I would like to do</td><td style="text-align: right;">2</td></tr> <tr><td>I can do some things I would like to do</td><td style="text-align: right;">3</td></tr> <tr><td>I can hardly do anything I would like to do</td><td style="text-align: right;">4</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	I can do everything I would like to do	1	I can do most things I would like to do	2	I can do some things I would like to do	3	I can hardly do anything I would like to do	4	Don't know/Not sure	7	Refused	9	AZ1_4. Which of the following best describes your place of work's official smoking policy for work areas? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Not allowed in any work areas</td><td style="text-align: right;">1</td></tr> <tr><td>Allowed in some work areas</td><td style="text-align: right;">2</td></tr> <tr><td>Allowed in all work areas</td><td style="text-align: right;">3</td></tr> <tr><td>No official policy</td><td style="text-align: right;">4</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Not allowed in any work areas	1	Allowed in some work areas	2	Allowed in all work areas	3	No official policy	4	Don't know/Not sure	7	Refused	9
I can do everything I would like to do	1																								
I can do most things I would like to do	2																								
I can do some things I would like to do	3																								
I can hardly do anything I would like to do	4																								
Don't know/Not sure	7																								
Refused	9																								
Not allowed in any work areas	1																								
Allowed in some work areas	2																								
Allowed in all work areas	3																								
No official policy	4																								
Don't know/Not sure	7																								
Refused	9																								
MOD13.2. Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	State Added: Indoor Air Quality AZ2_1. Is your home heated with a furnace or boiler that burns oil, gas, coal, or other fuel? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
MOD13.3. Has a doctor or other health professional ever suggested physical activity or exercise to help your arthritis or joint symptoms? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	AZ2_2. Does your home have any of the following appliances powered by natural gas: a stove, an oven, a water heater, or a clothes dryer? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
MOD13.4. Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis or joint symptoms? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	AZ2_3. During the past 12 months, on how many days have you used a wood or coal stove, fireplace, or kerosene heater inside your home? Number of days <table style="width: 100%; border-collapse: collapse;"> <tr><td>Do not have</td><td style="text-align: right;">5 5 5</td></tr> <tr><td>None</td><td style="text-align: right;">8 8 8</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7 7 7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9 9 9</td></tr> </table>	Do not have	5 5 5	None	8 8 8	Don't know/Not sure	7 7 7	Refused	9 9 9								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
Do not have	5 5 5																								
None	8 8 8																								
Don't know/Not sure	7 7 7																								
Refused	9 9 9																								
State Added: Secondhand Smoke Policy AZ1_1. Which statement best describes the rules about smoking inside your home? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Smoking is not allowed anywhere inside your home</td><td style="text-align: right;">1</td></tr> <tr><td>Smoking is allowed in some places or at some times</td><td style="text-align: right;">2</td></tr> <tr><td>Smoking is allowed anywhere inside your home</td><td style="text-align: right;">3</td></tr> <tr><td>There are no rules about smoking inside your home</td><td style="text-align: right;">4</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Smoking is not allowed anywhere inside your home	1	Smoking is allowed in some places or at some times	2	Smoking is allowed anywhere inside your home	3	There are no rules about smoking inside your home	4	Don't know/Not sure	7	Refused	9	AZ2_4. Do you have a CO detector in your home? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9				
Smoking is not allowed anywhere inside your home	1																								
Smoking is allowed in some places or at some times	2																								
Smoking is allowed anywhere inside your home	3																								
There are no rules about smoking inside your home	4																								
Don't know/Not sure	7																								
Refused	9																								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
AZ1_2. While working at your job, are you indoors most of the time? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	AZ2_5. Do you currently have mold in your home on an area greater than the size of a dollar bill? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								
AZ1_3. Which of the following best describes your place of work's official smoking policy for indoor public or common areas, such as lobbies, rest rooms, and lunch rooms? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Not allowed in any public areas</td><td style="text-align: right;">1</td></tr> <tr><td>Allowed in some public areas</td><td style="text-align: right;">2</td></tr> <tr><td>Allowed in all public areas</td><td style="text-align: right;">3</td></tr> <tr><td>No official policy</td><td style="text-align: right;">4</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Not allowed in any public areas	1	Allowed in some public areas	2	Allowed in all public areas	3	No official policy	4	Don't know/Not sure	7	Refused	9	State Added: Oral Health AZ3_1. Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid/AHCCCS? <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9				
Not allowed in any public areas	1																								
Allowed in some public areas	2																								
Allowed in all public areas	3																								
No official policy	4																								
Don't know/Not sure	7																								
Refused	9																								
Yes	1																								
No	2																								
Don't know/Not sure	7																								
Refused	9																								

2007 ARIZONA QUESTIONNAIRE

AZ3_2. Have you ever had dental work done in another country?	AZ5_4. (Do you think) sudden chest pain or discomfort (are symptoms of a stroke?)
Yes 1 No 2 Don't know/Not sure 7 Refused 9	Yes 1 No 2 Don't know/Not sure 7 Refused 9
AZ3_3. In what country/countries did you have the dental work done?	AZ5_5. (Do you think) sudden trouble walking, dizziness, or loss of balance (are symptoms of a stroke?)
Canada 1 Mexico 2 Other country/countries 3 Don't know/Not sure 7 Refused 9	Yes 1 No 2 Don't know/Not sure 7 Refused 9
AZ3_4. What was the main reason you had dental work done in another country?	AZ5_6. (Do you think) severe headache with no known cause (is a symptom of a stroke?)
Low cost 1 I lived in that country at the time 2 Convenience 3 Other 4 Don't know/Not sure 7 Refused 9	Yes 1 No 2 Don't know/Not sure 7 Refused 9
AZ3_5. When was the dental work done?	AZ5_7. (Do you think) severe headache with no known cause (is a symptom of a stroke?)
Within the last year 1 1-<2 years 2 2-<5 years 3 5-<=10 years 4 Over 10 years 5 Don't know/Not sure 7 Refused 9	Take them to the hospital 1 Tell them to call their doctor 2 Call 911 3 Call their spouse or a family member 4 Do something else 5 Don't know/Not sure 7 Refused 9
State Added: Cardiovascular Health	State Added: Folic Acid
AZ4_1. After you left the hospital following your heart attack did you go to any kind of outpatient rehabilitation?	AZ6_1. Do you currently take any multivitamins or supplements that contain folic acid?
Yes 1 No 2 Don't know/Not sure 7 Refused 9	Yes 1 No 2 Don't know/Not sure 7 Refused 9
State Added: Heart Attack and Stroke	AZ6_2. How often do you take this multivitamin or supplement?
AZ5_1. (Do you think) sudden confusion or trouble speaking (are symptoms of a stroke?)	Times per day 1 -- Times per week 2 -- Times per month 3 -- Don't know/Not sure 7 7 7 Refused 9 9 9
Yes 1 No 2 Don't know/Not sure 7 Refused 9	AZ6_3. Some health experts recommend that women take 400 micrograms of the B-vitamin folic acid every day. They recommend this for which one of the following reasons?
AZ5_2. (Do you think) sudden numbness or weakness of face, arm, or leg, especially on one side, (are symptoms of a stroke?)	To make strong bones 1 To prevent birth defects 2 To prevent high blood pressure 3 Some other reason 4 Don't know/Not sure 7 Refused 9
Yes 1 No 2 Don't know/Not sure 7 Refused 9	AZ6_4. (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a stroke?)
AZ5_3. (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a stroke?)	State Added: Osteoporosis
Yes 1 No 2 Don't know/Not sure 7 Refused 9	AZ7_1. Have you EVER been told by a doctor, nurse, or other health professional that you have osteoporosis?
	Yes 1 No 2 Don't know/Not sure 7 Refused 9

2007 ARIZONA QUESTIONNAIRE

State Added: Pre-Diabetes AZ8_1. Have you had a test for high blood sugar or diabetes within the past three years? Yes 1 No 2 Don't know/Not sure 7 Refused 9	AZ9_3. Has an intimate partner EVER THREATENED you with physical violence? This includes threatening to hit, slap, push, kick, or hurt you in any way. Yes 1 No 2 Don't know/Not sure 7 Refused 9
AZ8_2. Have you ever been told by a doctor or other health professional that you have prediabetes or borderline diabetes? Yes 1 No 2 Don't know/Not sure 7 Refused 9	AZ9_4. Has an intimate partner EVER ATTEMPTED physical violence against you? This includes times when they tried to hit, slap, push, kick, or otherwise hurt you, BUT THEY WERE NOT ABLE TO. Yes 1 No 2 Don't know/Not sure 7 Refused 9
State Added: Violence AZ9_consent. Are you in a safe place to answer these questions? Yes 1 No 2	AZ9_5. Has an intimate partner EVER hit, slapped, pushed, kicked, or hurt you in any way? Yes 1 No 2 Don't know/Not sure 7 Refused 9
AZ9_1. Has anyone EVER had sex with you after you said or showed that you didn't want them to or without your consent? Yes 1 No 2 Don't know/Not sure 7 Refused 9	AZ9_6. Have you EVER experienced any unwanted sex by a current or former intimate partner? Yes 1 No 2 Don't know/Not sure 7 Refused 9
AZ9_2. Has anyone EVER ATTEMPTED to have sex with you after you said or showed that you didn't want to or without your consent, BUT SEX DID NOT OCCUR? Yes 1 No 2 Don't know/Not sure 7 Refused 9	

2007 BRFSS WEIGHTING FORMULA

$$\text{FINALWT} = \text{STRWT} * \frac{1}{\text{NPH}} * \text{NAD} * \text{POSTSTRAT}$$


FINALWT is the final weight assigned to each respondent.

STRWT accounts for differences in the basic probability of selection among strata (subsets of area code/prefix combinations). It is the inverse of the sampling fraction of each stratum. There is almost never a complete correspondence between strata, which are defined by subsets of area code/prefix combinations, and regions, which are defined by the boundaries of government entities.

$\frac{1}{\text{NPH}}$ is the inverse of the number of residential telephone numbers in the respondent=s household.

NAD is the number of adults in the respondent=s household.

POSTSTRAT is the number of people in an age-by-gender or age-by-race-by-gender category in the population of a region or a state divided by the sum of the products of the preceding weights for the respondents in that same age-by-gender or age-by-race-by-gender category. It adjusts for non-coverage and non-response and, before 1995, also adjusts for different probabilities of selection by region, where applicable.



**Arizona Department of Health Services
Public Health Services
Bureau of Public Health Statistics**

**150 North 18th Avenue, Suite 550
Phoenix, Arizona 85007
(602) 542-7333**